

MasterLife® 300D

Crystalline capillary waterproofing admixture

MATERIAL DESCRIPTION

MasterLife 300D admixture is an integral crystalline capillary waterproofing admixture for concrete. It is designed for use in above and below grade applications.

RECOMMENDED USES

- · Sewage and water treatment plants
- Liquid retaining structures
- Water reservoirs and tanks for potable water
- Swimming pools
- Foundations, basements, lift pits, podiums, balconies and roofs
- · Parking structures
- Precast, prestressed and post-tensioned concrete
- Culverts
- Blockfill
- · Tunnel and subway systems
- Shotcrete
- Concrete subjected to wet, harsh and aggressive environments

BENEFITS

- · Integral addition for optimum performance
- Reduces concrete permeability
- Allows concrete to breathe
- Reduces penetration of water and other liquids
- · Seals hairline cracks
- Resists positive and negative side hydrostatic pressure
- Protects against sewage and industrial Wastes

PERFORMANCE CHARACTERISTICS

Permeability

MasterLife 300D capillary waterproofing admixture is a Portland cement-based crystalline cementitious material that reacts in concrete to form non-soluble crystalline hydration products in the capillary pores of the concrete. These crystalline hydration products effectively reduce the permeability of concrete thus reducing capillary absorption and the penetration of water and other liquids.

Certification for use with Potable Water
MasterLife 300D is certified by NSF to NSF/ANSI
Standard 61 – Drinking Water System
Components – Health Effects, and therefore it is suitable for use in properly cured concrete structures in contact

with potable water.

Typical data for MasterLife 300D admixture @ 2% by weight of cement

| Performance characteristic | Test Method | Performance relative to untreated concrete mixture |
|-------------------------------|----------------------|--|
| Capillary absorption | ASTM C 1585 | 43% reduction |
| Water penetration | Modified DIN 1048 | 40% reduction |
| Moisture vapour emission rate | ASTM F 1869 | Same |
| Electrical conductance | ASTM C 1202 | Same |
| Compressive strength | ASTM C 39/C 39M | 7% Increase |

APPLICATION

Dispensing & Mixing

MasterLife 300D admixture is batched at the concrete production plant in a manner similar to that for cement or other cementitious materials. It may be batched in either a central or truck mixer.

Provide at least 5 minutes of agitating after the addition of **MasterLife 300D** admixture to ensure thorough and uniform distribution of the admixture in the concrete mixture.

DOSAGE

The dosage for MasterLife~300D admixture is 2% by weight of binder.



MasterLife® 300D

Crystalline capillary waterproofing admixture

COMPATIBILITY

MasterLife 300D admixture can be used with Portland cements approved under Australian and New Zealand standards. It is compatible with most concrete admixtures, including all Master Builders Solutions admixtures. MasterLife 300D admixture is recommended for use with high-range water reducing admixtures, such as the MasterGlenium series, for maximum workability while maintaining a low water/binder ratio.

REPAIRS

To repair and seal cracks in concrete and mortars treated with MasterLife 300D the use of MasterSeal 501 is recommended. MasterSeal 502 is a crystalline reprofiling render, which can be used in conjunction with MasterSeal 501 for patch repairs and as render on old concrete surface.

CORROSIVITY

Non-chloride, non-corrosive: **MasterLife 300D** admixture will neither initiate nor promote corrosion of reinforcing or

pre-stressing steel embedded in concrete or of galvanized steel floor and roof systems. Neither calcium chloride or other chloride-based ingredients are used in the manufacture of **MasterLife 300D** admixture.

PACKAGING

MasterLife 300D admixture is available in 4 x 4 kg dissolvable bags packed in a pail.

STORAGE

MasterLife 300D admixture must be stored in a clean, dry area maintained at a minimum temperature of 7 °C. **MasterLife 300D** admixture has a shelf life of 12 months when stored under recommended conditions.

PRCAUTIONS

For the full health and safety hazard information and how to safely handle and use this product, please make sure that you obtain a copy of the Master Builders Solutions Safety Data Sheet (SDS) from Master Builders Solutions office or our website.

 ${\it \circledR}$ = registered trademark of a MBCC Group member in many countries of the world

MID#MasterLife® 300D- 04.2021

STATEMENT OF RESPONSIBILITY

The technical information and application advice given in this Master Builders Solutions publication are based on the present state of our best scientific and practical knowledge. As the information herein is of a general nature, no assumption can be made as to a product's suitability for a particular use or application and no warranty as to its accuracy, reliability or completeness either expressed or implied is given other than those required by law. The user is responsible for checking the suitability of products for their intended use.

NOTE

Field service where provided does not constitute supervisory responsibility. Suggestions made by Master Builders Solutions either orally or in writing may be followed, modified or rejected by the owner, engineer or contractor since they, and not Master Builders Solutions, are responsible for carrying out procedures appropriate to a specific application.

PT Master Builders Solutions Indonesia

Jl. Jababeka V Blok I No 1, Kawasan Industrial Estate Jababeka 1, Pasirgombong, West Cikarang, Bekasi, West Java 17530 www.master-builders-solutions.com/en-id