

## **DECLARATION OF PERFORMANCE**

according Annex III of the regulation (EU) No 305/2011 amended by Commissions delegated Regulation (EU) No. 574/2014

For the product "MasterTop TC 409WESD"

No. <b>340903</b>			
1. Unique identification code of the product-type: EN 13813: 2002: SR-B1.5-AR1-IR4			
2.	Intended use/es: <b>Synthetic resin screed for internal uses</b> 2K-PU ESD top coat, water borne, UV-stable, matt, antistatic, according to the requirements of EN 61340-5-1 and EN 61340-4-5, low emission		
3.	Manufacturer: Master Builders Solutions Deutschland GmbH Donnerschweer Str. 372 D-26123 Oldenburg		
4.	System/s of assessment and verification of constancy of performance (AVCP): System 4 for internal uses System 3 for reaction to fire		
5.	Harmonised standard: EN 13813: 2002		
6.	Notified body/ies: For the reaction to fire: <b>MPA Dresden (0767)</b>		





7. Declared performances determined in System build-up MasterTop 1324 ESD:

Performance	System of assessment and verification of constancy of performance	Harmonisierte technische Spezifikation
Bfl-s1	System 3	
SR		
NPD		
≤ AR1		
≥ B1,5		EN 13813:2002
≥ IR4	System 4	2.1110010.2002
NPD		
	Bfl-s1 SR NPD ≤ AR1 ≥ B1,5 ≥ IR4 NPD NPD NPD	Performanceand verification of constancy of performanceBfl-s1System 3SR

NPD: No Performance Determined

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

Appropriate Technical Documentation to reaction to fire: No. 20140297-01 / 20140297-02 / 20140297-03

Fulfilled requirements: Bfl-s1 Thickness max. of the flooring system: 3 mm

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Vitte

Henrik Willem Vetter European Marketing Manager Performance Flooring

Oldenburg, 04.01.2021

## Annex:

Technical data sheets for use in buildings (system build-ups according to respective technical data sheets)