

**MasterInject 1380 PART B**

Version            Revision Date:            SDS Number:            Date of last issue: 08/04/2020  
2.0                03/28/2022              000000261101        Date of first issue: 08/04/2020

---

**SECTION 1. IDENTIFICATION**

Product name                : MasterInject 1380 PART B  
Product code                : 000000000055352711 000000000055352711  
Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier    : MBSCS Canada, Inc.  
Address                        : 7111 Syntex Drive, 3rd Floor  
   Mississauga ON L5N 8C3  
Emergency telephone        : ChemTel: +1-813-248-0585;  
National Emergency Tele-    : USA: +1-800-255-3924 ChemTel contract no. MIS9240420  
phone Number

**Recommended use of the chemical and restrictions on use**

Recommended use            : Adhesives and/or sealants  
Restrictions on use         : Reserved for industrial and professional use.

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Acute toxicity (Oral)        : Category 4  
Acute toxicity (Inhalation) : Category 3  
Skin corrosion               : Category 1A  
Serious eye damage         : Category 1  
Skin sensitization          : Category 1  
Reproductive toxicity       : Category 1B  
Specific target organ toxicity : Category 2  
- repeated exposure  
Specific target organ toxicity : Category 3  
- single exposure  
Short-term (acute) aquatic : Category 2  
hazard  
Long-term (chronic) aquatic : Category 2  
hazard

## MasterInject 1380 PART B

Version      Revision Date:      SDS Number:      Date of last issue: 08/04/2020  
 2.0            03/28/2022            000000261101      Date of first issue: 08/04/2020

---

**GHS label elements**

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H331 Toxic if inhaled.  
 H314 Causes severe skin burns and eye damage.  
 H302 Harmful if swallowed.  
 H317 May cause an allergic skin reaction.  
 H335 May cause respiratory irritation.  
 H360F May damage fertility.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H401 Toxic to aquatic life.  
 H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

:

**Prevention:**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P363 Wash contaminated clothing before reuse.

## MasterInject 1380 PART B

Version 2.0      Revision Date: 03/28/2022      SDS Number: 000000261101      Date of last issue: 08/04/2020  
 Date of first issue: 08/04/2020

P391 Collect spillage.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Amines

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
2-sec-Butylphenol	Phenol, 2-(1-methylpropyl)-	89-72-5	>= 20 - < 30
trimethylhexane-1,6-diamine	1,6-Hexanediamine, C,C,C-trimethyl-	25620-58-0	>= 20 - < 30
diethylmethylbenzenediamine	Benzenediamine, ar,ar-diethyl-ar-methyl-	68479-98-1	>= 10 - < 20
2,4,6-tris(dimethylaminomethyl)phenol	Phenol, 2,4,6-tris[(dimethylamino)methyl]-	90-72-2	>= 10 - < 20
2,2'-iminodi(ethylamine)	Diethylenetriamine	111-40-0	>= 5 - < 20
bisphenol A	Phenol, 4,4'-(1-methylethylidene)bis-	80-05-7	>= 5 - < 20
Bis[(dimethylamino)methyl]phenol	Phenol, bis(dimethylamino)methyl-	71074-89-0	>= 1 - < 5

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled : If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

## MasterInject 1380 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 08/04/2020
2.0	03/28/2022	000000261101	Date of first issue: 08/04/2020

---

- In case of skin contact : After contact with skin, wash immediately with plenty of water and soap.  
Under no circumstances should organic solvent be used.  
If irritation develops, seek medical attention.
- In case of eye contact : Immediately flush eyes for at least 15 minutes. Get medical attention.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
Protect unharmed eye.
- If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.  
Do not induce vomiting unless told to by a poison control center or doctor.
- Most important symptoms and effects, both acute and delayed : Toxic if inhaled.  
Causes severe skin burns and eye damage.  
Harmful if swallowed.  
May cause an allergic skin reaction.  
May cause respiratory irritation.  
May damage fertility.  
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.
- 

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Foam  
Water spray  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : water jet
- Hazardous combustion products : nitrogen oxides  
Carbon oxides  
fumes/smoke  
carbon black  
corrosive gases/vapours
- Further information : The degree of risk is governed by the burning substance and the fire conditions.  
Contaminated extinguishing water must be disposed of in accordance with official regulations.
- Special protective equipment for fire-fighters : Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

## MasterInject 1380 PART B

Version      Revision Date:      SDS Number:      Date of last issue: 08/04/2020  
2.0            03/28/2022            000000261101      Date of first issue: 08/04/2020

- Personal precautions, protective equipment and emergency procedures : Use personal protective clothing.  
Do not breathe vapour/aerosol/spray mists.  
Handle in accordance with good building materials hygiene and safety practice.
- Environmental precautions : Contain contaminated water/firefighting water.  
Do not discharge into drains/surface waters/groundwater.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Handle and open container with care.  
Wear personal protective equipment.  
Avoid contact with skin and eyes.  
Avoid aerosol formation.  
Keep container tightly sealed.  
Keep away from sources of ignition - No smoking.
- Conditions for safe storage : Prevent unauthorized access.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.  
Protect from direct sunlight.  
Store protected against freezing.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-sec-Butylphenol	89-72-5	TWA value	5 ppm	ACGIHTLV
		REL value	5 ppm 30 mg/m <sup>3</sup>	NIOSH
		TWA value	5 ppm 30 mg/m <sup>3</sup>	29 CFR 1910.1000 (Table Z-1-A)
		TWA	5 ppm 31 mg/m <sup>3</sup>	CA AB OEL

## MasterInject 1380 PART B

Version 2.0      Revision Date: 03/28/2022      SDS Number: 000000261101      Date of last issue: 08/04/2020  
 Date of first issue: 08/04/2020

		TWA	5 ppm	CA BC OEL
		TWAEV	5 ppm 31 mg/m <sup>3</sup>	CA QC OEL
		TWA	5 ppm	ACGIH
2,2'-iminodi(ethylamine)	111-40-0	TWA	1 ppm 4.2 mg/m <sup>3</sup>	CA AB OEL
		TWA	1 ppm	CA BC OEL
		TWAEV	1 ppm 4.2 mg/m <sup>3</sup>	CA QC OEL
		TWA	1 ppm	ACGIH

**Engineering measures** : Ensure adequate ventilation.

**Personal protective equipment**

**Respiratory protection** : Wear appropriate certified respirator when exposure limits may be exceeded.  
Use NIOSH approved respiratory protection.

**Hand protection**

**Remarks** : Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.

**Eye protection** : Tightly fitting safety goggles (chemical goggles) and face shield.

**Skin and body protection** : Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

**Protective measures** : Do not inhale gases/vapours/aerosols.  
Avoid contact with the skin, eyes and clothing.  
Handle in accordance with good building materials hygiene and safety practice.

**Hygiene measures** : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : liquid

**Color** : black-brown

**Odor** : of phenol

## MasterInject 1380 PART B

Version 2.0      Revision Date: 03/28/2022      SDS Number: 000000261101      Date of last issue: 08/04/2020  
Date of first issue: 08/04/2020

---

Odor Threshold	:	not determined
pH	:	alkaline
Melting point	:	No data available
Freezing point	:	No data available
Boiling point/boiling range	:	> 200 °C
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (liquids)	:	not highly flammable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	approx. 0.98 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	insoluble (20 °C)
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity	:	
Viscosity, dynamic	:	approx. 1,900 mPa.s (approx. 25 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Based on its structural properties the product is not classified

## MasterInject 1380 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 08/04/2020
2.0	03/28/2022	000000261101	Date of first issue: 08/04/2020

---

as oxidizing.

Sublimation point : No data available

Molecular weight : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability : The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions : The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Oxidizing agents  
strong alkalis  
Acids

Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed/indicated.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**
**Acute toxicity**

Harmful if swallowed.

Toxic if inhaled.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 771.55 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 6.58 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

**Skin corrosion/irritation**

Causes severe burns.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.





## MasterInject 1380 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 08/04/2020
2.0	03/28/2022	000000261101	Date of first issue: 08/04/2020

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : Dispose of in accordance with local authority regulations. Do not discharge into drains/surface waters/groundwater.
- Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

- UN number : UN 1760
- Proper shipping name : CORROSIVE LIQUID, N.O.S.  
(2-SEC-BUTYLPHENOL, TRIMETHYLHEXANE-1,6-DIAMINE)
- Class : 8
- Packing group : II
- Labels : 8

**IATA-DGR**

- UN/ID No. : UN 1760
- Proper shipping name : Corrosive liquid, n.o.s.  
(2-SEC-BUTYLPHENOL, TRIMETHYLHEXANE-1,6-DIAMINE)
- Class : 8
- Packing group : II
- Labels : Corrosive
- Packing instruction (cargo aircraft) : 855
- Packing instruction (passenger aircraft) : 851

**IMDG-Code**

- UN number : UN 1760
- Proper shipping name : CORROSIVE LIQUID, N.O.S.  
(2-SEC-BUTYLPHENOL, TRIMETHYLHEXANE-1,6-DIAMINE)
- Class : 8
- Packing group : II
- Labels : 8
- EmS Code : F-A, S-B
- Marine pollutant : no

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****TDG**

- UN number : UN 1760
- Proper shipping name : CORROSIVE LIQUID, N.O.S.

## MasterInject 1380 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 08/04/2020
2.0	03/28/2022	000000261101	Date of first issue: 08/04/2020

(2-SEC-BUTYLPHENOL, TRIMETHYLHEXANE-1,6-DIAMINE)

Class	: 8
Packing group	: II
Labels	: 8
ERG Code	: 154
Marine pollutant	: no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****The ingredients of this product are reported in the following inventories:**

TSCA	: All substances listed as active on the TSCA inventory
DSL	: All components of this product are on the Canadian DSL

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

29 CFR 1910.1000 (Table Z-1-A)	: OSHA - Table Z-1-A (29 CFR 1910.1000)
ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	: American Conference of Governmental Industrial Hygienists - threshold limit values (US)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
NIOSH	: NIOSH Pocket Guide to Chemical Hazards (US)
29 CFR 1910.1000 (Table Z-1-A) / TWA value	: Time Weighted Average (TWA):
ACGIH / TWA	: 8-hour, time-weighted average
ACGIHTLV / TWA value	: Time Weighted Average (TWA):
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWA	: Time-weighted average exposure value
NIOSH / REL value	: Recommended exposure limit (REL):

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

## MasterInject 1380 PART B

Version	Revision Date:	SDS Number:	Date of last issue: 08/04/2020
2.0	03/28/2022	000000261101	Date of first issue: 08/04/2020

---

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 03/28/2022  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN