# MasterProtect H 185

Version 1.0	Revision Date: 08/04/2020		DS Number: 00000260376	Date of last issue: - Date of first issue: 08/04/2020		
SECTIC	N 1. IDENTIFICATION					
Product name		:	MasterProtect H 185			
Pro	duct code	:	00000000055355255 00000000055355255			
Other means of identification		:	No data available			
Ма	nufacturer or supplier's	det	ails			
Co	mpany name of supplier	:	MBSCS Canada,	Inc.		
Ado	Address		7111 Syntex Drive, 3rd Floor Mississauga ON L5N 8C3			
Em	Emergency telephone		: ChemTel: +1-813-248-0585;			
Recommended use of the cl			nical and restriction	ons on use		
Re	commended use	:	Product for const	ruction chemicals		
Re	strictions on use	:	Reserved for industrial and professional use.			

## SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accorda	GHS classification in accordance with the Hazardous Products Regulations						
Reproductive toxicity	:	2					
GHS label elements Hazard pictograms	:						
Signal Word	:	Warning					
Hazard Statements	:	H361f Suspected of damaging fertility.					
Precautionary Statements	:	Prevention: P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.					
		Response: P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.					
		<b>Storage:</b> P405 Store locked up.					

# MasterProtect H 185

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/04/2020	000000260376	Date of first issue: 08/04/2020
		Diamagalı	

#### Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

### Other hazards

No data available.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
octamethylcyclotetrasiloxane	556-67-2	>= 1 - < 5

## **SECTION 4. FIRST AID MEASURES**

General advice	:	Remove contaminated clothing.
		Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	Keep patient calm, remove to fresh air, seek medical atten- tion.
		If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash thoroughly with soap and water
In case of eye contact	:	Wash affected eyes for at least 15 minutes under running water with eyelids held open.
		Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.
		Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Suspected of damaging fertility.

# MasterProtect H 185

Version 1.0	Revision Date: 08/04/2020	-	05 Number: 0000260376	Date of last issue: - Date of first issue: 08/04/2020
Notes	to physician	:	Treat symptomati	cally.
SECTION	5. FIRE-FIGHTING ME	ASL	JRES	
Suitab	ble extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (C	:02)
Unsuit media	table extinguishing	:	High volume wate	er jet
Specif fightin	fic hazards during fire g	:	See SDS section	10 - Stability and reactivity.
Hazar ucts	dous combustion prod-	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides	
Furthe	er information	:	contents. Most fire extinguis and once fire is proventilated or confi sion if ignited. Collect contaminate allow to reach sev Contaminated ext	extinguishing media to contact container shing media will cause hydrogen evolution, ut out, hydrogen may accumulate in poorly ned areas and result in flash fire or explo- ated extinguishing water separately, do not wage or effluent systems. inguishing water must be disposed of in official regulations.
			Use extinguishing	re for chemical fires. measures that are appropriate to local cir- he surrounding environment.
	al protective equipment e-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

# MasterProtect H 185

Versic 1.0	on	Revision Date: 08/04/2020		9S Number: 0000260376	Date of last issue: - Date of first issue: 08/04/2020
				respective authori	ities.
		s and materials for ment and cleaning up	:	acid binder, unive	t absorbent material (e.g. sand, silica gel, rsal binder, sawdust). closed containers for disposal.
SECT	ION 7.	HANDLING AND ST	OR/	AGE	
		on protection against explosion	:	Product is not exp	blosive.
				Normal measures	for preventive fire protection.
Д	Advice	on safe handling	:	Smoking, eating a plication area.	apors/dust. ection see section 8. and drinking should be prohibited in the ap- vater in accordance with local and national
С	Conditio	ons for safe storage	:	place. Observe label pre	ions / working materials must comply with
		information on stor- nditions	:	water or atmosph not stored unnece ble hydrogen gas accumulate at rate of head space, etc When partially fille must be ventilated the flammability lin Keep only in the c	ed containers are reopened, the container d adequately to maintain vapors well below mits and exposure guidelines.
Ν	Materia	ls to avoid	:	Observe VCI stora	age rules.
				Do not store near	acids.
	Further	information on stor- bility	:	No data available	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No applicable information available.

# **MasterProtect H 185**

)	Revision Date: 08/04/2020		S Number: )000260376	Date of last issue: - Date of first issue: 08/04/2020
Perso	onal protective equip	ment		
Resp	iratory protection	:	Wear a NIOSH sary.	l-certified (or equivalent) respirator as neces-
Hand	protection			
Re	emarks	:		for a specific workplace should be discussed cers of the protective gloves.
Eye p	protection	:	Eye wash bottl Tightly fitting sa	e with pure water afety goggles
Skin and body protection : Impervious clothing Choose body protection according to th centration of the dangerous substance a			thing protection according to the amount and con- e dangerous substance at the work place.	
Prote	ctive measures	:	Avoid contact v Avoid exposure Handle in acco and safety prac	gases/vapours/aerosols. with the skin, eyes and clothing. e - obtain special instructions before use. Irdance with good building materials hygiene ctice. sed work clothing is recommended.
Hygie	ne measures	:	Wash hands be	efore breaks and at the end of workday.
CTION	9. PHYSICAL AND C	HEMI	CAL PROPERT	IES
	9. PHYSICAL AND C arance		liquid	IES
	arance	HEMI(		IES
Appe	arance	HEMI( : :	liquid	
Appe Color Odor	arance	HEMI( : : :	liquid white	ïc
Appe Color Odor	arance	HEMI( : : :	liquid white product specif	ic able
Appe Color Odor Odor pH	arance	HEMI( : : : :	liquid white product specif No data availa approx. 4.6 (2	ic able
Apper Color Odor Odor pH Meltir	arance Threshold	HEMI( : : : :	liquid white product specif No data availa approx. 4.6 (2 No applicable	ïc able 0 °C)
Appe Color Odor Odor pH Meltir Freez	arance Threshold ng point	HEMI( : : : : :	liquid white product specif No data availa approx. 4.6 (2 No applicable	ic able 0°C) information available. information available.
Appe Color Odor Odor pH Meltir Freez Boilin	arance Threshold ng point ting point	HEMI( : : : : :	liquid white product specif No data availa approx. 4.6 (2 No applicable No applicable	ic able 0°C) information available. information available.
Appe Color Odor Odor pH Meltir Freez Boilin	arance Threshold ng point ting point g point	HEMI( : : : : :	liquid white product specif No data availa approx. 4.6 (2 No applicable No applicable No data availa 93.34 °C	ic able 0°C) information available. information available. able dard Method of Test for Flash Point by Setafla
Apper Color Odor PH Meltir Freez Boilin Flash	arance Threshold ng point ting point g point	HEMI( : : : : : :	liquid white product specif No data availa approx. 4.6 (2 No applicable No applicable No data availa 93.34 °C Method: Stand Closed Tester	ic able 0°C) information available. information available. able dard Method of Test for Flash Point by Setafla

# MasterProtect H 185

Vers 1.0	ion	Revision Date: 08/04/2020		S Number: 0000260376	Date of last issue: - Date of first issue: 08/04/2020
	Density	,	:	approx. 1 g/cm3	(20 °C)
	Bulk de	nsity	:	not applicable	
	Solubili Wat	ty(ies) er solubility	:	partly miscible	
	Solu	bility in other solvents		No applicable inf	ormation available.
	Autoign	ition temperature	:	No data available	9
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi <sup>.</sup> Visc	ty osity, dynamic	:	No applicable inf	ormation available.
	Visc	osity, kinematic	:	No applicable inf	ormation available.
	Explosi	ve properties	:	Not explosive Not explosive	
	Oxidizir	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified
	Sublima	ation point	:	No applicable inf	ormation available.
	Molecu	lar weight	:	No data available	9

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

# MasterProtect H 185

/ersion I.0	Revision Date: 08/04/2020		OS Number: 0000260376	Date of last issue: - Date of first issue: 08/04/2020
ECTION	I 11. TOXICOLOGICA		ORMATION	
Acut	e toxicity			
	classified based on ava	ailable	information.	
Prod	luct:			
Acute	e oral toxicity	:	Remarks: No a	pplicable information available.
Acute	e inhalation toxicity	:	Remarks: No a	pplicable information available.
Acute	e dermal toxicity	:	Remarks: No a	pplicable information available.
Skin	corrosion/irritation			
Not c	classified based on ava	ailable	information.	
	ous eye damage/eye			
	classified based on ava			
Resp	piratory or skin sensi	tizatio	on	
-	sensitization			
Not c	classified based on ava	ailable	information.	
-	piratory sensitization			
	classified based on ava	ailable	information.	
	n cell mutagenicity			
	classified based on ava	allable	information.	
	<b>inogenicity</b> classified based on ava	ailabla	information	
		allable	iniomation.	
-	roductive toxicity pected of damaging fer	tility		
	T-single exposure	untyr		
	classified based on ava	ailable	information.	
STO	T-repeated exposure			
Not c	classified based on ava	ailable	information.	
Aspi	ration toxicity			
Not c	classified based on ava	ailable	information.	
Prod	luct:			
No a	spiration hazard exped	cted.		
Furth	her information			
Prod	luct:			
Rem	arks	:		s not been tested. The statement has been e properties of the individual components.
Rem	arks	:	No data availat	ble

# MasterProtect H 185

ersion 0	Revision Date: 08/04/2020	SDS Number: 000000260376	Date of last issue: - Date of first issue: 08/04/2020
ECTION	12. ECOLOGICAL IN	IFORMATION	
	<b>oxicity</b> ata available		
No da	stence and degradal ata available ccumulative potentia	-	
	ponents:		
octar	nethylcyclotetrasilo	kane:	
Partit	ion coefficient: n- ol/water	: log Pow: 6.488 Method: other GLP: yes	
	<b>lity in soil</b> ata available		
Othe	r adverse effects		
Prod	uct:		
Additi matio	ional ecological infor- n	harmful to aqua The product ha	probability that the product is not acutely atic organisms. Is not been tested. The statements on ecotoxi een derived from the properties of the individua

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
		Dispose of in accordance with national, state and local regula- tions.
		Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

## **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

## UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

## MasterProtect H 185

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/04/2020	000000260376	Date of first issue: 08/04/2020

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

TDG

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:DSL:On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date

08/04/2020

## MasterProtect H 185

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/04/2020	00000260376	Date of first issue: 08/04/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

CA / EN