according to the Hazardous Products Regulations

MasterTop 300 US

Vers 2.0	sion	Revision Date: 09/12/2023		DS Number: 0000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020				
SEC	SECTION 1. IDENTIFICATION								
	Produc	t name	:	MasterTop 300 US					
	Produc	t code	:	0000000005168	00000000051682620 00000000051682620				
	Other means of identification		:	No data available					
	Manufacturer or supplier's		deta	ails					
	Compa	ny name of supplier	:	MBSCS Canada,	Inc.				
	Addres	S	:	7111 Syntex Driv Mississauga ON I					
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585;				
		al Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420				
	Recom	mended use of the c	hen	nical and restriction	ons on use				
	Recom	mended use	:	Product for consti	ruction chemicals				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin irritation	:	Category 2
Serious eye damage	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - single exposure		Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H350 May cause cancer by inhalation.

according to the Hazardous Products Regulations

MasterTop 300 US

rsion	Revision Date: 09/12/2023	SDS Number: 000000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020
Preca	utionary Statements	P202 Do not ha and understood P261 Avoid bre P264 Wash ski P271 Use only	eathing dust. n thoroughly after handling. outdoors or in a well-ventilated area. tective gloves/ protective clothing/ eye protection
		P304 + P340 + and keep comf doctor if you fe P305 + P351 + water for sever and easy to do CENTER/ doct P308 + P313 If attention. P332 + P313 If tion.	P338 + P310 IF IN EYES: Rinse cautiously wi al minutes. Remove contact lenses, if present . Continue rinsing. Immediately call a POISON
		Storage: P403 + P233 S tightly closed. P405 Store loc	tore in a well-ventilated place. Keep container
		Disposal:	of contents/ container to an approved waste dis
In con	r hazards nbination with water, r burns.	repeated or prolonged	dermal exposure can cause moderate to sever

Chemical nature

: modified cement mortar

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	Portland cement	65997-15-1	>= 20 - < 30
carbon	Carbon	7440-44-0	>= 1 - < 5
Limestone	Calcium car- bonate	1317-65-3	>= 1 - < 5
Gypsum	Calcium sulfate	13397-24-5	>= 1 - < 5

according to the Hazardous Products Regulations

MasterTop 300 US

Vers 2.0	ion	Revision Date: 09/12/2023		SDS Num 00000026			of last issue: 08/28/2020 of first issue: 08/28/2020			
(Ca(SO4).2H2O) dih			dihydra	to	I	I	1			
		ic amorphous			7631-86-9		>= 1 - < 5			
	Quartz (SiO2)		Crystalline silica		14808-60-7		>= 0.1 - < 1			
	sodium nitrite		Nitrous acid, sodium salt		7632-00-0		>= 0.1 - < 1			
-	Actual c	concentration is								
SEC	TION 4.	FIRST AID ME	ASURE	S						
	Genera	l advice			d personnel /e contamina		uld pay attention to their own safety. clothing.			
	If inhaled				: After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Seek medical attention.					
	In case of skin contact			 After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses. Seek medical advice. If eye irritation persists, consult a specialist. 						
				seek n Do not	nmediately rinse mouth and then drink 200-300 ml of water, eek medical attention. o not induce vomiting unless told to by a poison control cen- er or doctor.					
	Most important symptoms : and effects, both acute and delayed		Cause May ca	Causes serious eye damage. Causes skin irritation. May cause respiratory irritation. May cause cancer by inhalation.						
	Notes to	o physician		Treat	symptomatic	ally.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2) Product itself is non-combustible. Only the packaging materi- als can catch fire. The extinguishing agents normally used are sufficient.
------------------------------	---	---

MasterTop 300 US

Ver 2.0	sion	Revision Date: 09/12/2023		OS Number: 0000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020
	Unsuita media	ble extinguishing	:	water jet	
	Specific fighting	c hazards during fire	:	Product is not con	nbustible or explosive.
	Hazardous combustion prod- ucts		:	harmful vapours	
	Further information		:	Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water accordance with official regulations.	
	Special for fire-	protective equipment fighters	:	Wear self-contain protective clothing	ed breathing apparatus and chemical-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Avoid dust formation. Avoid contact with skin and eyes. Do not inhale dusts. Use personal protective clothing. Wear appropriate respiratory protection. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions :	Do not discharge into drains/surface waters/groundwater.
Methods and materials for : containment and cleaning up	Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Keep in suitable, closed containers for disposal. Rinse with plenty of water.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	No special precautions necessary.
Advice on safe handling	:	Avoid dust formation. Do NOT breathe dust because it is hazardous to respiratory system. Avoid contact with skin and eyes. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irrita- tion of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while emptying bags into equipment.

according to the Hazardous Products Regulations

MasterTop 300 US

Version 2.0	Revision Date: 09/12/2023	SDS Number: 000000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020			
		•	st be protected when large quantities are de- ut local exhaust ventilation.			
Conditions for safe storage		: Keep container tightly closed in a dry and well-ventilated place.				
Mater	ials to avoid	Segregate fro	om metals. om acids and bases.			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
Compart northand shamiasla	05007.45.4	exposure)	concentration	
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	CA AB OEL
		TWA (Res- pirable)	1 mg/m3	CA BC OEL
		TWAEV (respirable dust)	1 mg/m3	CA QC OEL
		TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
carbon	7440-44-0	TWA (Res- pirable)	2 mg/m3	CA AB OEL
		TWAEV (respirable dust)	5 mg/m3	CA QC OEL
Limestone	1317-65-3	TWA	10 mg/m3	CA AB OEL
		TWAEV (to- tal dust)	10 mg/m3	CA QC OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respir- able dust fraction)	3 mg/m3	CA BC OEL
		STEL	20 mg/m3	CA BC OEL
Gypsum (Ca(SO4).2H2O)	13397-24-5	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respir- able dust fraction)	3 mg/m3	CA BC OEL
		STEL	20 mg/m3	CA BC OEL
		TWA (Inhal- able particu-	10 mg/m3 (Calcium)	ACGIH

Ingredients with workplace control parameters

according to the Hazardous Products Regulations

MasterTop 300 US

	09/12/2023		SDS Number:Date of last issue: 08/28/2020000000260896Date of first issue: 08/28/2020			
				late matter)		
Synth	etic amorphous silica		7631-86-9	TWA (Res- pirable par- ticulates)	0.025 mg/m3 (Silica)	CA AB OE
Quart	z (SiO2)		14808-60-7	TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OE
				TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OE
				TWAEV (respirable dust)	0.1 mg/m3	CA QC OE
				TWÁ (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OE
				TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Engir	neering measures	:	Provide local P.E.L.	exhaust ventilat	ion to maintain reco	ommended
	onal protective equipn ratory protection	nent :	Wear approp may be exce	eded.	spirator when expos quivalent) particula	
Respi			Wear approp may be exce	eded.	spirator when expos quivalent) particula	
Respi Hand	ratory protection		Wear approp may be excer Wear a NIOS Chemical res	eded. H-certified (or en istant protective		te respirator. rer's direc-
Respi Hand Re	ratory protection		Wear approp may be excer Wear a NIOS Chemical res tions for use types.	eded. H-certified (or en istant protective should be obser	quivalent) particula gloves. Manufactu	te respirator. rer's direc- at diversity of
Respi Hand Re Eye p	ratory protection protection emarks		Wear approp may be excee Wear a NIOS Chemical res tions for use s types. Tightly fitting	eded. H-certified (or en istant protective should be obser safety goggles (on must be chos	quivalent) particula gloves. Manufactu ved because of gre	te respirator. rer's direc- at diversity of
Respi Hand Re Eye p Skin a	ratory protection protection emarks rotection		Wear approp may be excee Wear a NIOS Chemical res tions for use a types. Tightly fitting Body protecti and exposure Do not inhale Avoid contac In order to pre- working cloth	eded. H-certified (or en istant protective should be obser safety goggles (on must be chose a vapours or dust t with the skin, e event contamina es and working g cordance with go	quivalent) particula gloves. Manufactu ved because of gre chemical goggles). sen based on level	te respirator. rer's direc- at diversity of of activity , closed sed.

according to the Hazardous Products Regulations

MasterTop 300 US

Version 2.0	Revision Date: 09/12/2023		S Number: 0000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020
			Remove contamil re-use or dispose	nated clothing immediately and clean before it if necessary.
SECTION	9. PHYSICAL AND CH	EMI	CAL PROPERTIE	S
Appe	arance	:	powder	
Color		:	gray	
Odor		:	odorless	
Odor	Threshold	:	Not applicable	
рН		:	neutral to slightly	/ alkaline
Meltir	ng point	:	No data availabl	e
Freez	zing point		No data availabl	e
Boilin	ig point	:	No data available	e
Flash	point	:	does not flash	
Evap	oration rate	:	No data available	e
Flam	mability (solid, gas)	:	not flammable	
	r explosion limit / Upper nability limit	:	knowledge of its	r experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance d use.
	r explosion limit / Lower nability limit	:	knowledge of its	r experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance d use.
Vapo	r pressure	:	No data available	e
Relat	ive vapor density	:	No data available	e
Relat	ive density	:	No data availabl	e
Bulk	density	:	approx. 1,800 - 2	2,400 kg/m3
	bility(ies) ater solubility	:	dispersible (20 °	°C)

according to the Hazardous Products Regulations

MasterTop 300 US

Versi 2.0		Revision Date: 09/12/2023		S Number: 0000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020	
	Solul	bility in other solvents	:	No data available	3	
	Partition coefficient: n- octanol/water		:	not applicable for mixtures		
	Autoigni	tion temperature	:	No data available		
	Decomposition temperature		:	No decompositio scribed/indicated	n if stored and handled as pre-	
Viscosity Viscosity, dynamic		:	Not applicable			
	Viscosity, kinematic		:	Not applicable		
	Explosiv	ve properties	:	Not explosive		
	Oxidizing properties		:	Based on its strue as oxidizing.	ctural properties the product is not classified	
	Sublimation point		:	No data available)	
	Molecula	ar weight	: Not applicable			
	Metal co	prrosion rate	:	Corrosive effects	to metal are not anticipated.	
	Particle	size	:	No data available)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	Strong bases are formed on the addition of water. The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	Avoid dust formation. Avoid humidity.
Incompatible materials	:	Strong bases Strong acids
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

MasterTop 300 US

Version	Revision Date:	SDS Number:	Date of last issue: 08/28/2020
2.0	09/12/2023	00000260896	Date of first issue: 08/28/2020

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks

: Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-live is unlikely.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

May cause cancer by inhalation. IARC Group 1: Carcinogenic to humans Quartz (SiO2) 14808-60-7 (Silica dust, crystalline) Group 2A: Probably carcinogenic to humans sodium nitrite 7632-00-0 (nitrite (ingested) under conditions that result in endogenous nitrosation)

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Experience with human exposure

:

Product:

Skin contact

Remarks: In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns.

MasterTop 300 US

/ersion 2.0	Revision Date: 09/12/2023		0S Number: 0000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020
Furth	ner information			
Prod	uct:			
	Remarks		The product has i	e not known or expected under normal use. not been tested. The statements on toxicolo- ived from the properties of the individual
SECTION	12. ECOLOGICAL INFO	DRI	ΙΑΤΙΟΝ	
Ecot	oxicity			
Prod	uct:			
Ecot	oxicology Assessment			
Acute	e aquatic toxicity	:	This product has	no known ecotoxicological effects.
Chro	nic aquatic toxicity	•	This product has	no known ecotoxicological effects.
Persi	istence and degradabili	ity		
Prod	uct:			
Biode	egradability	:	Remarks: Not app	blicable for inorganic substances.
Bioa	ccumulative potential			
Prod	uct:			
Bioad	ccumulation	:		oduct will not be readily bioavailable due to d insolubility in water.
Mobi	lity in soil			
Prod	uct:			
	bution among environ- al compartments	:	particles is probal is not expected.	ng exposure to soil, adsorption to solid soil ole, therefore contamination of groundwater Il not evaporate into the atmosphere from
Othe	r adverse effects			
Prod	uct:			
Addit matic	ional ecological infor- on	:	The product has i	product into the environment without control. not been tested. The statements on ecotoxi- derived from the properties of the individual

MasterTop 300 US

Version 2.0	Revision Date: 09/12/2023		DS Number: 00000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020
SECTION	13. DISPOSAL CONS	IDEF	RATIONS	
Dispo	sal methods			
Waste	e from residues	:	0	into drains/surface waters/groundwater. ordance with national, state and local regula-
Conta	minated packaging	:		ied packagings can be given for recycling. t be cleaned should be disposed of in the the contents.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this prod	uct	are reported in the following inventories:
TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	This product contains one or more components listed on the Canadian NDSL. All other components are on the Canadian DSL.

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule: sodium nitrite 7632-00-0

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

according to the Hazardous Products Regulations

MasterTop 300 US

Version 2.0	Revision Date: 09/12/2023	SDS Number: 000000260896	Date of last issue: 08/28/2020 Date of first issue: 08/28/2020			
CA A	B OEL	: Canada. Alberta, 2: OEL)	Occupational Health and Safety Code (table			
CA B	C OEL	: Canada. British (Columbia OEL			
CA ON OEL			 Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act. 			
CA QC OEL		: Québec. Regulat ty, Schedule 1, P	: Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants			
ACGI	H/TWA	: 8-hour, time-weig	phted average			
CA A	B OEL / TWA	: 8-hour Occupation	: 8-hour Occupational exposure limit			
CA BC OEL / TWA		: 8-hour time weig	8-hour time weighted average			
CA B	CA BC OEL / STEL : :		sure limit			
CA O	N OEL / TWA		Average Limit (TWA)			
CA Q	C OEL / TWAEV	: Time-weighted a	verage exposure value			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date	:	09/12/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidaccording to the Hazardous Products Regulations

MasterTop 300 US

Version	Revision Date:	SDS Number:	Date of last issue: 08/28/2020
2.0	09/12/2023	00000260896	Date of first issue: 08/28/2020

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN