according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

**SECTION 1. IDENTIFICATION** 

Product name : MasterTop SRS 51P

Product code : 00000000056429777 000000000056429777

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : MBSCS Canada, Inc.

Address : 7111 Syntex Drive, 3rd Floor

Mississauga ON L5N 8C3

Emergency telephone : ChemTel: +1-813-248-0585;

National Emergency Tele-

phone Number

USA: +1-800-255-3924 ChemTel contract no. MIS9240420

Recommended use of the chemical and restrictions on use

Recommended use : Floor coating

Restrictions on use : Reserved for industrial and professional use.

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 2

Skin irritation : Category 2

Skin sensitization : Category 1

Specific target organ toxicity

- single exposure

Category 3 (Respiratory system)

Short-term (acute) aquatic

hazard

Category 3

Long-term (chronic) aquatic

hazard

Category 3

**GHS** label elements

Hazard pictograms





according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

Chemical nature : methacrylic ester

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
methyl methacrylate	2-Propenoic acid, 2-methyl-, methyl ester	80-62-6	>= 70 - < 90
2,2'- Ethylenedioxydiethyl dimethacrylate	Triethylene gly- col dimethacry- late	109-16-0	>= 5 - < 10
2,6-di-tert-butyl-p- cresol	Butylated hy- droxytoluene	128-37-0	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aid personnel should pay attention to their own safety.

Remove contaminated clothing.

If inhaled : Remove the affected individual into fresh air and keep the

person calm.

If breathing difficulties develop, aid in breathing and seek im-

mediate medical attention.

In case of skin contact : Wash thoroughly with soap and water

Under no circumstances should organic solvent be used.

If irritation develops, seek medical attention.

In case of eye contact : Contact lenses should be removed. Hold eyelids open and

flush with copious amounts of clean, fresh water or a special

eyewash solution and seek medical advice.

If swallowed : Rinse mouth and then drink 200-300 ml of water.

Do not induce vomiting due to aspiration hazard.

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

Most important symptoms

and effects, both acute and

delayed

Causes skin irritation.

May cause an allergic skin reaction. May cause respiratory irritation.

Notes to physician : Treat symptomatically.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Dry powder

Alcohol-resistant foam

Water spray

Carbon dioxide (CO2)

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: 3.0 10/27/2023

SDS Number: 000000260441

Date of last issue: 08/23/2022 Date of first issue: 11/17/2020

Unsuitable extinguishing

media

water jet

Hazardous combustion prod- :

ucts

harmful vapours nitrogen oxides fumes/smoke carbon black

carbon oxides

Further information

The degree of risk is governed by the burning substance and

the fire conditions.

Containers may rocket or explode in heat of fire.

Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not

allow to reach sewage or effluent systems.

Contaminated extinguishing water must be disposed of in

accordance with official regulations.

Special protective equipment:

for fire-fighters

Firefighters should be equipped with self-contained breathing

apparatus and turn-out gear.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective clothing. Avoid prolonged inhalation.

Avoid contact with the skin, eyes and clothing.

Avoid all sources of ignition: heat, sparks, open flame.

Environmental precautions :

Prevent spread over a wide area (e.g. by containment or oil

barriers).

Contain contaminated water/firefighting water.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

## **SECTION 7. HANDLING AND STORAGE**

Advice on protection against : fire and explosion

Sources of ignition should be kept well clear.

Take precautionary measures against static discharges.
Substance/product can form explosive mixture with air.
Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of igni-

tion.

Advice on safe handling : Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

Provide good room ventilation even at ground level (vapours

are heavier than air).

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

Conditions for safe storage : No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

Keep container tightly closed and in a well-ventilated place.

Keep away from heat.

Avoid all sources of ignition: heat, sparks, open flame. Contamination with other substances must be avoided.

Keep at temperature not exceeding 25 °C.

Keep only in the original container.

Materials to avoid : Segregate from foods and animal feeds.

Recommended storage tem-

perature

< 25 °C

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		`		
	00.00.0	exposure)	concentration	04.45.051
methyl methacrylate	80-62-6	STEL	100 ppm	CA AB OEL
			410 mg/m3	
		TWA	50 ppm	CA AB OEL
			205 mg/m3	
		TWA	50 ppm	CA BC OEL
		STEL	100 ppm	CA BC OEL
		TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
2,6-di-tert-butyl-p-cresol	128-37-0	TWA	10 mg/m3	CA AB OEL
		TWA (Va-	2 mg/m3	CA BC OEL
		pour and		
		inhalable		
		aerosols)		
		TWAEV (in-	2 mg/m3	CA QC OEL
		halable frac-		
		tion and va-		
		pour)		
		TWA (Inhal-	2 mg/m3	ACGIH
		able fraction		
		and vapor)		

**Engineering measures** : Ensure adequate ventilation.

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

Personal protective equipment

Respiratory protection : Wear appropriate certified respirator when exposure limits

may be exceeded.

Wear a NIOSH-certified (or equivalent) organic va-

pour/particulate respirator.

Hand protection

Remarks : Wear chemical resistant protective gloves. Manufacturer's

directions for use should be observed because of great di-

versity of types.

Eye protection : Wear safety glasses with side shields or goggles.

Skin and body protection : Body protection must be chosen based on level of activity

and exposure. Antistatic apron

Protective measures : Avoid inhalation of dusts/mists/vapours.

Avoid contact with the skin, eyes and clothing.

Avoid prolonged and/or repeated contact with the skin. Handle in accordance with good building materials hygiene

and safety practice.

Hygiene measures : When using, do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at

the end of the shift.

At the end of the shift the skin should be cleaned and skin-

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : amber, cloudy

Odor : ester-like, sweetish

Odor Threshold : not determined

pH : Not applicable

Melting point/freezing point : -48 °C

Boiling point/boiling range : 100 °C

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

Flash point : 9 °C

Evaporation rate : > 1

(Butyl Acetate=1.0)

Flammability (liquids) : Highly flammable liquid and vapor.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : 27.8 mmHg (20 °C)

Relative vapor density : 3.1

(Air = 1.0)

Relative density : No data available

Density : 0.99 g/ml (25 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : 430 °C

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : 160 cps (25 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Not an oxidizer.

Sublimation temperature : No data available

Molecular weight : Not applicable

### **SECTION 10. STABILITY AND REACTIVITY**

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

Reactivity : No hazardous reactions if stored and handled as pre-

scribed/indicated.

Chemical stability : The product is stable if stored and handled as pre-

scribed/indicated.

Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air.

Conditions to avoid : Avoid all sources of ignition: heat, sparks, open flame.

Avoid electro-static charge. Avoid contamination.

Incompatible materials : Strong bases

Acids

Oxidizing agents

Hazardous decomposition

products

Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

### Respiratory sensitization

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

## Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

May cause respiratory irritation.

#### STOT-repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

#### **Further information**

**Product:** 

Remarks : The product has not been tested. The statements on toxicolo-

gy have been derived from the properties of the individual

components.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Product:**

### **Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Components:

## 2,6-di-tert-butyl-p-cresol:

Partition coefficient: n-

octanol/water

: log Pow: 5.1

### Mobility in soil

No data available

### Other adverse effects

#### **Product:**

Additional ecological infor-

mation

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : Dispose of in accordance with national, state and local regula-

tions.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not discharge into drains/surface waters/groundwater. Residues should be disposed of in the same manner as the

substance/product.

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

UN number : UN 1866

Proper shipping name : RESIN SOLUTION

Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1866
Proper shipping name : Resin solution

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo : 364

aircraft)

Packing instruction (passen: 353

ger aircraft)

**IMDG-Code** 

UN number : UN 1866

Proper shipping name : RESIN SOLUTION

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**TDG** 

UN number : UN 1866

Proper shipping name : RESIN SOLUTION

Class : 3
Packing group : II
Labels : 3
ERG Code : 127
Marine pollutant : no

according to the Hazardous Products Regulations



# MasterTop SRS 51P

Version Revision Date: SDS Number: Date of last issue: 08/23/2022 3.0 10/27/2023 000000260441 Date of first issue: 11/17/2020

#### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CA AB OEL / TWA : 8-hour Occupational exposure limit
CA AB OEL / STEL : 15-minute occupational exposure limit

CA BC OEL / TWA : 8-hour time weighted average CA BC OEL / STEL : short-term exposure limit

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

according to the Hazardous Products Regulations



# MasterTop SRS 51P

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/23/2022

 3.0
 10/27/2023
 000000260441
 Date of first issue: 11/17/2020

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 10/27/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN