

## **DECLARATION OF PERFORMANCE**

In accordance with Annex III of Regulation (EU) No. 305/2011 (Construction Product Regulation)

Reference Number: No. 01130370

For the product: Ucrete RG consisting of:

A primer layer of:- Ucrete PRG A topcoat layer of:- Ucrete RG

As described in the relevant technical data sheets and when installed according to the manufacturer's instructions.

1. Unique identification code of the product type(s):

### BS EN 1504-2 surface protection system for concrete / chemical resistance

2. Type, batch or serial number or other identifying mark to identify the construction product as set out in Article 11 (4):

Batch number: See product packaging

3. Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification:

## Synthetic resin screed material

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as set out in Article 11 (5):

Master Builders Solutions UK Ltd
19 Broad Ground Road
Redditch B98 8YP
United Kingdom

5. When applicable, the name and contact address of the authorised representative who has received a mandate for the tasks set out in Article 12 (2):

**Master Builders Solutions UK Ltd** 







# **DECLARATION OF PERFORMANCE**

### Not applicable

6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:

## System 4

## System 3 for fire behaviour

- 7. In the case of a declaration of performance concerning a construction product that is covered by a harmonised standard:
- 8. The notified body, Exova Warringtonfire, UK, Identification Number 0833, performed the reaction to fire (EN 13501-1) according to System 3 and reported the following:

Classification Report No. 393374

9. In the case of a declaration of performance concerning a construction product for which a European Technical Assessment was issued:

### Not Relevant

### 10. Declared Performance:

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONISED TECHNICAL SPECIFICATION
Abrasion resistance (Taber test)	Pass	EN 1504-2: 2004
Resistance to severe chemical attack	Class II	EN 1504-2: 2004
Impact resistance	Class I	EN 1504-2: 2004
Adhesion strength by pull-off	> 2,0	EN 1504-2: 2004
Fire classification	B <sub>FL</sub> – S <sub>1</sub>	EN 1504-2: 2004

NPD: No Performance Determined

When specific technical documentation in accordance with Articles 37 or 38 was used, the requirements that the product fulfils:

Master Builders Solutions UK Ltd





# **DECLARATION OF PERFORMANCE**

### Not applicable

11. The performance of the product set out in numbers 1 and 2 corresponds to the declared performance set out in number 9. The manufacturer as defined in number 4 is solely responsible for drawing up this declaration of performance.

Prepared on behalf of Master Builders Solutions UK Ltd:

Name: David Bell Position: QC Manager

Place and date: Redditch, 12th February 2021 Signature:

Signed for and on behalf of Master Builders Solutions UK Ltd:

Name: Robert Bentley Position: Marketing Manager Europe, Ucrete

Place and Redditch, 12th February 2021 **Signature:** 

date:

