

MasterRoc® TSG 7

First Fill Tail Sealant for Shielded Tunnel Boring Machines (TBM)

PRODUCT DESCRIPTION

MasterRoc TSG 7 is a tail sealant for shielded tunnel boring machines. It effectively seals the gap between the shield and concrete segments to prevent the ingress of water, grout and soil. It is formulated to resist high water and grout pressures, and has excellent adhesion to all types of surfaces. It is designed as a first fill sealant.

FIELDS OF APPLICATION

Tunnelling with shielded TBMs equipped with a brush seal system.

FEATURES AND BENEFITS

- · Excellent sealing properties
- Excellent adhesion to any metal or concrete surfaces
- Good pumping properties if pumping system ismoved close to the application location

PACKAGING

MasterRoc TSG 7 is available in standard 70 kg or 250 kg steel drums for press plate pumps.

TECHNICAL DATA

Form Homogenous paste
Colour Light grey
Odor Slight odour
Density [kg/m³] 20°C 1700 ± 10

Consistency	200±20
ASTM D 217 [1/10 mm]	
Water spray off	< 5%
ASTM D 4049	
Matsumara sealing test	34.3 bar
Volatility	< 2%
ASTM D 972	
Oil dropping point	>170°C
ISO 2176	
Thermal decomposition	>180°C
Sulfated Ashes	>50%

The average consumption to fill a 3 row brush system is 50 kg per meter shield circumference.

>50%

STORAGE

Insoluble matter

MasterRoc TSG 7 should be stored at 5 - 35°C. If stored in original tightly closed drums it has a shelf life of 12 months.

SAFETY PRECAUTIONS

MasterRoc TSG 7 is an inert material and is not hazardous. It is ecologically and environmentally friendly and poses no threat to worker safety or the environment. However, it is recommended that all normal precautions be taken when handling the product, such as the use of eye protection and gloves.

 $\ensuremath{^{\circledR}}$ = registered trademark of a MBCC Group member in many countries of the world

MID#MasterRoc® TSG 7 - 04.2021

STATEMENT OF RESPONSIBILITY

The technical information and application advice given in this Master Builders Solutions publication are based on the present state of our best scientific and practical knowledge. As the information herein is of a general nature, no assumption can be made as to a product's suitability for a particular use or application and no warranty as to its accuracy, reliability or completeness either expressed or implied is given other than those required by law. The user is responsible for checking the suitability of products for their intended use.

NOTE

Field service where provided does not constitute supervisory responsibility. Suggestions made by Master Builders Solutions either orally or in writing may be followed, modified or rejected by the owner, engineer or contractor since they, and not Master Builders Solutions, are responsible for carrying out procedures appropriate to a specific application.

PT Master Builders Solutions Indonesia

JI. Jababeka V Blok I No 1, Kawasan Industrial Estate Jababeka 1, Pasirgombong, West Cikarang, Bekasi, West Java 17530 www.master-builders-solutions.com/en-id