

THIS METHOD STATEMENT COVERS THE PREPARATION AND APPLICATION OF **MasterSeal P 700**, SOLVENT BASED BITUMEN PRIMER FOR TORCH-APPLIED AND SELF-ADHESIVE BITUMEN MEMBRANES, USED FOR SUPERSTRUCTURE AND SUBSTRUCTURE WATERPROOFING APPLICATIONS.

METHOD STATEMENT: MasterSeal P 700

1. PREPARATION:

- 1.1. All surface to be treated shall be sound, should have clean surface free from laitance, oil, grease, mold release agent, residual curing compound, dust or other contaminants that could impair adhesion.
- 1.2. Substrates must be dry, regular and smooth, free of loose aggregate and sharp protrusions.
- 1.3. **MasterSeal P 700** is a single component product but may require stirring to agitate the material.

2. APPLICATION:

- 2.1. Ensure all substrates are prepared prior to application.
- 2.2. Apply the primer @ 1 to 3 m²/liters depending on the porosity of the substrate using brush or roller.
- 2.3. Allow the primer to dry prior to application of waterproofing membrane. Drying time is between 1-3 hours depending on temperature and humidity.
- 2.4. Re-apply primer if the drying time exceeds 24 hours or if the primer has noticeably been covered with sand, dust, water or other contaminants that could impair adhesion.
- 2.5. When used with self-adhesive membranes on cold-climates, warming the dried primer using a torch prior to membrane application may be beneficial to improve adhesion.

STATEMENT OF RESPONSIBILITY

The technical information and application advice given in this Master Builders Solutions publication are based on the present state of our best scientific and practical knowledge. As the information, herein is of a general nature, no assumption can be made as to a product's suitability for a particular use or application and no warranty as to its accuracy, reliability or completeness either expressed or implied is given other than those required by law. The user is responsible for checking the suitability of products for their intended use.

NOTE

Field service where provided does not constitute supervisory responsibility. Suggestions made by Master Builders Solutions either orally or in writing may be followed, modified or rejected by the owner, engineer or contractor since they, and not Master Builders Solutions, are responsible for carrying out procedures appropriate to a specific application.
