

Senergy® Colours

The very first impression of a building is almost always made by its colour. That's why our colour palette presents so many choices for distinctive style and design, limited only by the imagination. All Senergy decorative and protective finishes are available in 128 standard colours as well as unlimited custom tinting.



Standard Colours

330 Ultra-white	342 Parchment	354 Stark White	361 Champagne	410 Snow	440 Custard	549 Pink Ash
600 Silverado	601 Dynasty	3028 Vintage	3033 Peacherine	3034 Muslin	3037 Mariposa	3038 Scarborough
3039 Coral	3041 Firenze	3044 Ramie	3045 Edelweiss	3046 Finesse	3047 Tortilla	3048 Lotus
3049 Artisan	3050 Nougat	3051 Windsong	3053 Tawny	3054 Sonata	3056 Papyrus	3057 Luna
3058 Nightingale	3062 Angora	3063 Frappe	3066 Bambi	3068 Birch	3074 Coriander	3075 Parsnip
3080 Ecru	3084 Egg Nog Prev	3085 Meringue	3089 Gauze	3090 Honeysuckle	3100 Biscuit	3103 Sandstorm

Note: All standard colours (except for Storm Grey and Charcoal), have a light reflectance value (LRV) greater than 20%. The use of dark colors (LRV less than 20%) is not recommended with EIFS that incorporate expanded polystyrene (EPS). EPS has a sustained service temperature limitation of approximately 71°C. The use of dark colors in some climatic conditions could result in EPS temperatures that exceed this limit. Design professionals can consult Master **Builders Solutions Technical Services to review** the feasibility of colours selected for specific projects.



Custom Colours

329 Putty Grey	425 Salt White	427 Oatmeal	431 Almond	433 Aztec Gold	543 Slate Rose	545 Dusty Peach
547 Blush	602 Crystal Blue	603 Atlantis	604 Truro Blue	605 Bluet	606 Glacier	607 Gem
608 Glade	609 Greenbrier	610 Porridge	611 Robin Egg	612 Seashell	614 Clay	618 Hazelnut
620 Ash Brown	751 Morning Mist	752 Dawn Grey	755 Seamist	757 Magnum	758 Thundermist	869 London Fog
870 Storm Grey	872 Whale Grey	875 Grey Cloud	877 Slate Grey	880 Charcoal	3025 Paprika	3026 Clay Pot
3027 Mannequin	3029 Creme Brule Prev	3030 Solitude iew	3031 Ground Mace	3032 Melon	3035 Strawberry	3036 Daiquiri

Note: All standard colours (except for Storm Grey and Charcoal), have a light reflectance value (LRV) greater than 20%. The use of dark colors (LRV less than 20%) is not recommended with EIFS that incorporate expanded polystyrene (EPS). EPS has a sustained service temperature limitation of approximately 71°C. The use of dark colors in some climatic conditions could result in EPS temperatures that exceed this limit. Design professionals can consult Master Builders Solutions Technical Services to review the feasibility of colours selected for specific projects.



Custom Colours

3040 Jute	3042 Nirvana	3043 Pueblo	3052 Cardamon	3055 Shearling	3059 Mosque	3060 Cafe au Lait
3061 Dune	3064 Raw Hide	3065 Peanut	3069 Sepia	3070 Brunet	3071 Java	3072 Bulgur
3073 Hickory	3076 Umber	3077 Ocha	3078 Gold Ochre	3079 Bay Leaf	3081 Empire	3082 Cumin
3083 Flax	3086 Lion's Mane	3087 Mint Aspic	3088 Cat's Eye	3091 Sprite	3092 New Frond	3093 Seattle Mist
3094 Harrier	3095 Mint Tea	3096 Orchid	3097 Saddlesoap	3098 Crescent	3099 Brume	3101 Vibrato
3102 Revere	3104 Walden Prev	3105 Sandman iew	3106 Concord	3107 Sage	3108 Badger	3109 Grey Ash

Note: All standard colours (except for Storm Grey and Charcoal), have a light reflectance value (LRV) greater than 20%. The use of dark colors (LRV less than 20%) is not recommended with EIFS that incorporate expanded polystyrene (EPS). EPS has a sustained service temperature limitation of approximately 71°C. The use of dark colors in some climatic conditions could result in EPS temperatures that exceed this limit. Design professionals can consult Master Builders Solutions Technical Services to review the feasibility of colours selected for specific projects.

Senergy® Finishes

A myriad of choices to create inviting surfaces and lasting impressions. Beyond looks, Senergy advanced decorative and protective finishes offer the performance that traditional cement-based finishes and paints never could. Performance that protects your home or building through rain and sleet, baking hot sun, or high humidity dampness. And keeps it looking great for years to come.



Choose Your Finish | Senergy has the finish options to meet your needs.

Senergy® Finish

A 100% acrylic polymer-based finish with high solids formulation, Senergy offers long-term durability and weather resistance. Used over cement-based surfaces, Senergy is flexible enough to seal existing, non-moving hairline cracks, thereby protecting against degradation caused by moisture and pollution intrusion. With a more rigid surface than elastomeric finishes, Senergy offers excellent abrasion and dirt pick-up resistance.

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colours and custom colours. FINE Finish utilizes uniformly-sized aggregates for a uniform, fine texture. Coverage: 11.6 m² per pail

Sahara

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colours and custom colours. SAHARA Finish provides a uniform, "pebble" appearance. Coverage: 8.7 m² per pail

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colours and custom colours. TEXTURE Finish can achieve a wide variety of free-formed, textured appearances, including stipple and skip-trowel.

Coverage: varies depending upon application

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colors and custom colors. CLASSIC Finish has a medium "worm-holed" appearance which is achieved by the random aggregate sizes in the Finish. The "worm-holed" look can be circular, random, vertical or horizontal. Coverage: 10.2 m² per pail

Coarse

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colours and custom colours. COARSE Finish has a heavy "worm-holed" appearance which is achieved by the random aggregate sizes in the Finish. The "worm-holed" look can be circular, random, vertical or horizontal. Coverage: 6.5 m² per pail

Belgian Lace

Factory-mixed, 100% acrylic polymer finish coat. Available in Senergy's standard colours and custom colours. BELGIAN LACE Finish has a fine "worm-hole" appearance which is achieved by the random aggregate sizes in the finish. The small "wormhole" look can be circular, random vertical or horizontal. Coverage: 11.6 m² per pail

Preview

Limitations:

- Does not bridge moving cracks
- If using a thicker application of TEXTURE Finish, a longer drying period will be required. If a "smooth" application is required, multiple coats and skillful application techniques will be required.
- Appearance of CLASSIC and COARSE may vary if floated by different mechanics.



Master Builders Solutions for the Construction Industry

MasterAir®

Complete Solutions for air entrained concrete

MasterBrace®

Solutions for strengthening and structural adhesives

MasterCast®

Solutions for the manufactured concrete product industry

MasterCell[®]

Density reducing admixtures

MasterCem[®]

Solutions for cement manufacture

MasterEase®

Solutions for low viscosity concrete

MasterEmaco[®]

Solutions for concrete repair

MasterFiber®

Comprehensive solutions for fiber reinforced concrete

MasterFinish®

Solutions for formwork treatment

MasterFlame®

Passive fire protection system

MasterFlow®

Solutions for precision grouting

MasterGlenium®

Hyperplasticizer formulated from state-of-the-art polymers for the ultimate performance

MasterInject[®]

Solutions for concrete injection

MasterKure®

Solutions for concrete curing

MasterLife®

Solutions for enhanced durability

MasterMatrix®

Advanced rheology control solutions

MasterPolyheed®

High-performance superplasticizer

MasterPozzolith®

Solutions for water-reduced

MasterProtect®

Solutions for concrete protection

MasterRheobuild®

Superplasticizer for concrete

MasterRoc[®]

Solutions for underground construction

MasterSeal[®]

Solutions for waterproofing and sealing

MasterSet®

Solutions for set control

MasterTile[®]

Solutions for tiling systems

MasterTop®

Solutions for industrial and commercial floors

MasterWeldTM

Adhesive Solutions for construction

MasterX-Seed®

Advanced accelerator solutions for concrete

Ucrete®

Flooring solutions for harsh environments

Regional Office

United Arab Emirates

www.master-builders-solutions.com/en-ae PO Box 37127, Dubai Investment Park, Phase 1, Expo Road Dubai, United Arab Emirates Tel: +971 4 809 0800



Legal Entities - Middle East & Africa

Algeria

www.master-builders-solutions.com/fr-dz

Eavpt

www.master-builders-solutions.com/en-eg

www.master-builders-solutions.com/en-ke

Morocco www.master-builders-solutions.com/fr-ma

Near East

www.master-builders-solutions.com/en-ae

www.master-builders-solutions.com/en-ng

Oman www.master-builders-solutions.com/en-ae

www.master-builders-solutions.com/en-sa

South Africa

www.master-builders-solutions.com/en-za

Distributors

BAHRAIN BUILDING CHEMICALS W.L.L. www.master-builders-solutions.com/en-ae Tel: +973 17786427

ARABI COMPANY W.L.L. www.master-builders-solutions.com/en-ae

Tel: +965 2 474 2533

