Version 1.0	Revision Date: 10/28/2020		S Number: 0000260165	Date of last issue: - Date of first issue: 10/28/2020		
SECTION 1. IDENTIFICATION						
Prod	uct name	:	FINEBUILD HIGH BUILD BASE COAT			
Prod	Product code		00000000055512241 00000000055512241			
Manufacturer or supplier's			ils			
Company name of supplier		:	: Master Builders-Construction Systems US, LLC			
Addr	Address		23700 CHAGRIN Beachwood OH 4			
Eme	Emergency telephone		ChemTel: +1-813-248-0585			
Recommended use of the c			ical and restriction	ons on use		
Reco	ommended use	:	Product for const	ruction chemicals		
Rest	rictions on use	:	Reserved for industrial and professional use.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordant Skin sensitization :	nce with 29 CFR 1910.1200 Category 1
Specific target organ toxicity : - repeated exposure (Inhala- tion)	Category 1 (Lung)
GHS label elements	
Hazard pictograms :	
Signal Word :	Danger
Hazard Statements :	H317 May cause an allergic skin reaction. H372 Causes damage to organs (Lung) through prolonged or repeated exposure.
Precautionary Statements :	Prevention:
	 P280 Wear protective gloves. P260 Do not breathe dust or mist. P270 Do not eat, drink or smoke when using this product. P264 Wash face, hands and any exposed skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.

rsion)	Revision Date: 10/28/2020	SDS Number: 000000260165	Date of last issue: - Date of first issue: 10/28/2020
		P303 + P352 If and water. P333 + P311 If CENTER or do	ical advice/ attention if you feel unwell. F ON SKIN (or hair): Wash with plenty of soap skin irritation or rash occurs: Call a POISON ctor/physician. ake off contaminated clothing and wash it before
		Disposal:	of contents/container to appropriate hazardous n point.
	r hazards ata available.		

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 - < 75
2-(Hydroxymethylamino)ethanol	34375-28-5	>= 0.1 - < 0.3

SECTION 4. FIRST AID MEASURES General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended. If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. If on skin, rinse well with water. In case of skin contact : In case of eye contact Flush eyes with water as a precaution. : Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Keep respiratory tract clear. 1 Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. Most important symptoms : May cause an allergic skin reaction. and effects, both acute and Causes damage to organs through prolonged or repeated delayed exposure.

SAFETY DATA SHEET

FINEBUILD HIGH BUILD BASE COAT

Version 1.0	Revision Date: 10/28/2020		OS Number: 0000260165	Date of last issue: - Date of first issue: 10/28/2020				
Notes	s to physician	:	Treat symptomat	ically.				
SECTION	5. FIRE-FIGHTING ME	ASL	JRES					
Suita	ble extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (0	CO2)				
Unsu media	itable extinguishing a	:	: High volume water jet					
Spec fightir	ific hazards during fire ng	:	See SDS section 10 - Stability and reactivity.					
Haza ucts	Hazardous combustion prod- ucts		harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides					
Furth	er information	:	Use extinguishing	ure for chemical fires. g measures that are appropriate to local cir- the surrounding environment.				
	ial protective equipment e-fighters	:	Wear self-contair essary.	ned breathing apparatus for firefighting if nec				
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES					
tive e	onal precautions, protec- quipment and emer- y procedures	:	Use personal pro	tective equipment.				
Envir	opmontal propoutions		Drovent product f	rom optoring drains				

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap-

Version 1.0	Revision Date: 10/28/2020		DS Number: 00000260165	Date of last issue: - Date of first issue: 10/28/2020	
			regulations. Persons suscepti allergies, chronic	water in accordance with local and national ble to skin sensitization problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being	
Conditions for safe storage		:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.		
Further information on stor- age conditions		:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.		
Mater	Materials to avoid		No applicable information available.		
	er information on stor- tability	:	No data available		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV
		TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
		OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
		REL value (Respirable dust)	0.05 mg/m3	NIOSH
		TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH

ersion .0	Revision Date: 10/28/2020		DS Number: 00000260165	Date of las Date of firs	t issue: - t issue: 10/28/2020	
				PEL (respir- able)	0.05 mg/m3	OSHA CAF
				TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE
Engi	neering measures	:	No applicable	information ava	ilable.	
Perse	onal protective equip	ment				
Resp	iratory protection	:	Wear appropr may be excee		pirator when exposu	re limits
Hand	protection					
Re	emarks	:		for a specific w cers of the prot	orkplace should be c ective gloves.	liscussed
Eye p	protection	:		le with pure wat afety goggles	ter	
Skin	and body protection	:		protection acco	rding to the amount a ubstance at the work	
Prote	ctive measures	:	Avoid contact Avoid exposur Handle in acc and safety pra	e - obtain speci ordance with go actice.	aerosols. /es and clothing. al instructions before od building materials ng is recommended.	s hygiene
Hygie	ene measures	:	Wash hands b	efore breaks ar	nd at the end of work	day.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	pigmented
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	slightly soluble
Melting point	:	No applicable information available.
Boiling point	:	Not applicable
Flash point	:	> 200.01 °F / > 93.34 °C

SAFETY DATA SHEET

FINEBUILD HIGH BUILD BASE COAT

Vers 1.0	sion	Revision Date: 10/28/2020		S Number: 0000260165	Date of last issue: - Date of first issue: 10/28/2020		
	Evaporation rate Flammability (solid, gas)		:	No applicable inf	ormation available.		
			:	: not highly flammable Method: derived from flash point			
		explosion limit / Upper bility limit	:	No data available	9.		
		explosion limit / Lower bility limit	:	No data available	Э.		
	Vapor p	pressure	:	No data available	9.		
	Relative	e vapor density	:	Heavier than air.			
	Relative	e density	:	No applicable inf	ormation available.		
	Density	,	:	approx. 3 g/cm3	(68 °F / 20 °C)		
	Bulk de	ensity	:	Not applicable			
	Solubili Wat	ty(ies) er solubility	:	soluble			
	Solu	bility in other solvents	:	No applicable inf	ormation available.		
	Partition octanol	n coefficient: n- /water	:	Not applicable			
	Autoign	ition temperature	:	No data available	9		
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-		
	Viscosi Visc	ty sosity, dynamic	:	No applicable inf	ormation available.		
	Visc	osity, kinematic	:	No applicable inf	ormation available.		
	Explosi	ve properties	:	: Not explosive Not explosive			
	Oxidizir	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified		
	Sublima	ation point	:	No applicable inf	ormation available.		
	Molecu	lar weight	:	No data available	9		

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No decomposition if stored and applied as directed.

/ersion I.0	Revision Date: 10/28/2020		Number: 00260165	Date of last issue: - Date of first issue: 10/28/2020	
Chem	nical stability	: N	lo decompositic	on if stored and applied as directed.	
Possi tions	Possibility of hazardous reac- tions		No decomposition if stored and applied as directed.		
Cond	Conditions to avoid		See SDS sectior	n 7 - Handling and storage.	
Incompatible materials			Strong acids Strong bases Strong oxidizing agents Strong reducing agents		
	Hazardous decomposition products		No hazardous decomposition products if stored and handled as prescribed/indicated.		

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: Remarks: No applicable information available.	
Acute inhalation toxicity	: Remarks: No applicable information available.	
Acute dermal toxicity	: Remarks: No applicable information available.	

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks

: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

```
Remarks
```

: Vapors may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks : Causes sensitization.

SAFETY DATA SHEET

FINEBUILD HIGH BUILD BASE COAT

ersion 0	Revision Date: 10/28/2020		0S Number: 0000260165	Date of last issue: - Date of first issue: 10/28/2020			
	cell mutagenicity lassified based on ava	ailable	information.				
	i nogenicity lassified based on ava	ailable	information.				
-	Reproductive toxicity Not classified based on available information.						
	STOT-single exposure Not classified based on available information.						
	F-repeated exposure es damage to organs) through prolong	ed or repeated exposure.			
-	r ation toxicity lassified based on ava	ailable	information.				
<u>Com</u>	ponents:						
	r droxymethylamino) pplicable	ethanc	bl:				
Furth	er information						
<u>Prod</u> Rema			No data availab				
Reille	arks	:	NU Udla avaliau				
CTION	12. ECOLOGICAL IN	NFORM	ATION				
	oxicity ata available						
	stence and degrada ata available	bility					
Bioa	ccumulative potentia	al					
<u>Com</u>	ponents:						
Quar	tz (SiO2):						
	ion coefficient: n- ol/water	:	Remarks: Not a	pplicable			
2-(Hy	droxymethylamino)	ethanc	ol:				
	ion coefficient: n- ol/water	:	log Pow: -2.205 Method: other (GLP: no data				
	lity in soil ata available						

Versio 1.0	n Revision Date: 10/28/2020	SDS Number: 000000260165	Date of last issue: - Date of first issue: 10/28/2020		
О	ther adverse effects				
<u>P</u>	roduct:				
	dditional ecological infor- nation	harmful to ac The product cology have	There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual components.		
SECTION 13. DISPOSAL CONSIDERATIONS					
D	isposal methods				
W	/aste from residues	cal or used on Dispose of ir tions.	aminate ponds, waterways or ditches with chemi- container. In accordance with national, state and local regula- arge into drains/surface waters/groundwater.		
С	ontaminated packaging		ed packaging should be emptied as far as possible d of in the same manner as the sub- lict.		

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations


Pennsylvania Right To Know

Quartz (SiO2) listed

New Jersey Right To Know

Quartz (SiO2) Special Hazard.listed 14808-60-7

14808-60-7



FINEBUILD HIGH BUILD BASE COAT

Version 1.0	Revision Date: 10/28/2020	SDS Number: 000000260165	Date of last issue: - Date of first issue: 10/28/2020
ACGII NIOSI NIOSI OSHA OSHA	value H / TWA HTLV / TWA value H / REL value H REL / TWA A CARC / PEL A P0 / TWA A Z-1 / TWA A Z-3 / TWA	: Time-weighted av	verage (TWA): xposure limit (REL): verage concentration for up to a 10-hour 40-hour workweek sure limit (PEL) nted average nted average
Mater tion, a the G Subst Hazar Scheo ciated moniz Syste Assoc gerou Aviatio ternat trial S Korea LD50 Conve istratio - No C NOEL Zeala ment; lative es; (C	ials; bw - Body weight and Liability Act; CMR - erman Institute for Stat ances List (Canada); E dous Substance; ELx dule; ENCS - Existing a with x% growth rate re- ted System; GLP - Go m; IARC - International ciation; IBC - Internation s Chemicals in Bulk; IC on Organization; IECSC ional Maritime Dangero afety and Health Law (Existing Chemicals In - Lethal Dose to 50% ention for the Preventic Observed (Adverse) Eff R - No Observable Effe and Inventory of Chemic OPPTS - Office of Che and Toxic substance; F DSAR - (Quantitative) S	; CERCLA - Compreh - Carcinogen, Mutager indardisation; DOT - D - Cx - Concentration as - Loading rate assoce and New Chemical Sub- esponse; ERG - Emer od Laboratory Practic Agency for Research nal Code for the Const - Inventory of Existin - Inventory of Exis	s; ASTM - American Society for the Testing of ensive Environmental Response, Compensa- or Reproductive Toxicant; DIN - Standard of epartment of Transportation; DSL - Domestic isociated with x% response; EHS - Extremely iated with x% response; EMS - Emergency ostances (Japan); ErCx - Concentration asso- gency Response Guide; GHS - Globally Har- e; HMIS - Hazardous Materials Identification on Cancer; IATA - International Air Transport ruction and Equipment of Ships carrying Dan- bitory concentration; ICAO - International Civil g Chemical Substances in China; IMDG - In- national Maritime Organization; ISHL - Indus- onal Organisation for Standardization; KECI - I Concentration to 50 % of a test population; Median Lethal Dose); MARPOL - International hips; MSHA - Mine Safety and Health Admin- National Fire Protection Association; NO(A)EC (A)EL - No Observed (Adverse) Effect Level; - National Toxicology Program; NZIoC - New tion for Economic Co-operation and Develop- tion Prevention; PBT - Persistent, Bioaccumu- ventory of Chemicals and Chemical Substanc- tionship; RCRA - Resource Conservation and /2006 of the European Parliament and of the

he Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 10/28/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/28/2020	00000260165	Date of first issue: 10/28/2020

our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN