Version 1.0	Revision Date: 09/01/2020	SDS Number: 000000261165	Date of last issue: - Date of first issue: 09/01/2020				
SECTIO	N 1. IDENTIFICATION						
Proc	luct name	: FINESTONE LI	FINESTONE LIMESTONE AGG COL MED				
Proc	luct code	: 0000000000503	00000000050390655 00000000050390655				
Man	ufacturer or supplier's	details					
Company name of supplier		: Master Builders US, LLC	•				
Address			23700 CHAGRIN BLVD Beachwood OH 44122				
Eme	ergency telephone	: ChemTel: +1-8 ²	ChemTel: +1-813-248-0585				
Recommended use of the		hemical and restric	tions on use				
Rec	ommended use	: Product for cons	struction chemicals				
Res	trictions on use	: Reserved for inc	Reserved for industrial and professional use.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accorda Skin sensitization	nce with 29 CFR 1910.1200 Category 1
Specific target organ toxicity - repeated exposure (Inhala- tion)	Category 1 (Lung)
GHS label elements Hazard pictograms	
Signal Word	Danger
Hazard Statements	H317 May cause an allergic skin reaction. H372 Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled.
Precautionary Statements	 Prevention: P280 Wear protective gloves. P260 Do not breathe dust or mist. P270 Do not eat, drink or smoke when using this product. P264 Wash face, hands and any exposed skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.

Version 1.0	Revision Date: 09/01/2020	SDS Number: 000000261165	Date of last issue: - Date of first issue: 09/01/2020
		P303 + P352 IF and water. P333 + P311 If CENTER or do	cal advice/ attention if you feel unwell. FON SKIN (or hair): Wash with plenty of soap skin irritation or rash occurs: Call a POISON ctor/physician. ake off contaminated clothing and wash it before
Otho	r hazards	Disposal: P501 Dispose o waste collection	of contents/container to appropriate hazardous n point.

No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 - < 75
Limestone	1317-65-3	>= 3 - < 10
Titanium dioxide	13463-67-7	>= 1 - < 3
2-(Hydroxymethylamino)ethanol	34375-28-5	>= 0.1 - < 0.2

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and	:	May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated

Versi 1.0	on	Revision Date: 09/01/2020		0S Number: 0000261165	Date of last issue: - Date of first issue: 09/01/2020
C	delayed	1		exposure if inhale	d.
1	Notes to	o physician	:	Treat symptomati	cally.
SECT	TION 5.	FIRE-FIGHTING ME	ASU	IRES	
\$	Suitable extinguishing media		:	Water spray Foam Dry powder Carbon dioxide (C	:02)
	Unsuitable extinguishing media		:	High volume wate	er jet
	Specific hazards during fire fighting		:	See SDS section	10 - Stability and reactivity.
	Hazardous combustion prod- ucts		:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides	
F	Further information		:	Use extinguishing	re for chemical fires. measures that are appropriate to local cir- he surrounding environment.
	Special protective equipment for fire-fighters		:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
SECT	TION 6.	ACCIDENTAL RELE	ASI	EMEASURES	

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes.

Version 1.0	Revision Date: 09/01/2020		OS Number: 0000261165	Date of last issue: - Date of first issue: 09/01/2020
			Smoking, eating a plication area. Dispose of rinse v regulations. Persons susceptil allergies, chronic	ection see section 8. and drinking should be prohibited in the ap- water in accordance with local and national ble to skin sensitization problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being
Conditions for safe storage		:	place.	ghtly closed in a dry and well-ventilated ions / working materials must comply with safety standards.
Further information on stor- age conditions		:		original container in a cool, dry, well- way from ignition sources, heat or flame. ct sunlight.
Mate	erials to avoid	:	No applicable info	prmation available.
Rec pera	ommended storage tem- ture	:	32 °F / 0 °C	
	ner information on stor- stability	:	Minimum storage	temperature:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

	-		1	
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1

rsion)	Revision Date: 09/01/2020	SDS Number: 000000261165	Date of las Date of firs	t issue: - t issue: 09/01/2020	
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REI
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Titani	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
	(0:00)	4 4000 00 7	TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Quart	tz (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			PEL (respir- able)	0.05 mg/m3	OSHA CAR
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REI

/ersion .0	Revision Date: 09/01/2020	SDS Number: 000000261165	Date of last issue: - Date of first issue: 09/01/2020			
Engir	Engineering measures :		ble information available.			
Perso	onal protective equip	ment				
Respi	iratory protection	: Wear appro may be exc	opriate certified respirator when exposure limits eeded.			
Hand	protection					
Re	Remarks :		The suitability for a specific workplace should be discussed with the producers of the protective gloves.			
Eye p	protection	ion : Eye wash bottle with pure water Tightly fitting safety goggles				
Skin a	and body protection	Choose boo	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
Prote	ctive measures	Avoid conta Avoid expo Handle in a and safety	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.			
Hygie	ne measures	: Wash hand	: Wash hands before breaks and at the end of workday.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	various colours
Odor	:	ammonia-like, slight odour
Odor Threshold	:	No data available
рН	:	9.0 - 9.5
Melting point	:	No applicable information available.
Boiling point	:	212 °F / 100 °C
Flash point	:	A flash point determination is unnecessary due to the high water content.
Evaporation rate	:	No applicable information available.
Flammability (solid, gas)		not determined

Ver 1.0	sion	Revision Date: 09/01/2020		S Number: 0000261165	Date of last issue: - Date of first issue: 09/01/2020	
		explosion limit / Upper bility limit	:	No applicable inf	ormation available.	
		explosion limit / Lower bility limit	:	No applicable inf	ormation available.	
	Vapor p	pressure	:	No data available)	
	Relative	e vapor density	:	Heavier than air.		
	Relative	e density	:	No applicable inf	ormation available.	
	Density	/	:	1.85 g/cm3 (68 °	F / 20 °C)	
	Solubili Wat	ty(ies) er solubility	:	soluble		
	Solu	ubility in other solvents	:	No applicable inf	ormation available.	
	Partitio octanol	n coefficient: n- /water	:	No data available.		
	Autoigr	nition temperature	:	No data available		
	Decom	position temperature	:	: No decomposition if stored and handled as pre- scribed/indicated.		
	Viscosi				2	
		cosity, dynamic	•		ormation available.	
	Visc	osity, kinematic	•	No applicable inf	ormation available.	
	Explosi	ve properties	:	Not explosive Not explosive		
	Oxidizir	ng properties	:	: Based on its structural properties the product is not classifie as oxidizing.		
	Sublima	ation point	:	No applicable inf	ormation available.	
	Molecu	lar weight	:	: No data available		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.

Version 1.0	Revision Date: 09/01/2020	SDS Num 00000026		Date of last issue: - Date of first issue: 09/01/2020		
Inco	mpatible materials	Stron Stron	g acids g bases g oxidizing g reducing			
	Hazardous decomposition : No hazardous decomposition products if stored and handl as prescribed/indicated.					
SECTIO	N 11. TOXICOLOGICAL	INFORMAT	ION			
	te toxicity classified based on avail	able informa	tion.			
	duct:					
Acu	te oral toxicity	: Remai	ks: No ap	plicable information available.		
Acu	te inhalation toxicity	: Remai	ks: No ap	plicable information available.		
Acu	te dermal toxicity	: Remai	ks: No ap	plicable information available.		
-	n corrosion/irritation classified based on avail	able informa	tion.			
Pro	duct:					
Rem	narks	: May ca	ause skin i	rritation and/or dermatitis.		
	ous eye damage/eye in classified based on avail		tion.			
Pro	duct:					
Ren	narks		s may cau e skin.	se irritation to the eyes, respiratory system		
Res	piratory or skin sensiti	zation				
Skir	n sensitization					
May	cause an allergic skin re	action.				
	piratory sensitization classified based on avail	able informa	tion.			
	<mark>duct:</mark> narks	: Cause	s sensitiza	ition.		
	m cell mutagenicity classified based on avail	able informa	tion.			
	cinogenicity classified based on avail	able informa	tion.			
-	roductive toxicity classified based on avail	able informa	tion.			

Version 1.0	Revision Date: 09/01/2020		OS Number: 0000261165	Date of last issue: - Date of first issue: 09/01/2020
	F-single exposure lassified based on avai	lable	information.	
	F-repeated exposure es damage to organs (I	Lung) through prolonge	ed or repeated exposure if inhaled.
-	ration toxicity lassified based on avai	lable	information.	
Furth	er information			
Prod Rema		:	No data availabl	e
SECTION	12. ECOLOGICAL INF	OR	ATION	
	oxicity ata available			
	stence and degradab	ility		
Bioa	ccumulative potential			
Com	ponents:			
Partit	tz (SiO2): ion coefficient: n- ol/water	:	Remarks: not ap	plicable
Titan	ium dioxide:			
	ion coefficient: n- ol/water	:	Remarks: not ap	plicable
2-(Hy	droxymethylamino)et	hand	bl:	
	ion coefficient: n- ol/water	:	log Pow: -2.205 Method: other (c GLP: no data	alculated)
	lity in soil ata available			
Othe	r adverse effects			
Prod Additi matio	ional ecological infor-	:	harmful to aquat The product has	probability that the product is not acutely ic organisms. not been tested. The statements on ecotoxi- n derived from the properties of the individual

Version	Revision Date:	SDS Number:	Date of last issue: -	
1.0	09/01/2020	000000261165	Date of first issue: 09/01/2020	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula-
		tions. Do not discharge into drains/surface waters/groundwater.
		be not alsonarge into arams/surrace waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

Titanium dioxide Quartz (SiO2) Limestone listed	13463-67-7 14808-60-7 1317-65-3

13463-67-7 1317-65-3


14808-60-7

New Jersey Right To Know

Titanium dioxide Limestone Quartz (SiO2) listedSpecial Hazard.

California Prop. 65

WARNING: This product can expose you to chemicals including acrylonitrile, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



Version 1.0	Revision Date: 09/01/2020		DS Number: 0000261165	Date of last issue: - Date of first issue: 09/01/2020			
29 CF TWA v	R 1910.1001-1050 / value	:	Time Weighted A	Average (TWA):			
ACGIH / TWA			: 8-hour, time-weighted average				
ACGIHTLV / TWA value		: Time Weighted Average (TWA):					
NIOSH	H / REL value	:	: Recommended exposure limit (REL):				
NIOSI	NIOSH REL / TWA		•	verage concentration for up to a 10-hour 40-hour workweek			
OSHA	OSHA CARC / PEL		Permissible expo	osure limit (PEL)			
OSHA	P0 / TWA	:	8-hour time weig	hted average			
OSHA	Z-1 / TWA	:	8-hour time weig	hted average			
OSHA	Z-3 / TWA	:	8-hour time weig	hted average			

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 09/01/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/01/2020	000000261165	Date of first issue: 09/01/2020

our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN