Version 1.1	Revision Date: 01/06/2021		DS Number: 00000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020
SECTION	1. IDENTIFICATION			
Prod	uct name	:	FS NATURAL SV	VIRL COL MAXI WHITE
Prod	uct code	:	00000000005000	2472 000000000050002472
Manu	ufacturer or supplier's	deta	ails	
Com	pany name of supplier	:	Master Builders-0 US, LLC	Construction Systems
Address		:	23700 CHAGRIN Beachwood OH 4	
Emei	rgency telephone	:	ChemTel: +1-813	-248-0585
Reco	Recommended use of the c		nical and restriction	ons on use
Reco	mmended use	:	Product for const	ruction chemicals
Rest	Restrictions on use		Reserved for indu	ustrial and professional use.

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in acco	rdance with 29 CFR 1910.1200
Skin sensitization	: Category 1

Carcinogenicity (Inhalation)	:	Category 1A (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala-	:	Category 2 (Kidney, Immune system)

2

**GHS** label elements

Hazard pictograms



Signal Word

tion)

: Danger

Hazard Statements

H317 May cause an allergic skin reaction.
H350i May cause cancer by inhalation.
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
H373 May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

ersion 1	Revision Date: 01/06/2021	SDS Number: 000000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020
Preca	autionary Statements	face protection P201 Obtain sp P260 Do not br P202 Do not ha and understood P270 Do not ea P264 Wash fac handling.	becial instructions before use. reathe dust or mist. andle until all safety precautions have been read
		P302 + P352 II P362 + P364 T reuse.	cal advice/ attention if you feel unwell. ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before exposed or concerned: Get medical advice/
		<b>Storage:</b> P405 Store loc	ked up.
		Disposal:	of contents/container to appropriate hazardous
	r <b>hazards</b> known.		

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	:	Preparation based on:
		inorganic compounds
		polymers

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Limestone	1317-65-3	>= 25 - < 50
Quartz (SiO2)	14808-60-7	>= 15 - < 20
Titanium dioxide	13463-67-7	>= 1 - < 5
2-(Hydroxymethylamino)ethanol	34375-28-5	>= 0.1 - < 0.2

## SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

## SAFETY DATA SHEET

## **FS NATURAL SWIRL COL MAXI WHITE**

Version 1.1	Revision Date: 01/06/2021		DS Number: 00000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020
In ca	ase of skin contact	:	lf on skin, rinse w	vell with water.
In ca	ase of eye contact	:	Remove contact Protect unharmed Keep eye wide op	d eye.
lf sw	vallowed	:	Immediately rinse seek medical atte Do NOT induce v	
	t important symptoms effects, both acute and yed	:		ergic skin reaction. to organs through prolonged or repeated ed.
Note	es to physician	:	Treat symptomat	ically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

Version 1.1	Revision Date: 01/06/2021		DS Number: 0000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020	
			respective author	ities.	
	Methods and materials for containment and cleaning up		acid binder, unive	ert absorbent material (e.g. sand, silica gel, versal binder, sawdust). e, closed containers for disposal.	
ECTION	7. HANDLING AND ST	OR	AGE		
	ce on protection against nd explosion	:	Normal measures	for preventive fire protection.	
Advi	Advice on safe handling		Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in t plication area. Dispose of rinse water in accordance with local and na regulations. Persons susceptible to skin sensitization problems or allergies, chronic or recurrent respiratory disease shou be employed in any process in which this mixture is be used.		
Cond	Conditions for safe storage		place.	ghtly closed in a dry and well-ventilated ions / working materials must comply with safety standards.	
	er information on stor- conditions	:		priginal container in a cool, dry, well- way from ignition sources, heat or flame. et sunlight.	
Further information on stor- age stability		:	No decomposition	n if stored and applied as directed.	

### Ingredients with workplace control parameters

	-		-	
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)

/ersion .1	Revision Date: 01/06/2021	SDS Number: 000000260568		t issue: 06/05/2020 t issue: 06/05/2020	
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-/
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-/
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Titani	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-/
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust	0.1 mg/m3	OSHA P0

Version 1.1	Revision Date: 01/06/2021		SDS Number:Date of last issue: 06/05/2020000000260568Date of first issue: 06/05/2020				
				fraction)			
				TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
				PEL (respir- able)	0.05 mg/m3	OSHA CARC	
				TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL	
Eng	ineering measures	:	Ensure adequ	ate ventilation.			
Pers	sonal protective equip	ment					
Res	piratory protection	:	Wear appropr may be excee		pirator when exposu	ure limits	
Han	d protection						
R	Remarks	:	Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.				
Eye	protection	:	Safety glasses with side-shields.				
Skin	and body protection	:	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
Prot	ective measures	:	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.				
Hygi	iene measures	:	Wash hands before breaks and at the end of workday.				
SECTION	N 9. PHYSICAL AND C	HEMI	CAL PROPER	TIES			
Арре	earance	:	viscous liquic	I			
Colo	or	:	whitish				
Odo	r	:	like acrylic				
Odo	r Threshold	:	not determine	ed			
pН		:	8.5 - 10				
Melt	ing point	:	No applicable information available.				

Ver 1.1	sion	Revision Date: 01/06/2021		S Number: 0000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020	
	Flash point		:	A flash point dete water content.	ermination is unnecessary due to the high	
	Evaporation rate		:	No applicable inf	ormation available.	
	Flamm	ability (solid, gas)	:	not flammable		
		explosion limit / Upper bility limit	: No applicable information available.		ormation available.	
		explosion limit / Lower Ibility limit	:	No applicable inf	ormation available.	
	Vapor pressure		:	No applicable information available.		
	Relative density		:	No applicable inf	ormation available.	
	Density		:	approx. 1.93 g/cr	n3 (73 °F / 23 °C)	
	Solubili Wat	ty(ies) er solubility	:	soluble (68 °F / 2	20 °C)	
	Solu	ubility in other solvents	:	No applicable inf	ormation available.	
	Partitio octanol	n coefficient: n- /water	:	No applicable inf	ormation available.	
	Autoigr	nition temperature	:	Based on the wa	ter content the product does not ignite.	
	Decom	position temperature		: No decomposition if stored and handled as pre- scribed/indicated.		
	Viscosi	ty cosity, dynamic		No data available		
		cosity, kinematic	•	No data available	3	
	Explosi	ve properties	:	Not explosive Not explosive		
	Oxidiziı	ng properties	:	not fire-propagati	ng	
	Sublim	ation point	:	No applicable inf	ormation available.	
	Molecu	lar weight	:	No data available	)	
	Metal c	orrosion rate	:	Corrosive effects	to metal are not anticipated.	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No hazardous reactions if stored and handled as prescribed/indicated.

Versio 1.1	n Revision Date: 01/06/2021		S Number: 0000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020
С	hemical stability	:	The product is st scribed/indicated	able if stored and handled as pre- I.
Possibility of hazardous reac- tions		:	No decompositio	on if stored and applied as directed.
Conditions to avoid		:	See SDS section	n 7 - Handling and storage.
Incompatible materials		:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents	
	azardous decomposition roducts	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled dicated.

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitization

### Skin sensitization

May cause an allergic skin reaction.

### Respiratory sensitization

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

May cause cancer by inhalation.

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

ersion I	Revision Date: 01/06/2021		DS Number: 0000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020
STOT	<b>F-repeated exposure</b>			
	cause damage to orga			ged or repeated exposure if inhaled. system) through prolonged or repeated exposur
	r <b>ation toxicity</b> lassified based on ava	ilable	information.	
Com	ponents:			
	r <b>droxymethylamino)e</b> pplicable	ethano	bl:	
Furth	er information			
Prod	uct:			
Rema	arks	:		as not been tested. The statements on toxicolo- derived from the properties of the individual
CTION	12. ECOLOGICAL IN	FOR	MATION	
	oxicity			
	ata available			
	stence and degradat	oility		
Bioad	ccumulative potentia	I		
Com	ponents:			
2-(Hy	droxymethylamino)e	ethano	ol:	
Partit	ion coefficient: n-		log Pow: -2.20	5

Partition coefficient: n-	:	log Pow: -2.205
octanol/water		Method: other (calculated)
		GLP: no data

## Mobility in soil

No data available

### Other adverse effects

### Product:

•	Additional ecological infor- mation	:	There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual components.
---	--	---	--

Version 1.1	Revision Date: 01/06/2021	SDS Number: 000000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020	
SECTION	13. DISPOSAL CONS	IDERATIONS		
Dispo	sal methods			
Waste from residues :		tions. Do not contamir cal or used cont	cordance with national, state and local regula- nate ponds, waterways or ditches with chemi- ainer. e into drains/surface waters/groundwater.	
Contaminated packaging :			Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.	

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

### UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

### 49 CFR

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

### **US State Regulations**

### Pennsylvania Right To Know

Titanium dioxide	13463-67-7
Quartz (SiO2) Limestone	14808-60-7 1317-65-3
listed	1317-00-0

### New Jersey Right To Know

13463-67-7
1317-65-3
14808-60-7

### California Prop. 65


WARNING: This product can expose you to chemicals including Titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Version	Revision Date:	SDS Number:	Date of last issue: 06/05/2020
1.1	01/06/2021	000000260568	Date of first issue: 06/05/2020
<b>The in</b> DSL TSCA		: All components : All chemical sul	the following inventories: of this product are on the Canadian DSL bstances in this product are either listed as SCA Inventory or are in compliance with a y exemption.

## **SECTION 16. OTHER INFORMATION**



NFPA 704:



## HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
,	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
29 CFR 1910.1001-1050	:	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
NIOSH	:	NIOSH Pocket Guide to Chemical Hazards (US)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
29 CFR 1910.1000 (Table Z- 1-A) / TWA value	:	Time Weighted Average (TWA):

Version 1.1	Revision Date: 01/06/2021		0S Number: 0000260568	Date of last issue: 06/05/2020 Date of first issue: 06/05/2020
29 C 1) / F	FR 1910.1000 (Table Z- EL	:	Permissible expo	sure limit
	FR 1910.1001-1050 / A Action level	:	OSHA Action leve	91:
29 C	FR 1910.1001-1050 / value	:	Time Weighted A	verage (TWA):
ACGIH / TWA		:	8-hour, time-weighted average	
ACGIHTLV / TWA value		:	Time Weighted A	verage (TWA):
NIOSH / REL value		:	Recommended ex	xposure limit (REL):
NIOSH REL / TWA		:	5	verage concentration for up to a 10-hour 40-hour workweek
OSH	A CARC / PEL	:	Permissible expo	sure limit (PEL)
OSH	A P0 / TWA	:	8-hour time weigh	nted average
OSH	A Z-1 / TWA	:	8-hour time weigh	nted average
OSH	A Z-3 / TWA	:	8-hour time weigh	nted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

**Revision Date** 

: 01/06/2021

Version	Revision Date:	SDS Number:	Date of last issue: 06/05/2020
1.1	01/06/2021	00000260568	Date of first issue: 06/05/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN