Versio 2.1	on	Revision Date: 10/06/2022		DS Number: 00000260567	Date of last issue: 04/19/2021 Date of first issue: 09/28/2020	
SECT	FION 1	. IDENTIFICATION				
Product name		:	FS NATURAL SWIRL TB MED			
Product code		:	00000000005000	2475 000000000050002475		
Ν	Manufa	acturer or supplier's	deta	ails		
C	Company name of supplier		:	Master Builders-0 US, LLC	Construction Systems	
A	Address		:	23700 CHAGRIN Beachwood OH 4		
E	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585	
		al Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420	
F	Recom	mended use of the c	hen	nical and restriction	ons on use	
F	Recom	mended use	:	Product for const	ruction chemicals	
F	Restric	tions on use	:	Reserved for indu	ustrial and professional use.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accore 1910.1200)	dan	ce with the OSHA Hazard Communication Standard (29 CFR
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H350 May cause cancer by inhalation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs (Kidney, Immune system)

ersion 1	Revision Date: 10/06/2022	SDS Number: 000000260567	Date of last issue: 04/19/2021 Date of first issue: 09/28/2020
		through prolone	ged or repeated exposure if inhaled.
Preca	utionary Statements	P202 Do not ha and understood P260 Do not br P264 Wash ski P270 Do not ea	eathe dust/ fume/ gas/ mist/ vapors/ spray. n thoroughly after handling. at, drink or smoke when using this product. tective gloves/ protective clothing/ eye protection,
		Response: P308 + P313 If attention.	exposed or concerned: Get medical advice/
		Storage: P405 Store loc	ked up.
		Disposal: P501 Dispose o posal plant.	of contents/ container to an approved waste dis-
Other	hazards		
None	known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	:	Aqueous solution based on: inorganic compounds
		polymers

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 - < 70
Titanium dioxide	13463-67-7	>= 1 - < 5
Silicon dioxide	7631-86-9	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

Version 2.1	Revision Date: 10/06/2022	SDS Number: 000000260567	Date of last issue: 04/19/2021 Date of first issue: 09/28/2020
In c	ase of eye contact	Wash affected	act lenses, if present. I eyes for at least 15 minutes under running lids held open, consult an eye specialist.
If sv	vallowed	: Immediately ri seek medical Do NOT induc	
and	t important symptoms effects, both acute and lyed	Causes dama exposure if inf Prolonged or r	ncer by inhalation. ge to organs through prolonged or repeated naled. repeated inhalation of respirable crystalline silica esult in silicosis.
Note	es to physician	: Treat sympton	natically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Further information	:	The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing
		Use personal protective clothing.

Version 2.1	Revision Date: 10/06/2022		OS Number: 0000260567	Date of last issue: 04/19/2021 Date of first issue: 09/28/2020
			Handle in accord	ance with good building materials hygiene e.
Environmental precautions		:		ated water/firefighting water. into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up		:	Avoid dust format Shovel into suitat Keep in suitable,	•

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.
Recommended storage tem- perature	:	> 32 °F / > 0 °C
Further information on stor- age stability	:	PROTECT FROM FREEZING.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components CAS-No. Control parame-Value type Basis (Form of ters / Permissible exposure) concentration Quartz (SiO2) 14808-60-7 TWA (Res-0.05 mg/m3 OSHA Z-1 pirable dust) TWA (respir-10 mg/m3 / OSHA Z-3 %SiO2+2 able) TWA (respir-250 mppcf / OSHA Z-3 able) %SiO2+5

Ingredients with workplace control parameters

	Revision Date: 10/06/2022		OS Number: 0000260567		t issue: 04/19/2021 t issue: 09/28/2020	
				TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
				TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
				TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE
Titaniu	um dioxide		13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
				TWA (Total dust)	10 mg/m3	OSHA P0
				TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Silicor	n dioxide		7631-86-9	TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3
				TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
				TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE
				TWA	6 mg/m3 (Silica)	NIOSH RE
Engin	eering measures	:	Maintain air c standards.	concentrations be	elow occupational exp	osure
	nal protective equip					
Respir	ratory protection	:	may be exce	eded.	pirator when exposur quivalent) particulate	
Hand	protection					
Re	marks	:		use should be o	ective gloves. Manufa bserved because of g	
Eye pi	rotection	:	Wear safety	glasses with side	shields or goggles.	
Skin a	and body protection	:	possible expo		en depending on acti protection, apron, pro it.	
	and body protection	:	Do not inhale Avoid contac Avoid expose Handle in acc and safety pr	osure, e.g. head cal-protection su gases/vapours/ t with the skin, e ure - obtain spec cordance with go actice.	protection, apron, pro it.	use.

ersion 1	Revision Date: 10/06/2022		S Number:)000260567	Date of last issue: 04/19/2021 Date of first issue: 09/28/2020
			the end of the sh At the end of the care agents appl Remove contami re-use or dispose Gloves must be i	shift the skin should be cleaned and skin- ied. inated clothing immediately and clean before
ECTION	9. PHYSICAL AND CH	EMIC	CAL PROPERTIE	ŝ
Appea	arance	:	paste	
Color		:	various colours	
Odor		:	acrylic-like	
Odor	Threshold	:	not determined	
pН		:	approx. 9.5	
Meltin	ig point	:	No data availab	le
Boiling	g point	:	Not applicable	
Flash	point	:	Not applicable	
Evapo	pration rate	:	No data availab	le
Flamr	nability (solid, gas)	:	Not classified as	s a flammability hazard
Self-iq	gnition	:	not self-igniting	
	r explosion limit / Upper nability limit	:	Not applicable	
	r explosion limit / Lower nability limit	:	Not applicable	
Vapor	rpressure	:	No data availab	le
Relati	ve vapor density	:	No data availab	le
Relati	ve density	:	No data availab	le
Densi	ty	:	2.004 g/cm3 (68	3 °F / 20 °C)
Bulk c	density	:	1,800 - 2,400 kg	ı/m3
Solub	ility(ies)			

SAFETY DATA SHEET

FS NATURAL SWIRL TB MED

Versio 2.1	on	Revision Date: 10/06/2022		S Number:)000260567	Date of last issue: 04/19/2021 Date of first issue: 09/28/2020
	Wat	er solubility	:	soluble	
	Solu	ubility in other solvents	:	No data available	9
	Partition coefficient: n- octanol/water		:	Not applicable	
A	Autoigr	nition temperature	:	Not applicable	
C	Decomposition temperature		:	No decompositio scribed/indicated	n if stored and handled as pre-
V	Viscosi Visc	ty cosity, dynamic	:	No data available	9
	Visc	osity, kinematic	:	No data available	9
E	Explosi	ve properties	:	Not explosive	
C	Oxidiziı	ng properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified
S	Sublim	ation point	:	No data available	9
Ν	Molecu	lar weight	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Versior 2.1	n Revisio 10/06/2	on Date: 2022	SDS Number: 000000260567	Date of last issu Date of first issu		
•	Skin corrosion/irritation Not classified based on available information.					
No	Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitization					
Sk	in sensitiza	tion	able information.			
	espiratory so ot classified b		able information.			
	Germ cell mutagenicity Not classified based on available information.					
Ca	ircinogenici	ty				
	ay cause can RC	cer by inhalati Group 1: Car Quartz (SiO2) (Silica dust, c	cinogenic to humans)		14808-60-7	
		Group 2B: Po Titanium diox	ssibly carcinogenic to ide	humans	13463-67-7	
05 N1	SHA "P	Quartz (SiO2)	human carcinogen) alline (Respirable Size))	14808-60-7	

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Version 2.1	Revision Date: 10/06/2022	SDS Number: 000000260567	Date of last issue: 04/19/2021 Date of first issue: 09/28/2020		
SECTION	12. ECOLOGICAL IN	FORMATION			
No d	oxicity ata available				
	Persistence and degradability No data available				
	Bioaccumulative potential No data available				
	Mobility in soil No data available				
Othe	Other adverse effects				
Prod Addit matic	ional ecological infor-	harmful to aqua The product ha	probability that the product is not acutely atic organisms. Is not been tested. The statements on ecotoxi- en derived from the properties of the individual		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions.
		Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
		Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/19/2021	
2.1	10/06/2022	000000260567	Date of first issue: 09/28/2020	

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

crystalline silica Titanium dioxide ethylene glycol 1,2,4-trimethylbenzene ammonia ammonia, aqueous solution	14808-60-7 13463-67-7 107-21-1 95-63-6 7664-41-7 1336-21-6
New Jersey Right To Know	
Quartz (SiO2)	14808-60-7
Titanium dioxide	13463-67-7

California Prop. 65

WARNING: This product can expose you to chemicals including Quartz (SiO2), which is/are known to the State of California to cause cancer, and


ethylene glycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	All components of this product are on the Canadian DSL

SECTION 16. OTHER INFORMATION

Further information



ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA PO	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min- eral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Admin-

Version	Revision Date:	SDS Number:	Date of last issue: 04/19/2021
2.1	10/06/2022	00000260567	Date of first issue: 09/28/2020

istration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

10/06/2022

5

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN