Version 1.0	Revision Date: 07/27/2020	SDS Numbe 0000002599					
SECTION	1. IDENTIFICATION						
Prod	luct name	: MasterE	: MasterEmaco ADH 326 PART A				
Prod	Product code		00000000051668416 00000000051668416				
Manufacturer or supplier's details							
Com	Company name of supplier		Builders-Construction Systems				
Addr	Address		HAGRIN BLVD ood OH 44122				
Eme	Emergency telephone		91: +1-813-248-0585				
Reco	ommended use of the	hemical and	restrictions on use				
Reco	ommended use	: Product	for construction chemicals				
Restrictions on use		: Reserve	d for industrial and professional use.				

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	:	2
Serious eye damage/eye irritation	:	Category 2A
Skin sensitization	:	Category 1
Germ cell mutagenicity	:	2
Short-term (acute) aquatic hazard	:	2
Long-term (chronic) aquatic hazard	:	2
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	<ul><li>H319 Causes serious eye irritation.</li><li>H315 Causes skin irritation.</li><li>H317 May cause an allergic skin reaction.</li><li>H341 Suspected of causing genetic defects.</li></ul>

rsion )	Revision Date: 07/27/2020	SDS Number: 000000259976	Date of last issue: - Date of first issue: 07/27/2020
		H401 Toxic to a H411 Toxic to a	aquatic life. aquatic life with long lasting effects.
Precautionary Statements		face protection. P261 Avoid bre P273 Avoid rele P202 Do not ha and understood P272 Contamin the workplace.	athing dust/ fume/ gas/ mist/ vapours/ spray. ease to the environment. andle until all safety precautions have been rea
		for several minu to do. Continue P308 + P311 IF CENTER/ docto P303 + P352 IF and water. P333 + P311 If CENTER or do P332 + P313 If tion. P362 + P364 T reuse. P391 Collect sp	exposed or concerned: Call a POISON or. ON SKIN (or hair): Wash with plenty of soap skin irritation or rash occurs: Call a POISON ctor/physician. skin irritation occurs: Get medical advice/ atter ake off contaminated clothing and wash it befo billage. eye irritation persists: Call a POISON CENTER
		Storage: P405 Store locl	ked up.
		Disposal:	-
		-	of contents/container to appropriate hazardous n point.
Other	hazards		
None	known.		

Chemical nature

: No data available.

### Components

Chemical name	CAS-No.	Concentration (% w/w)
bisphenol A-epichlorohydrin resin	25068-38-6	>= 25 - < 75
Reaction product: bisphenol-A- (epichlorhydrin)-Epoxy resin (number average molecular weight <= 700)	25068-38-6	>= 25 - < 75

Version 1.0	Revision Date: 07/27/2020	SDS Number: 000000259976	Date of last issue: - Date of first issue: 07/27/2020		
talc		14807-96-6	>= 15 - < 25		
2,3-ep	poxypropyl o-tolyl ether	2210-79-9	>= 10 - < 15		
Titani	um dioxide	13463-67-7	>= 5 - < 7		

### SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing genetic defects.
Notes to physician	:	Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2) Dry powder Foam
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.

Versi 1.0	ion	Revision Date: 07/27/2020		0S Number: 0000259976	Date of last issue: - Date of first issue: 07/27/2020	
	Further information		:	must not be disch Fire residues and	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.	
	•	l protective equipment fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.		
SEC	TION 6	. ACCIDENTAL RELE	AS	E MEASURES		
t	tive equ	al precautions, protec- uipment and emer- procedures	:	Use personal prot	ective equipment.	
	Enviror	nmental precautions	:	Prevent further lea	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ties.	
		ls and materials for ment and cleaning up	:	acid binder, unive	absorbent material (e.g. sand, silica gel, rsal binder, sawdust). closed containers for disposal.	

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	Product is not explosive.
	Normal measures for preventive fire protection.
Advice on safe handling	<ul> <li>Do not breathe vapors/dust.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Further information on stor-	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame.

Version 1.0	Revision Date: 07/27/2020		DS Number: )0000259976	Date of last issue: - Date of first issue: 07/27/2020
			Protect from direct	ct sunlight.
Materials to avoid		:	Observe VCI stor	age rules.
Further information on stor- age stability		:	No decomposition	n if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Titanium dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV
		PEL (Total	15 mg/m3	29 CFR
		dust)		1910.1000
				(Table Z-1)
		TWA value	10 mg/m3	29 CFR
		(Total dust)		1910.1000
				(Table Z-1-A)
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWÁ (Total dust)	10 mg/m3	OSHA P0
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
talc	14807-96-6	TWA value (Respirable fraction)	2 mg/m3	ACGIHTLV
		TWA (Dust)	20 Million parti- cles per cubic foot	OSHA Z-3
		TWA (respir- able dust fraction)	2 mg/m3	OSHA P0
		TWA (Res- pirable)	2 mg/m3	NIOSH REL
		TWA	0.1 fibres per cubic centimeter	ACGIH
		TWA (Res- pirable par-	2 mg/m3	ACGIH
		ticulate mat- ter)		

## Ingredients with workplace control parameters

Engineering measures

: No applicable information available.

### Personal protective equipment

Respiratory protection

: When workers are facing concentrations above the occupational exposure limits they must use appropriate certified respirators.

Hand protection

Version 1.0	Revision Date: 07/27/2020		OS Number: 0000259976	Date of last issue: - Date of first issue: 07/27/2020			
Re	Remarks		: The suitability for a specific workplace should be discussed with the producers of the protective gloves.				
Eye p	Eye protection		: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.				
Skin a	Skin and body protection		: Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
Prote	Protective measures		Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.				
Hygiene measures		:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.				

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	white
рН	:	not applicable
Boiling point	:	approx. 248 °F / 120 °C
Flash point	:	480 °F / 249 °C
		Method: Flash-Point by Pensky-Martens Closed Cup Tester.
Evaporation rate	:	No applicable information available.
Flammability (solid, gas)	:	not highly flammable
Upper explosion limit / Upper flammability limit	:	No applicable information available.
Lower explosion limit / Lower flammability limit	:	No applicable information available.
Vapor pressure	:	No applicable information available.
Relative vapor density	:	Heavier than air.
Relative density	:	No applicable information available.

Vers 1.0	sion	Revision Date: 07/27/2020		S Number: 000259976	Date of last issue: - Date of first issue: 07/27/2020	
	Density	,	:	approx. 1.35 g/cn	n3 (68 °F / 20 °C)	
	Solubili Wat	ty(ies) er solubility	:	emulsifiable (68 °F / 20 °C)		
	Solu	bility in other solvents	:	No applicable info	ormation available.	
	Partition coefficient: n- octanol/water		:	No applicable information available.		
	Autoignition temperature		:	No data available		
	Decomposition temperature		:	No decomposition if stored and handled as pre- scribed/indicated.		
	Viscosity Viscosity, dynamic		:	No applicable info	prmation available.	
	Viscosity, kinematic		:	No applicable information available.		
	Explosive properties		:	Not explosive Not explosive		
	Oxidizing properties		:	Based on its strue as oxidizing.	ctural properties the product is not classified	
	Sublimation point		:	No applicable info	ormation available.	
	Molecular weight		:	No data available		

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

rsion )	Revision Date: 07/27/2020	-	DS Number: 0000259976	Date of last issue: - Date of first issue: 07/27/2020
CTION	11. TOXICOLOGICA	LINF	ORMATION	
Acute	e toxicity			
	assified based on ava	ailable	information.	
Produ	uct:			
Acute	oral toxicity	:	Remarks: No a	applicable information available.
Acute	inhalation toxicity	:	Remarks: No a	applicable information available.
Acute	dermal toxicity	:	Remarks: No a	applicable information available.
-	corrosion/irritation			
	es skin irritation.			
Produ Rema			May cause skir	n irritation and/or dermatitis.
Rome		•		
	us eye damage/eye i es serious eye irritatio		on	
Produ	-			
Rema		:	May cause irre	versible eye damage.
Resp	iratory or skin sensi	tizatio	on	
-	sensitization			
-	ause an allergic skin	reaction	on.	
-	iratory sensitization assified based on ava	labla	information	
		liable	mornation.	
Produ Rema		:	Causes sensiti	zation.
	cell mutagenicity		· ,	
	ected of causing gene	tic dei	ects.	
	nogenicity assified based on ava	ailable	information.	
Repro	oductive toxicity			
Not cl	assified based on ava	ailable	information.	
STOT	-single exposure			
	assified based on ava	ailable	information.	
	-repeated exposure assified based on ava	ailable	information.	
Aspir	ation toxicity			
-	assified based on ava	ailable	information.	

Vers 1.0	sion	Revision Date: 07/27/2020		0S Number: 0000259976	Date of last issue: - Date of first issue: 07/27/2020
	Furthe	er information			
	<u>Produ</u> Remai		:	No data available	
SEC		12. ECOLOGICAL INFO	ORM	IATION	
	Ecoto	xicity			
	<u>Produ</u>	<u>ct:</u>			
	Ecoto	xicology Assessment			
	Chroni	c aquatic toxicity	:	Toxic to aquatic li	fe with long lasting effects.
	Persis	tence and degradabil	ity		
	Produ	<u>ct:</u>			
	-	gradability	:	ingredients, the p	into consideration the properties of several roduct is estimated not to be readily biode- ng to OECD classification.
	Stabilit	ty in water	:		oduct is slightly soluble in water. It can be rater by abiotic processes.
	Bioac	cumulative potential			
	<u>Produ</u>	<u>ct:</u>			
	Bioaco	cumulation	:		e of the product's consistency and low water ability is improbable.
	<u>Comp</u>	onents:			
	talc:				
		on coefficient: n- I/water	:	Remarks: not app	licable
	2,3-ер	oxypropyl o-tolyl ethe	er:		
		on coefficient: n- I/water	:	log Pow: 2.16 (77 Method: other (ca	
	Titani	um dioxide:			
		on coefficient: n- I/water	:	Remarks: not app	licable
	Mobili	ty in soil			
	<u>Produ</u>	<u>ct:</u>			
		ution among environ- l compartments	:	phere from the wa	bstance will not evaporate into the atmos- ater surface. re to soil, adsorption to solid soil particles is

Version 1.0	Revision Date: 07/27/2020	SDS Number: 000000259976	Date of last issue: - Date of first issue: 07/27/2020
		pected. Following expo	fore contamination of groundwater is not ex- sure to soil, adsorption to solid soil particles is pre contamination of groundwater is expected.
Othe	r adverse effects		
Prod	uct:		
Addit matic	ional ecological infor- on		tal hazard cannot be excluded in the event of handling or disposal. c life.
		Toxic to aquation	c life with long lasting effects.
SECTION	13. DISPOSAL CONS	IDERATIONS	
Disp	osal methods		

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

UNRTDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT BISPHENOL-A)
Class	:	9
Subsidiary risk	:	EHSM
Packing group	:	III
Labels	:	9 (EHSM)
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(REACTION PRODUCT BISPHENOL-A)
Class	:	9
Subsidiary risk	:	EHSM
Packing group	:	III
Labels	:	Miscellaneous, Environmentally hazardous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen-	:	964

Versior 1.0	n Revision Date: 07/27/2020		S Number: 000259976	Date of last issue: - Date of first issue: 07/27/2020				
ge	er aircraft)							
IM	DG-Code							
U	N number	:	UN 3082					
Proper shipping name			: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT BISPHENOL-A)					
CI	ass		9					
	ibsidiary risk		EHSM					
	acking group	-						
	ibels		9 (EHSM)					
Er	nS Code		F-A, S-F					
Ma	arine pollutant		yes					

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

### 49 CFR

Not regulated as a dangerous good

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**


Clean Air Act	
	:
CA TAC	:
HON HAP (US)	:
	Threshold for emissions from stacks less than 25 ft::
	Threshold for emissions from stacks 40 to less than 75 ft::
	Threshold for emissions from stacks less than 25 ft::
	Threshold for emissions from stacks 40 to less than 75 ft::
	Ambient air standard::
	Threshold for emissions from stacks 40 to less than 75 ft::
	Threshold for emissions from stacks greater than or equal to 75 ft::
	Threshold for emissions from stacks greater than or equal to 75 ft::
	Threshold for emissions from stacks 25 to less than 40 ft::

rsion )	Revision Date: 07/27/2020	SDS Number: 000000259976	Date of last issue: - Date of first issue: 07/27/2020		
		Threshold for e	missions from stacks less than 25 ft::		
		Ambient air sta	Ambient air standard::		
		Ambient air sta	ndard::		
		Threshold for e	emissions from stacks 25 to less than 40 ft::		
		Threshold for e 75 ft::	emissions from stacks greater than or equal to		
		Threshold for e	missions from stacks 25 to less than 40 ft::		
HON	SOC (US)	: Group I			
		:			
VOC	(US)	:			
VOC	EQ (US)	:			
CAA (US)		:			
		:			
US St	ate Regulations				
Penn	sylvania Right To Kno	w			
	Titanium dioxide talc		13463-67-7 14807-96-6		
New .	Jersey Right To Know	,			
	Titanium dioxide talc		13463-67-7 14807-96-6		
Califo	ornia Prop. 65				
WARI	NING: This product can		icals including 1-chloro-2,3-epoxypropane, use cancer and birth defects or other reprodu		
	arm. For more informat				
	•	-	the following inventories:		
TSCA	A Contract of the second se		bstances in this product are either listed as SCA Inventory or are in compliance with a y exemption.		

DSL : All components of this product are on the Canadian DSL

### **SECTION 16. OTHER INFORMATION**

### Further information



AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; Emergency Schedule; ENCS - Existing and New Chemical Substances (Schedule; ENCS); Emergency Schedule; Ency Schedule

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/27/2020	00000259976	Date of first issue: 07/27/2020

ciated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 07/27/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/27/2020	00000259976	Date of first issue: 07/27/2020

INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN