Version 1.0	Revision Date: 07/16/2020	SDS Number: 000000260156					
SECTIO	ON 1. IDENTIFICATION						
Pro	oduct name	: MasterEm	aco S 440				
Pro	oduct code	: 00000000	00000000057191334 00000000057191334				
Ма	nufacturer or supplier's	details					
Co	mpany name of supplier	: Master Bu US, LLC	ilders-Construction Systems				
Ad	dress	: 23700 CH Beachwoo	AGRIN BLVD d OH 44122				
En	nergency telephone	: ChemTel:	+1-813-248-0585				
Re	commended use of the	chemical and re	strictions on use				
Re	commended use	: Product for	r construction chemicals				
Re	strictions on use	: Reserved	for industrial and professional use.				

## SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord	dan	ce with 29 CFR 1910.1200
Skin corrosion/irritation	:	2
Serious eye damage/eye irritation	:	1
Specific target organ toxicity - single exposure	:	3 (Respiratory system)
Short-term (acute) aquatic hazard	:	3
Long-term (chronic) aquatic hazard	:	3
Carcinogenicity (Inhalation)	:	1A (Lung)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	2 (Kidney, Immune system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	1

### **GHS** label elements

## SAFETY DATA SHEET

Version 1.0	Revision Date: 07/16/2020	SDS Number: 000000260156	Date of last issue: - Date of first issue: 07/16/2020
Haza	rd pictograms		! .
Signa	ll Word	: Danger	
Haza	rd Statements	H315 Causes s H335 May caus H350 May caus H373 May caus peated exposu H372 Causes of exposure if inh H402 Harmful t	se respiratory irritation. se cancer. se damage to organs through prolonged or re- re. damage to organs through prolonged or repeated aled.
Preca	autionary Statements	face protection P201 Obtain sp P271 Use only P260 Do not bi P202 Do not ha and understood P273 Avoid rel P270 Do not ea	becial instructions before use. outdoors or in a well-ventilated area. reathe dust or mist. andle until all safety precautions have been read
		for several min to do. Continue P304 + P340 II keep comfortal P303 + P352 II and water. P362 + P364 T reuse.	<ul> <li>INHALED: Remove person to fresh air and ble for breathing.</li> <li>ON SKIN (or hair): Wash with plenty of soap</li> <li>ake off contaminated clothing and wash it before</li> <li>exposed or concerned: Call a POISON</li> </ul>
		<b>Storage:</b> P403 + P233 S tightly closed. P405 Store loc	Store in a well-ventilated place. Keep container ked up.
		<b>Disposal:</b> P501 Dispose waste collectio	of contents/container to appropriate hazardous n point.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/16/2020	000000260156	Date of first issue: 07/16/2020

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No applicable information available.

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 15 - < 50
calcium oxide	1305-78-8	>= 0.1 - < 1
copper(II) carbonatecopper(II) hy- droxide(1:1)	12069-69-1	>= 0 - < 0.1
Quartz (SiO2)	14808-60-7	>= 50 - < 100
Calcium sulphate	7778-18-9	>= 0.3 - < 3
Gypsum (Ca(SO4).2H2O)	13397-24-5	>= 0.3 - < 3
Limestone	1317-65-3	>= 0 - < 3

## SECTION 4. FIRST AID MEASURES

General advice :	Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled :	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact :	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact :	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed :	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms : and effects, both acute and	Causes skin irritation. Causes serious eye damage.

Vers 1.0	sion	Revision Date: 07/16/2020		DS Number: 00000260156	Date of last issue: - Date of first issue: 07/16/2020
delayed			May cause respiratory irritation. May cause cancer. Causes damage to organs through prolonged or repeated exposure if inhaled. May cause damage to organs through prolonged or repeated exposure.		
	Notes t	o physician	:	Treat symptomati	cally.
SEC	CTION 5	. FIRE-FIGHTING ME	ASL	JRES	
	Suitabl	e extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (C	CO2)
	Unsuita media	able extinguishing	:	High volume wate	er jet
	Specific fighting	c hazards during fire	:	Do not allow run-o courses.	off from fire fighting to enter drains or water
	Further	r information	:	must not be disch Fire residues and	Ited fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.
		l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapors/dust.

Version 1.0	Revision Date: 07/16/2020	SDS Num 00000026		Date of last issue: - Date of first issue: 07/16/2020
		Avoid For pe Smoki plicatio Provid	contact with rsonal prot ng, eating a on area. le sufficient se of rinse v	obtain special instructions before use. In skin and eyes. Section see section 8. and drinking should be prohibited in the ap- air exchange and/or exhaust in work rooms. Water in accordance with local and national
Cor	nditions for safe storage	place. Conta kept u Obser Electri	iners which pright to pro ve label pro cal installat	ghtly closed in a dry and well-ventilated are opened must be carefully resealed and event leakage. cautions. ions / working materials must comply with safety standards.
	ther information on stor- conditions	: Conta	iners should	d be stored tightly sealed in a dry place.
Ma	terials to avoid	Segre Segre	gate from o	cids and bases.
	ther information on stor- stability	: No de	compositior	n if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
calcium oxide	1305-78-8	TWA value	2 mg/m3	ACGIHTLV
		REL value	2 mg/m3	NIOSH
		PEL	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA	2 mg/m3	ACGIH
		TWA	2 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	OSHA P0
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)

ersion .0	Revision Date: 07/16/2020	SDS Number: 000000260156	Date of las Date of firs	t issue: - t issue: 07/16/2020	
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-A
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Calciu	um sulphate	7778-18-9	TWA value (Inhalable fraction)	10 mg/m3	ACGIHTLV
			REL value (Respirable)	5 mg/m3	NIOSH
			REL value (Total)	10 mg/m3	NIOSH
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-A
			TWA (Res- pirable)	5 mg/m3	NIOSH REL
			TWA (total)	10 mg/m3	NIOSH REL
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA PO
			TWA (respir- able dust	5 mg/m3	OSHA P0

sion	Revision Date: 07/16/2020	SDS Number: 000000260156	Date of las Date of firs	t issue: - t issue: 07/16/2020	
		1	(freetien)	1	1
			fraction) TWA (Inhal-	10 mg/m3	ACGIH
					ACGIN
			able particu-	(Calcium)	
		40000.00.4	late matter)	4 4 9	
	er(II) carbonate	12069-69-1	PEL (Dust	1 mg/m3	29 CFR
coppe	er(II) hydroxide(1:1)		and mist)	(copper (Cu))	1910.1000
					(Table Z-1)
			REL value	1 mg/m3	NIOSH
			(Dust and	(copper (Cu))	
			mist)		
			REL value	0.1 mg/m3	NIOSH
			(fumes/smok	(copper (Cu))	
			e)		
			TWA	1 mg/m3	NIOSH RE
				(Copper)	
Gypsu	um (Ca(SO4).2H2O)	13397-24-5	TWA value	10 mg/m3	ACGIHTLV
			(Inhalable		
			fraction)		
			REL value	5 mg/m3	NIOSH
			(Respirable)		
			REL value	10 mg/m3	NIOSH
			(Total)		
			PEL (Total	15 mg/m3	29 CFR
			dust)	5	1910.1000
			,		(Table Z-1)
			PEL (Respir-	5 mg/m3	29 CFR
			able fraction)	o	1910.1000
					(Table Z-1)
			TWA value	15 mg/m3	29 CFR
			(Total dust)		1910.1000
			(1010101010)		(Table Z-1-
			TWA value	5 mg/m3	29 CFR
			(Respirable	o mg/mo	1910.1000
			fraction)		(Table Z-1-
			TWA (Res-	5 mg/m3	NIOSH RE
			pirable)	5 mg/m5	
			TWA (total)	10 mg/m3	NIOSH RE
			TWA (total	15 mg/m3	OSHA Z-1
			dust)	10 mg/mo	
			TWA (respir-	5 mg/m3	OSHA Z-1
			able fraction)	5 mg/m5	
			TWA (Total	15 mg/m3	OSHA P0
			dust)	15 mg/m3	
			TWA (respir-	5 mg/m3	OSHA P0
			able dust	5 mg/ma	USHA FU
			fraction)		
			TWA (Inhal-	10 mg/m3	ACGIH
					ACGIN
			able particu-	(Calcium)	
Come	nt nortland chamin-l-	65007 45 4	late matter)	1 m m /m 2	
Ceme	nt, portland, chemicals	65997-15-1	TWA value	1 mg/m3	ACGIHTLV
			(Respirable		
			fraction)	10	NIOCU
			REL value	10 mg/m3	NIOSH
		1	(Total)	1	1

rsion )	Revision Date: 07/16/2020	SDS Number: 000000260156	Date of last issue: - Date of first issue: 07/16/2020			
			REL value (Respirable)	5 mg/m3	NIOSH	
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000	
			adoty		(Table Z-1)	
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)	
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-/	
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A	
			TWA value	50 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3)	
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH	
			TWA (Res- pirable)	5 mg/m3	NIOSH REL	
			TWA (total)	10 mg/m3	NIOSH REL	
			TWA (total dust)	15 mg/m3	OSHA Z-1	
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1	
			TWA (Total dust)	10 mg/m3	OSHA P0	
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0	
			TWA (Dust)	50 Million parti- cles per cubic foot	OSHA Z-3	
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV	
			REL value (Respirable dust)	0.05 mg/m3	NIOSH	
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1	
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3	
			TWÁ (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3	
			TWA (respir-	0.1 mg/m3	OSHA P0	

sures /e equipme	: ent	able dust fraction)       able dust fraction)       ACGIH         TWA (Res- pirable par- ticulate mat- ter)       (Silica)       ACGIH         PEL (respir- able)       0.05 mg/m3       OSHA C         TWA (Res- pirable dust)       0.05 mg/m3       NIOSH F         Provide local exhaust ventilation to maintain recommended P.E.L.       Provide local exhaust ventilation to maintain recommended P.E.L.         t       Breathing protection if dusts are formed. Wear a NIOSH-certified (or equivalent) particulate respirator.			
ve equipme	:	fraction)       TWA (Res- pirable par- ticulate mat- ter)       0.025 mg/m3 (Silica)       ACGIH         PEL (respir- able)       0.05 mg/m3 0.05 mg/m3       OSHA C         TWA (Res- pirable dust)       0.05 mg/m3       NIOSH F         Provide local exhaust ventilation to maintain recommended P.E.L.       Provide local exhaust ventilation to maintain recommended         t       Breathing protection if dusts are formed.       Image: Commended			
ve equipme	: ent	TWA (Res- pirable par- ticulate mat- ter)       0.025 mg/m3 (Silica)       ACGIH         PEL (respir- able)       0.05 mg/m3 0.05 mg/m3       OSHA C         TWA (Res- pirable dust)       0.05 mg/m3 (Silica)       NIOSH F         Provide local exhaust ventilation to maintain recommended P.E.L.       Provide local exhaust ventilation to maintain recommended         t       Breathing protection if dusts are formed.			
ve equipme	: ent	pirable par-ticulate mat-ter)       (Silica)         PEL (respir-able)       0.05 mg/m3       OSHA C         TWA (Res-pirable dust)       0.05 mg/m3       NIOSH F         Provide local exhaust ventilation to maintain recommended P.E.L.       Proventilation to maintain recommended for the second secon			
ve equipme	: ent	ticulate mat- ter)       iticulate mat- ter)         PEL (respir- able)       0.05 mg/m3         TWA (Res- pirable dust)       0.05 mg/m3         Provide local exhaust ventilation to maintain recommended P.E.L.         t         Breathing protection if dusts are formed.			
ve equipme	: ent	PEL (respir- able)       0.05 mg/m3       OSHA C         TWA (Res- pirable dust)       0.05 mg/m3       NIOSH F         Provide local exhaust ventilation to maintain recommended P.E.L.       NIOSH F         t       Breathing protection if dusts are formed.			
ve equipme	: ent	able)       TWA (Res- pirable dust)       0.05 mg/m3 (Silica)       NIOSH F         Provide local exhaust ventilation to maintain recommended P.E.L.       Provide local exhaust ventilation to maintain recommended         t       Breathing protection if dusts are formed.			
ve equipme	: ent	pirable dust)       (Silica)         Provide local exhaust ventilation to maintain recommended P.E.L.         t         Breathing protection if dusts are formed.			
ve equipme	: ent :	P.E.L. t Breathing protection if dusts are formed.			
	ent :	Breathing protection if dusts are formed.			
ion	:				
		wear a MOSH-certilled (or equivalent) particulate respirator.			
	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.			
	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.			
ection	:	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
9S	:	<ul> <li>Avoid contact with the skin, eyes and clothing.</li> <li>Avoid inhalation of dusts.</li> <li>In order to prevent contamination while handling, closed working clothes and working gloves should be used.</li> <li>Handle in accordance with good building materials hygiene and safety practice.</li> </ul>			
	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			
	ection s				

Version 1.0	Revision Date: 07/16/2020		S Number: 0000260156	Date of last issue: - Date of first issue: 07/16/2020	
Boili	ng point	:	No applicable inf	ormation available.	
Flas	h point	:	does not flash		
Eva	Evaporation rate		No applicable inf	ormation available.	
Flan	Flammability (solid, gas)		not determined		
Self	Self-ignition		not self-igniting		
	er explosion limit / Upper mability limit	:	: As a result of our experience with this product and our knowledge of its composition we do not expect any haza long as the product is used appropriately and in accorda with the intended use.		
	er explosion limit / Lower mability limit	: As a result of our experience with this product and our knowledge of its composition we do not expect any haz long as the product is used appropriately and in accord with the intended use.		composition we do not expect any hazard as uct is used appropriately and in accordance	
Vap	or pressure	:	No applicable inf	ormation available.	
Rela	tive vapor density	:	No applicable inf	ormation available.	
Rela	tive density	:	2.8		
Den	sity	:	not applicable		
Bulk	density	:	1,800 - 2,400 kg/	m3	
	bility(ies) Vater solubility	:	No data available	)	
S	Solubility in other solvents	:	No applicable inf	ormation available.	
	ition coefficient: n- nol/water	:	No applicable inf	ormation available.	
Auto	ignition temperature	:	No applicable inf	ormation available.	
Dec	omposition temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-	
	osity /iscosity, dynamic	:	No data available	Э.	
V	/iscosity, kinematic	:	No applicable inf	ormation available.	
Expl	osive properties	:	Not explosive Not explosive		
Oxic	lizing properties	:	Based on its stru as oxidizing.	ctural properties the product is not classified	

Version 1.0	Revision Date: 07/16/2020	SDS Number: 000000260156	Date of last issue: - Date of first issue: 07/16/2020	
Subli	neating substances mation point cular weight	<ul><li>No data availa</li><li>No applicable</li><li>No data availa</li></ul>	information available.	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong bases Strong acids
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity	: Remarks: No applicable information available.
Acute inhalation toxicity	: Remarks: No applicable information available.
Acute dermal toxicity	: Remarks: No applicable information available.

### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### **Respiratory sensitization**

Not classified based on available information.

#### Product:

Remarks

: Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-live is unlikely.

	Revision Date: 07/16/2020	SDS Number: 000000260156	Date of last issue: - Date of first issue: 07/16/2020						
Germ	n cell mutagenicity								
Not c	lassified based on ava	ailable information.							
Carci	inogenicity								
Mayo	cause cancer.								
Repr	oductive toxicity								
Not classified based on available information.									
STOT-single exposure									
May cause respiratory irritation.									
STO	<b>F</b> -repeated exposure								
			or repeated exposure if inhaled. ed or repeated exposure.						
Aspi	ration toxicity								
Not c	lassified based on ava	ailable information.							
Furth	er information								
Prod	uct:								
Rema			has not been tested. The statement has been the properties of the individual components.						
	12. ECOLOGICAL IN								
Ecoto	oxicity								
Ecoto <u>Prod</u>	oxicity <u>uct:</u>	IFORMATION							
Ecote <u>Prod</u> Ecote	oxicity <u>uct:</u> oxicology Assessme	IFORMATION							
Ecote <u>Prod</u> Ecote	oxicity <u>uct:</u>	IFORMATION							
Ecoto Prod Ecoto Acute	oxicity <u>uct:</u> oxicology Assessme	IFORMATION							
Ecoto Prod Ecoto Acuto Chron	oxicity uct: oxicology Assessme aquatic toxicity	IFORMATION ent : Harmful to ad : Harmful to ad	quatic life.						
Ecoto Prod Ecoto Acuto Chron	oxicity uct: oxicology Assessme a aquatic toxicity nic aquatic toxicity stence and degrada	IFORMATION ent : Harmful to ad : Harmful to ad	quatic life.						
Ecoto Prod Ecoto Acuto Chron Persi <u>Prod</u>	oxicity uct: oxicology Assessme a aquatic toxicity nic aquatic toxicity stence and degrada	IFORMATION ent : Harmful to a : Harmful to a bility	quatic life.						
Ecote Prod Ecote Acute Chron Persi <u>Prod</u> Biode	oxicity uct: oxicology Assessme aquatic toxicity nic aquatic toxicity stence and degrada	IFORMATION ent : Harmful to a : Harmful to a bility : Remarks: No	quatic life. quatic life with long lasting effects.						
Ecote Prod Ecote Acute Chron Persi <u>Prod</u> Biode	oxicity uct: oxicology Assessme e aquatic toxicity nic aquatic toxicity stence and degradal uct: egradability ccumulative potentia	IFORMATION ent : Harmful to a : Harmful to a bility : Remarks: No	quatic life. quatic life with long lasting effects.						
Ecoto Prod Ecoto Acuto Chron Persi Biode Biode	oxicity uct: oxicology Assessme e aquatic toxicity nic aquatic toxicity stence and degradal uct: egradability ccumulative potentia	IFORMATION  Int  I Harmful to a	quatic life. quatic life with long lasting effects. ot applicable for inorganic substances.						
Ecote Prod Ecote Acute Chron Persi Biode Biode Bioac	oxicity uct: oxicology Assessme aquatic toxicity nic aquatic toxicity stence and degradal uct: gradability ccumulative potentia uct:	IFORMATION  Int  I Harmful to a	quatic life. quatic life with long lasting effects. of applicable for inorganic substances.						
Ecoto Prod Acute Chron Persi Biode Biode Bioac	oxicity uct: oxicology Assessme a aquatic toxicity nic aquatic toxicity istence and degradal uct: agradability ccumulative potentia uct: ccumulation ponents:	IFORMATION  Int  If the second	quatic life. quatic life with long lasting effects. of applicable for inorganic substances.						
Ecoto Prod Ecoto Acute Chron Persi Biode Biode Biode Diode Com Partit	oxicity uct: oxicology Assessme a aquatic toxicity nic aquatic toxicity istence and degradal uct: agradability ccumulative potentia uct: ccumulation	IFORMATION  Int  If the second	quatic life. quatic life with long lasting effects. of applicable for inorganic substances.						

sion	Revision Date: 07/16/2020		0S Number: 0000260156	Date of last issue: - Date of first issue: 07/16/2020		
calciu	ım oxide:					
Partition coefficient: n- octanol/water		:	: Remarks: The value has not been determined because the substance is inorganic.			
coppe	er(II) carbonatecoppe	er(II)	hydroxide(1:1)	:		
	on coefficient: n- ol/water	:	Remarks: The substance is in	value has not been determined because the organic.		
Quart	z (SiO2):					
	on coefficient: n- ol/water	:	Remarks: not a	pplicable		
Calciu	um sulphate:					
	on coefficient: n- ol/water	:		value has not been determined because the organic.		
Gyps	um (Ca(SO4).2H2O):					
	on coefficient: n- ol/water	:	Remarks: The substance is in	value has not been determined because the organic.		
Mobil	ity in soil					
<u>Produ</u>	<u>ıct:</u>					
	oution among environ- al compartments	:	particles is prol is not expected	will not evaporate into the atmosphere from		
Other	adverse effects					
<u>Prod</u> ı	<u>ict:</u>					
	ts of PBT and vPvB sment	:	to be either per	/mixture contains no components considere sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels c		
Addition mation	onal ecological infor- า	:	unprofessional Harmful to aqua	tal hazard cannot be excluded in the event o handling or disposal. atic life. atic life with long lasting effects.		

## SECTION 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Waste from residues	: Do		Do not contaminate ponds, waterways or ditches with chemi-
			cal or used container.
			Dispose of in accordance with national, state and local regula-

Version 1.0	Revision Date: 07/16/2020	SDS Number: 000000260156	Date of last issue: - Date of first issue: 07/16/2020
		tions. Do not discharge	e into drains/surface waters/groundwater.
Conta	minated packaging		ackaging should be emptied as far as possible in the same manner as the sub-

## **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### 49 CFR

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

### **US State Regulations**

#### Pennsylvania Right To Know

Limestone	1317-65-3
Calcium sulphate	7778-18-9
Gypsum (Ca(SO4).2H2O)	13397-24-5
Cement, portland, chemicals	65997-15-1
Quartz (SiO2)	14808-60-7
New Jersey Right To Know	
Limestone	1317-65-3
Calcium sulphate	7778-18-9
Cement, portland, chemicals	65997-15-1
Quartz (SiO2)	14808-60-7

#### California Prop. 65

WARNING: This product can expose you to chemicals including Quartz (SiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### The ingredients of this product are reported in the following inventories:


:

TSCA

All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/16/2020	00000260156	Date of first issue: 07/16/2020

### **SECTION 16. OTHER INFORMATION**



USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts 29 CFR 1910.1000 (Table Z- : Time Weighted Average (TWA):

1-A) / TWA value	-	······································
29 CFR 1910.1000 (Table Z-	:	Permissible exposure limit
1) / PEL		
29 CFR 1910.1000 (Table Z-	:	Time Weighted Average (TWA):
3) / TWA value		

OSHA Z-3

Version 1.0	Revision Date: 07/16/2020		9S Number: 0000260156	Date of last issue: - Date of first issue: 07/16/2020		
29 CFR 1910.1001-1050 / OSHA Action level		: OSHA Action level:				
29 CFR 1910.1001-1050 / TWA value		:	: Time Weighted Average (TWA):			
ACGIH / TWA		: 8-hour, time-weighted average				
ACGIHTLV / TWA value		: Time Weighted Average (TWA):				
NIOSH / REL value		: Recommended exposure limit (REL):				
NIOSH REL / TWA		:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek			
OSHA	OSHA CARC / PEL		Permissible exposure limit (PEL)			
OSHA P0 / TWA		:	8-hour time weighted average			
OSHA Z-1 / TWA		:	8-hour time weighted average			
OSHA Z-3 / TWA		:	: 8-hour time weighted average			

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

**Revision Date** 

: 07/16/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/16/2020	00000260156	Date of first issue: 07/16/2020

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN