Vers 2.0	sion	Revision Date: 11/07/2020		0S Number: 0000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
SEC	CTION 1	. IDENTIFICATION			
	Produc	t name	:	MasterProtect EL	750 FN Pas TB
	Produc	t code	:	0000000005171	8978 00000000051718978
	Other n	neans of identification	:	MProtect EL 750	FN Pas TB
	Manufa	acturer or supplier's o	deta	ils	
	Compa	ny name of supplier	:	Master Builders-C US, LLC	Construction Systems
	Addres	S	:	23700 CHAGRIN Beachwood OH 4	
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585
	Recom	mended use of the c	hen	nical and restriction	ons on use
	Recom	mended use	:	Waterproof coatin Product for constr	
	Restric	tions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord Carcinogenicity (Inhalation)		
Specific target organ toxicity - repeated exposure	:	Category 2 (Kidney)
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H350 May cause cancer by inhalation. H373 May cause damage to organs (Kidney) through prolonged or repeated exposure. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lasting effects.

ersion 0	Revision Date: 11/07/2020	SDS Number: 000000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
Preca	utionary Statements	P202 Do not ha and understood P260 Do not br P273 Avoid rele	 eathe dust/ fume/ gas/ mist/ vapours/ spray. ease to the environment. tective gloves/ protective clothing/ eye protection.
		Response: P308 + P313 IF attention.	exposed or concerned: Get medical advice/
		Storage: P405 Store lock	ked up.
		Disposal: P501 Dispose o posal plant.	of contents/ container to an approved waste dis-
Other	hazards		

No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Aqueous solution acrylic polymers

Components

CAS-No.	Concentration (% w/w)
1317-65-3	>= 30 - < 50
13463-67-7	>= 5 - < 10
93763-70-3	>= 1 - < 5
107-21-1	>= 1 - < 5
7631-86-9	>= 0.1 - < 1
1314-13-2	>= 0.1 - < 1
64742-65-0	>= 0.1 - < 1
14808-60-7	>= 0.1 - < 1
330-54-1	< 0.1
	1317-65-3 13463-67-7 93763-70-3 107-21-1 7631-86-9 1314-13-2 64742-65-0 14808-60-7

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
In case of skin contact	:	Wash thoroughly with soap and water

Version 2.0	Revision Date: 11/07/2020		DS Number: 00000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
In cas	se of eye contact	:	Wash affected ey water with eyelids	res for at least 15 minutes under running s held open.
lf swa	llowed	:	Immediately rinse seek medical atte Do NOT induce v	
	important symptoms ffects, both acute and ed	:	May cause cance May cause dama exposure.	er by inhalation. ge to organs through prolonged or repeated
Notes	to physician	:	Treat symptomat	ically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear a self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immedi- ately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Vers 2.0	sion	Revision Date: 11/07/2020	-	0S Number: 0000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
		s and materials for ment and cleaning up	:	acid binder, unive	t absorbent material (e.g. sand, silica gel, rsal binder, sawdust). closed containers for disposal.
SEC	TION 7	HANDLING AND ST	OR/	AGE	
		on protection against explosion	:	Normal measures	for preventive fire protection.
	Advice	on safe handling	:	Avoid contact with For personal prote Smoking, eating a plication area. Dispose of rinse v regulations. Persons susceptil allergies, chronic	obtain special instructions before use.
	Conditio	ons for safe storage	:	place. Containers which kept upright to pre	ions / working materials must comply with
	Further age cor	information on stor- nditions	:		priginal container in a cool, dry, well- way from ignition sources, heat or flame. tt sunlight.
	Materia	ls to avoid	:	Observe VCI stora	age rules.
	Recom peratur	mended storage tem- e	:	> 41 °F / > 5 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000
				(Table Z-1)

ersion .0	Revision Date: 11/07/2020	SDS Number: 000000261439		t issue: 08/07/2020 t issue: 08/07/2020	
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH RE
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH RE
Titani	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
Derlit		00700 70 0	TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Perite	e, expanded	93763-70-3	REL value (Respirable) REL value	5 mg/m3 10 mg/m3	NIOSH
			(Total) TWA value	5 mg/m3	29 CFR
			(Respirable fraction)		1910.1000 (Table Z-1-
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (Res- pirable)	5 mg/m3	NIOSH RE
			TWA (total) TWA (Total	10 mg/m3 15 mg/m3	NIOSH RE OSHA P0
			dust) TWA (respir- able dust	5 mg/m3	OSHA P0

sion	Revision Date: 11/07/2020	SDS Number: 000000261439		t issue: 08/07/2020 t issue: 08/07/2020	
			fraction)	1	I
ethyle	ene glycol	107-21-1	TWA value (Vapor frac- tion)	25 ppm	ACGIHTI
			STEL value (Vapor frac- tion)	50 ppm	ACGIHTI
			STEL value (Aerosol, inhalable.)	10 mg/m3	ACGIHTL
			TWA (Vapor)	25 ppm	ACGIH
			STEL (Va- por)	50 ppm	ACGIH
			STEL (Inhal- able fraction, Aerosol only)	10 mg/m3	ACGIH
			С	50 ppm 125 mg/m3	OSHA P
Silico	n dioxide	7631-86-9	REL value	6 mg/m3	NIOSH
			TWA value	6 mg/m3	29 CFR 1910.100 (Table Z-
			TWA value	20 millions of particles per cubic foot of air	29 CFR 1910.100 (Table Z-
			TWA value	0.8 mg/m3	29 CFR 1910.100 (Table Z-
			TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-
			TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH R
			TWA	6 mg/m3 (Silica)	NIOSH R
zinc o	oxide	1314-13-2	TWA value (Respirable fraction)	2 mg/m3	ACGIHTI
			STEL value (Respirable fraction)	10 mg/m3	ACGIHTI
			REL value (fumes/smok e)	5 mg/m3	NIOSH
			REL value (dust)	5 mg/m3	NIOSH
			STEL value (fumes/smok e)	10 mg/m3	NIOSH
			Ceil_Time (dust)	15 mg/m3	NIOSH

ersion 0		SDS Number: 000000261439		t issue: 08/07/2020 t issue: 08/07/2020	
			PEL (Total dust)	15 mg/m3	29 CFR 1910.100 (Table Z-
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.100 (Table Z-
			PEL (fumes/smok e)	5 mg/m3	29 CFR 1910.100 (Table Z-
			TWA value (fumes/smok e)	5 mg/m3	29 CFR 1910.100 (Table Z-
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.100 (Table Z-
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.100 (Table Z-
			STEL value (fumes/smok e)	10 mg/m3	29 CFR 1910.100 (Table Z-
			TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
			STEL (Res- pirable par- ticulate mat- ter)	10 mg/m3	ACGIH
			TWA (Dust)	5 mg/m3	NIOSH R
			TWA (Fumes)	5 mg/m3	NIOSH R
			ST (Fumes)	10 mg/m3	NIOSH R
			C (Dust) TWA (Fumes)	15 mg/m3 5 mg/m3	NIOSH R OSHA Z-
			TWA (total dust)	15 mg/m3 5 mg/m3	OSHA Z- OSHA Z-
			TWA (respir- able fraction) TWA (Total	10 mg/m3	OSHA Z-
			dust) TWA (respir- able dust	5 mg/m3	OSHA PO
			fraction) TWA (Fumes)	5 mg/m3	OSHA PO
			STEL (Fumes)	10 mg/m3	OSHA PO
	ates (petroleum), solvent- xed heavy paraffinic	64742-65-0	TWA value (Inhalable fraction)	5 mg/m3	ACGIHTI
			STEL value (Mist)	10 mg/m3	NIOSH

sion	Revision Date: 11/07/2020	SDS Number: 000000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020				
			REL value (Mist)	5 mg/m3	NIOSH		
			REL value	350 mg/m3	NIOSH		
			Ceil_Time	1,800 mg/m3	NIOSH		
			PEL (Mist)	5 mg/m3	29 CFR		
			(•g•	1910.1000		
					(Table Z-1)		
			TWA value	5 mg/m3	29 CFR		
			(Mist)	5 mg/m5	1910.1000		
			(IVIIST)		(Table Z-1-		
			TWA (Mist)	5 mg/m3	OSHA Z-1		
			TWA (Inhal-	5 mg/m3	ACGIH		
			able particu-	5 mg/ms	ACGIN		
			late matter)	5			
			TWA (Mist)	5 mg/m3	OSHA PO		
			TWA (Mist)	5 mg/m3	NIOSH RE		
-	(2) 2 - 2		ST (Mist)	10 mg/m3	NIOSH RE		
Quart	z (SiO2)	14808-60-7	TWA value	0.025 mg/m3	ACGIHTLV		
		(Respirable					
			fraction)				
			TWA value	0.05 mg/m3	29 CFR		
				(Respirable dust)	1910.1001 1050		
			OSHA Action	0.025 mg/m3	29 CFR		
			level	(Respirable dust)	1910.1001 1050		
			REL value (Respirable dust)	0.05 mg/m3	NIOSH		
			TWÁ (Res-	0.05 mg/m3	OSHA Z-1		
			pirable dust)	g,			
			TWA (respir-	10 mg/m3 /	OSHA Z-3		
			able)	%SiO2+2	0011120		
			TWA (respir-	250 mppcf /	OSHA Z-3		
			able)	%SiO2+5			
			TWA (respir-	0.1 mg/m3	OSHA P0		
			able dust				
			fraction)				
			TWA (Res-	0.025 mg/m3	ACGIH		
			pirable par-	(Silica)			
			ticulate mat-	(,			
			ter)				
			PEL (respir-	0.05 mg/m3	OSHA CAF		
			able)				
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE		
diuror	<u></u> ו	330-54-1	TWA value	10 mg/m3	ACGIHTLV		
			REL value	10 mg/m3	NIOSH		
			TWA value	10 mg/m3	29 CFR		
					1910.1000		
					(Table Z-1-		
			TWA	10 mg/m3	ACGIH		
			TWA	10 mg/m3	NIOSH RE		

ersion Revision Date: 0 11/07/2020			9S Number: 0000261439		f last issue: 08/07/2020 f first issue: 08/07/2020		
				TWA	10 mg/m3	OSHA P0	
Engi	neering measures	:	Ensure adequa	te ventilat	ion.		
Pers	onal protective equip	ment					
Resp	iratory protection	:	Wear a NIOSH-certified (or equivalent) organic va- pour/particulate respirator as needed.				
Hand	I protection						
Remarks			Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.				
Eye p	protection	:	Safety glasses with side-shields.				
Skin	and body protection	:	light protective clothing				
Protective measures		:	Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.			lls hygiene	
Hygiene measures		:	 When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skincare agents applied. Remove contaminated clothing immediately and clean before re-use or dispose it if necessary. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). 				

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	pigmented
Odor	:	sweetish, slight odour
Odor Threshold	:	not determined
рН	:	approx. 9.2 - 10.0
Melting point	:	No applicable information available.
Boiling point	:	379.00 - 401.00 °F / 192.78 - 205.00 °C

Versio 2.0	n Revision Date: 11/07/2020		S Number: 0000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
F	lash point	:	200.01 °F / 93.3	4 °C
E	vaporation rate	:	No applicable in	formation available.
F	lammability (solid, gas)	:	not flammable	
	pper explosion limit / Upper ammability limit	:	15.3 %(V)	
	ower explosion limit / Lower ammability limit	:	3.2 %(V)	
R	elative vapor density	:	Heavier than air	
R	elative density	:	1.2 - 1.4	
D	ensity	:	approx. 1.2 - 1.4	g/cm3 (68 °F / 20 °C)
S	olubility(ies) Water solubility	:	soluble (68 °F /	20 °C)
	Solubility in other solvents	:	No applicable in	formation available.
A	utoignition temperature	:	No data availabl	e
D	ecomposition temperature	:	No decomposition scribed/indicated	on if stored and handled as pre- d.
V	iscosity Viscosity, dynamic	:	No applicable in	formation available.
	Viscosity, kinematic	:	No applicable in	formation available.
E	xplosive properties	:	Not explosive	
С	xidizing properties	:	Based on its stru as oxidizing.	uctural properties the product is not classified
S	ublimation point	:	No applicable in	formation available.
Ν	olecular weight	:	No data availabl	e
N	letal corrosion rate	:	Corrosive effect	s to metal are not anticipated.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.

Ver 2.0	sion	Revision Date: 11/07/2020		S Number: 0000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
	Possib tions	ility of hazardous reac-	:	The product is st scribed/indicated	able if stored and handled as pre-
	Condit	ions to avoid	:	See SDS section	7 - Handling and storage.
	Incomp	patible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing	
	Hazaro produc	lous decomposition ts	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Version 2.0	Revision Date: 11/07/2020		DS Number: 00000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
SECTIO	N 12. ECOLOGICAL INF	ORI	MATION	
Eco	toxicity			
Pro	duct:			
	toxicology Assessment te aquatic toxicity		Harmful to aqua	tic life.
Chro	onic aquatic toxicity	:	Harmful to aqua	tic life with long lasting effects.
<u>Con</u>	nponents:			
zinc	oxide:			
M-Faicity)	actor (Acute aquatic tox-	:	1	
M-Fa	actor (Chronic aquatic sity)	:	1	
diur	on:			
M-Faicity)	actor (Acute aquatic tox-	:	10	
M-Fa	actor (Chronic aquatic city)	:	10	
Pers	sistence and degradabil	ity		
<u>Con</u>	nponents:			
Qua	rtz (SiO2):			
Biod	legradability	:	Remarks: Not a	oplicable
Bioa	accumulative potential			
<u>Con</u>	nponents:			
	ite, expanded:			
	ition coefficient: n- nol/water	:	Remarks: The v substance is inc	alue has not been determined because the rganic.
ethy	lene glycol:			
	ition coefficient: n- nol/water	:	Method: Calcula GLP: no data	1.36 (73 °F / 23 °C) tion Hansch/Leo nation taken from reference works and the

Revision Date: 11/07/2020			Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
on coefficient: n- ol/water	:		lue has not been determined because the ganic.
lates (petroleum), solv	ent	-dewaxed heavy	paraffinic:
ion coefficient: n- ol/water	:	Remarks: Study	technically not feasible.
lity in soil			
oonents:			
oxide:			
oution among environ- al compartments	:	Medium: water - log Kd: 1.15 Method: Calculat	ion method
adverse effects			
uct:			
onal ecological infor- n	:	The product has	product into the environment without control. not been tested. The statements on ecotoxi- n derived from the properties of the individual
	11/07/2020 on coefficient: n- ol/water lates (petroleum), solv on coefficient: n- ol/water lity in soil ponents: potion among environ- al compartments	11/07/2020 00 on coefficient: n- : ol/water : lates (petroleum), solventer on coefficient: n- : ol/water : lity in soil : ponents: : poxide: : pution among environ- : al compartments : r adverse effects : uct: : onal ecological infor- :	11/07/2020000000261439on coefficient: n- ol/water: Remarks: The vale substance is inorlates (petroleum), solvent-dewaxed heavy p on coefficient: n- ol/water: Remarks: Study p is inority in soil bonents: boxide: boution among environ- al compartments: Adsorption Medium: water - is log Kd: 1.15 Method: Calculat Remarks: Not apr adverse effects uct: on al ecological infor- n: Do not discharge The product has cology have beer

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions.
		Residues should be disposed of in the same manner as the substance/product.
		Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good


IMDG-Code

Not regulated as a dangerous good

Version 2.0	Revision Date: 11/07/2020	SDS Number: 000000261439	Date of last issue Date of first issue								
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.										
Dom	Domestic regulation										
49 C Not r	FR egulated as a dangerou	us good									
SECTION	15. REGULATORY IN	IFORMATION									
SAR	A 313		components are subje SARA Title III, Section 3	ect to reporting levels es- 313:							
		ethylene glyc	ol 107-21-1	>= 1 - < 5 %							
US S	state Regulations										
Penr	nsylvania Right To Kn	ow									
		eum), hydrotreated h eum), solvent-dewax		1317-65-3 13463-67-7 93763-70-3 107-21-1 1314-13-2 64742-52-5 64742-65-0 330-54-1 7664-41-7 1336-21-6							
New	Jersey Right To Know	N									
	Limestone Titanium dioxide Perlite, expanded ethylene glycol Distillates (petrole Quartz (SiO2)	eum), solvent-dewax	ed heavy paraffinic	1317-65-3 13463-67-7 93763-70-3 107-21-1 64742-65-0 14808-60-7							
Calif	ornia Prop. 65										
WAR know ethyl	WARNING: This product can expose you to chemicals including Titanium dioxide, which is/are known to the State of California to cause cancer, and ethylene glycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.										
The	ingredients of this pro	oduct are reported	in the following inven	tories:							
TSC	Ą	active on the	substances in this prod TSCA Inventory or are pry exemption.								
DSL		: All componen	ts of this product are o	n the Canadian DSL							

SECTION 16. OTHER INFORMATION

Further information



Version 2.0	Revision Date: 11/07/2020		S Number: 0000261439	Date of last issue: 08/07/2020 Date of first issue: 08/07/2020
ACGIH ACGIH NIOSH NIOSH NIOSH	I / STEL ITLV / STEL value ITLV / TWA value I / Ceil_Time I / REL value I / STEL value I REL / TWA	:	Recommended ex Short Term Expose Time-weighted av	sure Limit (STEL): verage (TWA): e and Time Period (if specified): <posure (rel):<br="" limit="">sure Limit (STEL): rerage concentration for up to a 10-hour</posure>
NIOSH	I REL / ST	:		40-hour workweek TWA exposure that should not be exceeded a workday
OSHA OSHA OSHA OSHA OSHA	I REL / C CARC / PEL P0 / TWA P0 / STEL P0 / C Z-1 / TWA Z-3 / TWA	:	, ,	be exceeded at any time. sure limit (PEL) ted average ure limit ted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 11/07/2020

Version	Revision Date:	SDS Number:	Date of last issue: 08/07/2020
2.0	11/07/2020	00000261439	Date of first issue: 08/07/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN