Version 1.0	Revision Date: 08/12/2020		Number: 00261612	Date of last issue: - Date of first issue: 08/12/2020
SECTIO	ON 1. IDENTIFICATION			
Pro	oduct name	: N	lasterSeal 658 v	vht pas
Pro	oduct code	: 0	000000005658	6498 00000000056586498
Ма	nufacturer or supplier's	details	i	
Co	mpany name of supplier		laster Builders-0 S, LLC	Construction Systems
Ad	dress		3700 CHAGRIN eachwood OH 4	
En	ergency telephone	: C	hemTel: +1-813	-248-0585
Re	commended use of the	chemic	al and restriction	ons on use
Re	commended use	: P	roduct for const	ruction chemicals
Re	strictions on use	: R	eserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	:	2
Serious eye damage/eye irritation	:	Category 2A
Skin sensitization	:	Category 1
Carcinogenicity	:	1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	2 (Kidney, Immune system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1
Short-term (acute) aquatic hazard	:	3
Long-term (chronic) aquatic hazard	:	3

GHS label elements

pictograms		
Vord	: Danger	
Statements	H315 Causes s H317 May cau H350 May cau H373 May cau peated exposu H372 Causes o exposure if inh H402 Harmful	se an allergic skin reaction. se cancer. se damage to organs through prolonged or re- ire. damage to organs through prolonged or repeated aled.
ionary Statements	face protection P201 Obtain sp P260 Do not bu P202 Do not ha and understood P273 Avoid rel P270 Do not ea P264 Wash fac handling.	pecial instructions before use. reathe dust or mist. andle until all safety precautions have been read d. lease to the environment. at, drink or smoke when using this product. ce, hands and any exposed skin thoroughly after nated work clothing should not be allowed out of
	for several min to do. Continue P314 Get med P308 + P311 II CENTER/ doct P303 + P352 II and water. P332 + P313 If tion. P362 + P364 T reuse.	ical advice/ attention if you feel unwell. F exposed or concerned: Call a POISON tor. F ON SKIN (or hair): Wash with plenty of soap f skin irritation occurs: Get medical advice/ atten- Take off contaminated clothing and wash it before f eye irritation persists: Call a POISON CENTER ician.
	Statements	Statements : H319 Causes a H315 Causes a H317 May cau H350 May cau H373 May cau peated exposu H372 Causes of exposure if inh H402 Harmful H412 Harmf

SAFETY DATA SHEET

MasterSeal 658 wht pas

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/12/2020	00000261612	Date of first issue: 08/12/2020

Other hazards

No data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 25 - < 50
Titanium dioxide	13463-67-7	>= 5 - < 10
Limestone	1317-65-3	>= 1 - < 5
Isobutyric acid, monoester with 2,2,4- trimethylpentane-1,3-diol	25265-77-4	>= 1 - < 3
ammonia	7664-41-7	>= 0.3 - < 1
2-dimethylaminoethanol	108-01-0	>= 0.3 - < 1
chlorothalonil	1897-45-6	>= 0.2 - < 0.3
bronopol	52-51-7	>= 0.2 - < 0.3
ammonia, aqueous solution	1336-21-6	>= 0.2 - < 0.3

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause cancer. Causes damage to organs through prolonged or repeated

3/16

Versi 1.0	on	Revision Date: 08/12/2020		0S Number: 0000261612	Date of last issue: - Date of first issue: 08/12/2020		
				exposure if inhale May cause damag exposure.	d. ge to organs through prolonged or repeated		
I	Notes t	o physician	:	Treat symptomatically.			
SEC	TION 5	. FIRE-FIGHTING ME	ASL	IRES			
\$	Suitable	e extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (C	:O2)		
	Unsuita media	ble extinguishing	:	High volume wate	r jet		
	Specific fighting	c hazards during fire	:	Do not allow run-o courses.	off from fire fighting to enter drains or water		
I	Further	information	:	must not be disch Fire residues and	ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.		
		protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Product is not explosive.
		Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes.

Version 1.0	Revision Date: 08/12/2020	SDS Numb 000000261	
		Smoking plication Provide Dispose regulation Persons allergies	sufficient air exchange and/or exhaust in work rooms.
Con	ditions for safe storage	place. Contain kept up Observe Electrica	entainer tightly closed in a dry and well-ventilated ers which are opened must be carefully resealed and right to prevent leakage. a label precautions. al installations / working materials must comply with nological safety standards.
	her information on stor- conditions	ventilate	ly in the original container in a cool, dry, well- ed place away from ignition sources, heat or flame. from direct sunlight.
Mate	erials to avoid	: Observe	e VCI storage rules.
	her information on stor- stability	: No data	available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir-	5 mg/m3	OSHA Z-1

sion	Revision Date: 08/12/2020	SDS Number: 000000261612	Date of las Date of firs	st issue: - st issue: 08/12/2020)
		I	able frection)	I	I
			able fraction) TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA PO
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH RE
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH RE
ammo	onia, aqueous solution	1336-21-6	STEL value	35 ppm	ACGIHTL
			TWA value	25 ppm	ACGIHTL
			REL value	25 ppm 18 mg/m3	NIOSH
			STEL value	35 ppm 27 mg/m3	NIOSH
			PEL	50 ppm 35 mg/m3	29 CFR 1910.1000 (Table Z-1
			STEL value	35 ppm 27 mg/m3	29 CFR 1910.1000 (Table Z-1
			TWA	25 ppm (Ammonia)	ACGIH
			STEL	35 ppm (Ammonia)	ACGIH
			TWA	25 ppm 18 mg/m3 (Ammonia)	NIOSH RE
			ST	35 ppm 27 mg/m3 (Ammonia)	NIOSH RE
ammo	onia	7664-41-7	STEL value	35 ppm	ACGIHTL
			TWA value	25 ppm	ACGIHTL
			REL value	25 ppm 18 mg/m3	NIOSH
			STEL value	35 ppm 27 mg/m3	NIOSH
			PEL	50 ppm 35 mg/m3	29 CFR 1910.1000 (Table Z-1
			STEL value	35 ppm 27 mg/m3	29 CFR 1910.1000 (Table Z-1
_			TWA	50 ppm 35 mg/m3	OSHA Z-1
			STEL	35 ppm 27 mg/m3	OSHA P0
			TWA	25 ppm (Ammonia)	ACGIH
			STEL	35 ppm (Ammonia)	ACGIH

/ersion .0	Revision Date: 08/12/2020	SDS Number: 000000261612	Date of last issue: - Date of first issue: 08/12/2020				
			TWA	25 ppm 18 mg/m3 (Ammonia)	NIOSH REL		
			ST	35 ppm 27 mg/m3 (Ammonia)	NIOSH REL		
Titani	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV		
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)		
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-A		
			TWA (total dust)	15 mg/m3	OSHA Z-1		
			TWA (Total dust)	10 mg/m3	OSHA P0		
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH		
Quart	Quartz (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV		
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050		
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050		
			REL value (Respirable dust)	0.05 mg/m3	NIOSH		
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1		
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3		
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3		
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0		
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH		
			PEL (respir- able)	0.05 mg/m3	OSHA CARC		
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL		

Engineering measures

: No applicable information available.

Personal protective equipment

:

Respiratory protection

When workers are facing concentrations above the occupational exposure limits they must use appropriate certified

Version 1.0	Revision Date: 08/12/2020		05 Number: 0000261612	Date of last issue: - Date of first issue: 08/12/2020	
			respirators.		
Hand	protection				
Remarks		:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.		
Eye p	protection	:	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal proces problems.		
Skin a	and body protection	:	: Impervious clothing Choose body protection according to the amount and co centration of the dangerous substance at the work place		
Prote	ctive measures	:	 Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygier and safety practice. Wearing of closed work clothing is recommended. 		
Hygie	ene measures	:	When using do no When using do no Wash hands befo		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	pigmented
Odor	:	product specific
Odor Threshold	:	No data available
рН	:	9 - 9.7
Melting point	:	No applicable information available.
Boiling point	:	No applicable information available.
Flash point	:	not applicable
Evaporation rate	:	No applicable information available.
Flammability (solid, gas)	:	not determined
Upper explosion limit / Upper flammability limit	:	No applicable information available.

SAFETY DATA SHEET

MasterSeal 658 wht pas

Version 1.0	Revision Date: 08/12/2020		S Number: 000261612	Date of last issue: - Date of first issue: 08/12/2020			
	wer explosion limit / Lower mmability limit	:	No applicable inf	ormation available.			
Va	Vapor pressure		No data available				
Re	Relative vapor density		No applicable inf	ormation available.			
Re	Relative density		No applicable inf	ormation available.			
De	Density		approx. 1.5 g/cm	3 (68 °F / 20 °C)			
			approx. 12.7 lb/L	JSg			
	Solubility(ies) Water solubility		dispersible				
			dispersible				
	Solubility in other solvents	:	No applicable information available.				
	Partition coefficient: n- octanol/water		No applicable information available.				
Au	toignition temperature	:	No data available				
De	Decomposition temperature		No decomposition scribed/indicated	n if stored and handled as pre- l.			
Vis	Viscosity Viscosity, dynamic		No applicable inf	ormation available.			
	Viscosity, kinematic	:	No applicable inf	ormation available.			
Ex	plosive properties	:	: Not explosive Not explosive				
Ox	idizing properties	: Based on its structural properties the product is not c as oxidizing.		ctural properties the product is not classified			
Su	blimation point	:	No applicable information available.				
Мс	lecular weight	:	No data available	e			

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.

Versio 1.0	on	Revision Date: 08/12/2020		S Number: 0000261612	Date of last issue: - Date of first issue: 08/12/2020		
C	Conditi	ons to avoid	:	See SDS section 7 - Handling and storage.			
Ir	Incompatible materials			Strong acids Strong bases Strong oxidizing agents Strong reducing agents			
	Hazard product	ous decomposition ts	:	: No hazardous decomposition products if stored and handled as prescribed/indicated.			
SECT	TION 1	1. TOXICOLOGICAL	INFC	ORMATION			
Ν	Not cla	t oxicity ssified based on availa	able	information.			
	Produc Acute c	<u>rr:</u> oral toxicity	:	: Remarks: No applicable information available.			
A	Acute ii	nhalation toxicity	:	Remarks: No applicable information available.			
Α	Acute c	dermal toxicity	:	Remarks: No app	licable information available.		
-		orrosion/irritation					
	Produc Remark		:	May cause skin ir	ritation and/or dermatitis.		
		s eye damage/eye irr s serious eye irritation.		on			
<u></u>	Produc Remark	<u>::</u>	:	May cause irreve	rsible eye damage.		
F	Respir	atory or skin sensitiz	atio	n			
S	Skin sensitization						

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks

: Causes sensitization.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer.

/ersion .0	Revision Date: 08/12/2020	SDS Number: 000000261612	Date of last issue: - Date of first issue: 08/12/2020	
Repr	oductive toxicity			
Not c	lassified based on avail	able information.		
	F-single exposure			
Not cl	lassified based on avail	able information.		
	F -repeated exposure			
			or repeated exposure if inhaled. ged or repeated exposure.	
Aspir	ration toxicity			
Not c	lassified based on avail	able information.		
Produ				
No as	spiration hazard expected	ed.		
Furth	ner information			
Produ				
Rema	arks	: No data av	ailable	
	ponents:			
M-Fae icity)	ctor (Acute aquatic tox-	: 10		
Persi	istence and degradabi	lity		
No da	ata available			
	ata available ccumulative potential			
Bioad				
Bioac <u>Com</u>	ccumulative potential			
Bioac <u>Com</u> Quar Partiti	ccumulative potential ponents:	: Remarks: r	not applicable	
Bioad <u>Com</u> Quar Partiti octan	ccumulative potential ponents: tz (SiO2): ion coefficient: n-	: Remarks: r	not applicable	
Bioac <u>Com</u> Quart Partiti octan Titan Partiti	ccumulative potential ponents: tz (SiO2): ion coefficient: n- iol/water		not applicable not applicable	
Bioad Comp Quart Partiti octan Partiti octan	ccumulative potential ponents: tz (SiO2): ion coefficient: n- iol/water ium dioxide: ion coefficient: n- iol/water utyric acid, monoester	: Remarks: r with 2,2,4-trime	not applicable ethylpentane-1,3-diol:	
Bioac Com Quar Partiti octan Titan Partiti octan Isobu Partiti	ccumulative potential ponents: tz (SiO2): ion coefficient: n- iol/water ium dioxide: ion coefficient: n- iol/water	: Remarks: r with 2,2,4-trime	not applicable	

sion	Revision Date: 08/12/2020		DS Number: 0000261612	Date of last issue: - Date of first issue: 08/12/2020
	nia: on coefficient: n- I/water	:	log Pow: 0.23 (68 Method: other (ca Remarks: The va substance is inor	lculated) lue has not been determined because the
2-dim	ethylaminoethanol:			
	artition coefficient: n- ctanol/water		log Pow: -0.55 (7 Method: internal i	
chloro	othalonil:			
	on coefficient: n- I/water	:	: log Pow: 2.94 (77 °F / 25 °C)	
brono	pol:			
	on coefficient: n- I/water	:	 Pow: 1.64 (75 °F / 24 °C) log Pow: 0.22 (75 °F / 24 °C) pH: 7 Method: Partition coefficient GLP: yes 	
ammo	nia, aqueous solutio	n:		
	on coefficient: n- l/water	:		
Mobili	ty in soil			
No dat	a available			
Other	adverse effects			
<u>Produ</u>	<u>ct:</u>			
Additic matior	onal ecological infor- I	:	unprofessional ha Harmful to aquati	I hazard cannot be excluded in the event of andling or disposal. c life. c life with long lasting effects.

Disposal methods Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater. Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SAFETY DATA SHEET

MasterSeal 658 wht pas

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/12/2020	00000261612	Date of first issue: 08/12/2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA	313
------	-----

: The following components are subject to reporting levels established by SARA Title III, Section 313:

chlorothalonil 1897-45-6

US State Regulations

Pennsylvania Right To Know

Titanium dioxide
Quartz (SiO2)
Limestone
chlorothalonil
listed

New Jersey Right To Know

Titanium dioxide chlorothalonil Limestone Quartz (SiO2) listedSpecial Hazard.

1897-45-6 13463-67-7

13463-67-7 14808-60-7 1317-65-3

1897-45-6 1317-65-3 14808-60-7


California Prop. 65

WARNING: This product can expose you to chemicals including chlorothalonil, which is/are known to the State of California to cause cancer, and ethyleneglycol, which is/are known to the State of California to cause birth defects or other repro-

ductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : On the inventory, or in compliance with the inventory



Version 1.0	Revision Date: 08/12/2020		OS Number: 0000261612	Date of last issue: - Date of first issue: 08/12/2020		
ACGIH / STEL ACGIHTLV / STEL value ACGIHTLV / TWA value NIOSH / REL value NIOSH / STEL value NIOSH REL / TWA			 Short-term exposure limit Short Term Exposure Limit (STEL): Time Weighted Average (TWA): Recommended exposure limit (REL): Short Term Exposure Limit (STEL): Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek 			
			TWA exposure that should not be exceeded			
OSHA OSHA OSHA	HA CARC / PEL:Permissible exposure limit (PEL)HA P0 / TWA:8-hour time weighted averageHA P0 / STEL:Short-term exposure limitHA Z-1 / TWA:8-hour time weighted averageHA Z-3 / TWA:8-hour time weighted average			sure limit (PEL) Ited average ure limit Ited average		

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 08/12/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our com-

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/12/2020	000000261612	Date of first issue: 08/12/2020

mitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN