Version 2.0	Revision Date: 03/29/2021	SDS Number: 000000858095	
SECTIO	ON 1. IDENTIFICATION		
Pro	oduct name	: PEBBLETI	EX TERSUS R1.5 MED COL
Pro	oduct code	: 00000000	0050548537 00000000050548537
Ма	nufacturer or supplier's	details	
Co	mpany name of supplier	: Master Bui US, LLC	Iders-Construction Systems
Ad	dress	: 23700 CH/ Beachwoo	AGRIN BLVD d OH 44122
En	nergency telephone	: ChemTel:	+1-813-248-0585
Re	commended use of the	chemical and re	strictions on use
Re	commended use	: Product for	construction chemicals
Re	strictions on use	: Reserved	or industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
Germ cell mutagenicity	:	Category 1B
GHS label elements Hazard pictograms	:	
	:	Danger

rsion)	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
		through prolong	se damage to organs (Kidney, Immune system) ged or repeated exposure if inhaled. se genetic defects.
Preca	utionary Statements	Prevention:	
		P202 Do not ha and understood P260 Do not br P264 Wash ski P270 Do not ea	eathe dust/ fume/ gas/ mist/ vapors/ spray. n thoroughly after handling. at, drink or smoke when using this product. tective gloves/ protective clothing/ eye protection
		Response: P308 + P313 IF attention.	F exposed or concerned: Get medical advice/
		Storage:	
		P405 Store loc	ked up.
		Disposal:	
		P501 Dispose o posal plant.	of contents/ container to an approved waste dis-
Other	hazards		
None	known.		

Chemical nature

: No applicable information available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
	14808-60-7	>= 50 - < 70
Titanium dioxide	13463-67-7	>= 1 - < 5
Distillates (petroleum), solvent-	64742-65-0	>= 0.1 - < 1
dewaxed heavy paraffinic		
Silicon dioxide	7631-86-9	>= 0.1 - < 1
Actual concentration is withheld as a t	rada agarat	

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

Version 2.0	Revision Date: 03/29/2021		DS Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
In c	ase of skin contact	:	lf on skin, rinse w	vell with water.
In c	ase of eye contact	:	Remove contact Protect unharmed Keep eye wide op	d eye.
lf sv	wallowed	:	Never give anything of the symptoms pers	tract clear. or alcoholic beverages. ing by mouth to an unconscious person. ist, call a physician. ediately to hospital.
and	st important symptoms I effects, both acute and ayed	:	•	ergic skin reaction. to organs through prolonged or repeated ed.
Not	es to physician	:	Treat symptomat	ically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam Dry powder Water spray Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Aqueous preparation
		Non-flammable (aqueous solution). In case of fire may form a hazard after evaporation of water and further heating of the product; see combustion gases/decomposition products.
		See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours
		oxides
		carbon compounds
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

Versio 2.0	n Revision Date: 03/29/2021		9S Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020
SECTI	ON 6. ACCIDENTAL RELE	AS	EMEASURES	
tiv	ersonal precautions, protec- e equipment and emer- ency procedures	:	Use personal prot	ective equipment.
Er	vironmental precautions	:	Prevent further lea	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ties.
	ethods and materials for ntainment and cleaning up	:	acid binder, unive	absorbent material (e.g. sand, silica gel, rsal binder, sawdust). closed containers for disposal.
SECTI	ON 7. HANDLING AND ST	OR	AGE	
	lvice on protection against e and explosion	:	Normal measures	for preventive fire protection.
A	dvice on safe handling	:	Avoid contact with For personal prote Smoking, eating a plication area. Dispose of rinse v regulations. Persons susceptil allergies, chronic	obtain special instructions before use.
C	onditions for safe storage	:	place.	phtly closed in a dry and well-ventilated ions / working materials must comply with safety standards.
	irther information on stor- le conditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. t sunlight.
М	aterials to avoid	:	No applicable info	rmation available.
	irther information on stor- le stability	:	No data available	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis	
------------	---------	------------------------	---------------------------------------	-------	--

sion		SDS Number: 000000858095		t issue: 12/01/2020 t issue: 12/01/2020	
			exposure)	concentration	
Titanii	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTL
ritarin		10400 01 1	PEL (Total	15 mg/m3	29 CFR
			•	13 mg/m3	1910.1000
			dust)		
					(Table Z-1
			TWA value	10 mg/m3	29 CFR
			(Total dust)		1910.1000
					(Table Z-1
			TWA (total	15 mg/m3	OSHA Z-1
			dust)		
			TWÁ (Total	10 mg/m3	OSHA P0
			dust)	io mg/mo	001// 0
			TWA	10 mg/m3	ACGIH
			IWA		ACGIN
	(0:00)	4 4000 60 -		(Titanium dioxide)	
Quart	z (SiO2)	14808-60-7	TWA value	0.025 mg/m3	ACGIHTL
			(Respirable		
			fraction)		
			TWA value	0.05 mg/m3	29 CFR
				(Respirable dust)	1910.100
					1050
			OSHA Action	0.025 mg/m3	29 CFR
			level	(Respirable dust)	1910.100
					1050
			REL value	0.05 mg/m2	NIOSH
				0.05 mg/m3	NIOSH
			(Respirable		
			dust)		
			TWA (Res-	0.05 mg/m3	OSHA Z-1
			pirable dust)		
			TWA (respir-	10 mg/m3 /	OSHA Z-3
			able)	%SiO2+2	
			TWA (respir-	250 mppcf /	OSHA Z-3
			able)	%SiO2+5	
			TWA (respir-	0.1 mg/m3	OSHA P0
			able dust	0.1 mg/m3	
			fraction)		
			/	0.025 mg/m2	
			TWA (Res-	0.025 mg/m3	ACGIH
			pirable par-	(Silica)	1
			ticulate mat-		1
			ter)		
			PEL (respir-	0.05 mg/m3	OSHA CA
			able)		
			TWA (Res-	0.05 mg/m3	NIOSH RE
			pirable dust)	(Silica)	1
crysta	lline silica, particle size	14808-60-7	TWA (Res-	0.05 mg/m3	OSHA Z-1
>63µn	· •		pirable dust)		
200µI	••		TWA (respir-	10 mg/m3 /	OSHA Z-3
			able)	%SiO2+2	
			TWA (respir-	250 mppcf /	OSHA Z-3
			able)	%SiO2+5	
			TWA (respir-	0.1 mg/m3	OSHA P0
			able dust		
			fraction)		
			TWA (Res-	0.025 mg/m3	ACGIH

rsion)	n Revision Date: 03/29/2021				t issue: 12/01/2020 t issue: 12/01/2020	
				ticulate mat- ter)		
				PEL (respir- able)	0.05 mg/m3	OSHA CA
				TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE
Engiı	neering measures	:	No applicable	information ava	ilable.	
Perso	onal protective equip	ment				
Resp	iratory protection	:	Wear approp may be excee		pirator when exposi	ure limits
Hand	protection					
Re	emarks	:		/ for a specific w ucers of the prot	orkplace should be o ective gloves.	discussed
Eye p	protection	:		ttle with pure wa safety goggles	ter	
Skin a	and body protection	:		protection acco	rding to the amount ubstance at the worl	
Prote	ctive measures	:	Avoid contact Avoid exposu Handle in acc and safety pra	re - obtain spec cordance with gc actice.	aerosols. yes and clothing. ial instructions befor od building material ng is recommended	s hygiene
Hygie	ene measures	:	Wash hands	before breaks ar	nd at the end of work	kday.

Ap	opearance	:	highly viscous
Co	blor	:	white to off-white
Oc	dor	:	mild
00	dor Threshold	:	No data available
p⊢	1	:	9.5 (68.00 °F / 20.00 °C)
Me	elting point	:	No applicable information available.
Bo	piling point	:	No applicable information available.

Version 2.0	Revision Date: 03/29/2021		S Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020		
Fla	Flash point		: approx. 199.99 °F / 93.33 °C			
			Method: estimate	e		
Eva	Evaporation rate		No applicable inf	formation available.		
Fla	mmability (solid, gas)	:	No applicable information available.			
	Upper explosion limit / Upper flammability limit		No applicable information available.			
	Lower explosion limit / Lower flammability limit		No applicable information available.			
Vap	por pressure	:	No applicable information available.			
Rel	ative vapor density	:	No applicable information available.			
Rel	ative density	:	No applicable information available.			
Dei	Density		1.8000 g/cm3 (6	8.00 °F / 20.00 °C)		
	ubility(ies) Water solubility	:	No applicable inf	formation available.		
	Solubility in other solvents	:	No applicable inf	formation available.		
	tition coefficient: n- anol/water	:	No applicable inf	formation available.		
Aut	oignition temperature	:	No applicable inf	formation available.		
Dee	composition temperature	:	No decomposition scribed/indicated	on if stored and handled as pre- d.		
	cosity Viscosity, dynamic	:	No applicable inf	formation available.		
	Viscosity, kinematic	:	No applicable inf	formation available.		
Oxi	dizing properties	:	Not an oxidizer.			
Sub	plimation point	:	No applicable inf	formation available.		
Мо	Molecular weight		No data available	e		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.

Version	Revision Date:	SDS Number:	Date of last issue: 12/01/2020
2.0	03/29/2021	000000858095	Date of first issue: 12/01/2020
Conc	litions to avoid	: See SDS se	ction 7 - Handling and storage.
Incompatible materials		: Strong acids Strong base Strong oxidi Strong reduc	s zing agents
Haza	rdous decomposition	: No hazardou	us decomposition products if stored and handled d/indicated.
produ	ucts	as prescribe	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute dermal toxicity	:	Remarks: No applicable information available.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Version 2.0	Revision Date: 03/29/2021		0S Number: 0000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020			
Not c	ration toxicity classified based on avail ner information	able	information.				
Full							
Prod							
Rema	Remarks		: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicolo gy have been derived from the properties of the individual components.				
SECTION	12. ECOLOGICAL INF	ORN	IATION				
	oxicity ata available						
	istence and degradabi ata available	lity					
	ccumulative potential ata available						
	i lity in soil ata available						
Othe	r adverse effects						
Prod Addit matic	ional ecological infor-	:	harmful to aqua The product has	probability that the product is not acutely tic organisms. Is not been tested. The statements on ecotoxi- an derived from the properties of the individual			
SECTION	13. DISPOSAL CONSI	IDER	ATIONS				
Disp	osal methods						
•	e from residues	:	tions. Do not contamin cal or used cont	cordance with national, state and local regula- nate ponds, waterways or ditches with chemi- ainer. e into drains/surface waters/groundwater.			
Conta	aminated packaging	:		ackaging should be emptied as far as possible in the same manner as the sub-			

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG


Version 2.0	Revision Date: 03/29/2021	SDS Number: 000000858095	Date of last issue: 12/01/2020 Date of first issue: 12/01/2020					
Not	regulated as a dangerou	is good						
	IATA-DGR Not regulated as a dangerous good							
	IMDG-Code Not regulated as a dangerous good							
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.							
Don	Domestic regulation							
	49 CFR Not regulated as a dangerous good							
SECTION	SECTION 15. REGULATORY INFORMATION							
USS	US State Regulations							
Pen	nsylvania Right To Kno	ow						
	Titanium dioxide 13463-67-7 Quartz (SiO2) 14808-60-7 crystalline silica, particle size >63µm 14808-60-7							
New	New Jersey Right To Know							
	Titanium dioxide 13463-67-7 Quartz (SiO2) 14808-60-7 crystalline silica, particle size >63µm 14808-60-7 Quartz (SiO2) particle size < 63 µm							
Cali	California Prop. 65							

WARNING: This product can expose you to chemicals including Titanium dioxide, Quartz (SiO2), Quartz (SiO2) particle size < 63 μ m, formaldehyde, benzophenone, cumene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:			
DSL	:	All components of this product are on the Canadian DSL	
TSCA	:	All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	

SECTION 16. OTHER INFORMATION

Further information



OSHA Z-3 / TWA

PEBBLETEX TERSUS R1.5 MED COL

Version	Revision Date:	SDS Number:	Date of last issue: 12/01/2020
2.0	03/29/2021	000000858095	Date of first issue: 12/01/2020
OSH	4 Z-1 / TWA	: 8-hour time v	veighted average

:

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

8-hour time weighted average

Revision Date :

: 03/29/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN