Version 2.0	Revision Date: 04/05/2021		DS Number: 00000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020	
SECTION	1. IDENTIFICATION				
Produ	ict name	:	SENERFLEX INT	ONACO TB MWT	
Product code		:	00000000050523355 00000000050523355		
Manu	facturer or supplier's	deta	ails		
Comp	pany name of supplier	:	Master Builders-CUS, LLC	Construction Systems	
Addre	ess	:	23700 CHAGRIN Beachwood OH 4		
Emer	gency telephone	:	ChemTel: +1-813	3-248-0585	
Reco	mmended use of the o	cher	nical and restriction	ons on use	
Reco	mmended use	:	Product for const	ruction chemicals	
Restr	ictions on use	:	Reserved for indu	ustrial and professional use.	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in a	cordance with the OSHA Hazard Communication Standard (29 CFR
1910.1200)	
Skin sensitization	· Category 1

	Category 1
:	Category 1A
:	Category 1 (Lungs)
:	Category 2 (Kidney, Immune system)
:	Category 1B
:	
:	Danger
	:

Version 2.0	Revision Date: 04/05/2021	SDS Number: 000000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020
			se damage to organs (Kidney, Immune system) ged or repeated exposure if inhaled.
Preca	autionary Statements	Prevention:	
		P202 Do not ha and understood P260 Do not br P264 Wash ski P270 Do not ea P272 Contamir the workplace.	reathe dust/ fume/ gas/ mist/ vapors/ spray. n thoroughly after handling. at, drink or smoke when using this product. hated work clothing must not be allowed out of tective gloves/ protective clothing/ eye protection
		P308 + P313 IF attention. P333 + P313 If attention.	ON SKIN: Wash with plenty of soap and water. exposed or concerned: Get medical advice/ skin irritation or rash occurs: Get medical advice ntaminated clothing before reuse.
		Storage: P405 Store loc	ked up.
		Disposal: P501 Dispose o posal plant.	of contents/ container to an approved waste dis-
	r hazards ata available.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Limestone	1317-65-3	>= 30 - < 50
Quartz (SiO2)	14808-60-7	>= 10 - < 20
Titanium dioxide	13463-67-7	>= 1 - < 5
Kieselguhr, soda ash flux-calcined	68855-54-9	>= 1 - < 5
Quartz (SiO2)	14808-60-7	>= 0.1 - < 1
cristobalite	14464-46-1	>= 0.1 - < 1
Silicon dioxide	7631-86-9	>= 0.1 - < 1
1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol	4719-04-4	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

:

SECTION 4. FIRST AID MEASURES

General advice

Move out of dangerous area. Show this material safety data sheet to the doctor in attend-

Version 2.0	Revision Date: 04/05/2021	SDS Number: 000000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020				
		ance. Do not leav	e the victim unattended.				
lf inh	aled		Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.				
In ca	se of skin contact	: If on skin, r	inse well with water.				
In ca	se of eye contact	Remove co Protect unh Keep eye v	with water as a precaution. ntact lenses. armed eye. vide open while rinsing. ion persists, consult a specialist.				
lf swa	allowed	Keep respi Do not give Never give If symptom	iting immediately and call a physician. atory tract clear. milk or alcoholic beverages. anything by mouth to an unconscious person. s persist, call a physician. immediately to hospital.				
	important symptoms effects, both acute and red	May cause Causes da exposure if Prolonged	an allergic skin reaction. cancer by inhalation. mage to organs through prolonged or repeated inhaled. or repeated inhalation of respirable crystalline silica by result in silicosis.				
Note	s to physician	: Treat symp	tomatically.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	See SDS section 10 - Stability and reactivity.
Hazardous combustion prod- ucts	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

Version 2.0	Revision Date: 04/05/2021		S Number: 0000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020
	cial protective equipment re-fighters	:	Wear self-conta essary.	ained breathing apparatus for firefighting if neo
SECTION	I 6. ACCIDENTAL RELE	ASI	EMEASURES	
tive e	onal precautions, protec- equipment and emer- y procedures	:	Use personal p Ensure adequa	rotective equipment. te ventilation.
Envii	ronmental precautions	:	Prevent further	t from entering drains. leakage or spillage if safe to do so. ontaminates rivers and lakes or drains inform orities.
	ods and materials for ainment and cleaning up	:	acid binder, un	ert absorbent material (e.g. sand, silica gel, iversal binder, sawdust). e, closed containers for disposal.
SECTION	7. HANDLING AND ST	OR	AGE	
	ce on protection against ind explosion	:	Normal measu	res for preventive fire protection.
Advid	ce on safe handling	:	Avoid contact w For personal pu Smoking, eatin plication area. Provide sufficie Dispose of rins regulations. Persons susce allergies, chron	
Conc	litions for safe storage	:	place. Observe label Electrical instal	tightly closed in a dry and well-ventilated precautions. lations / working materials must comply with al safety standards.
	ner information on stor- conditions	:		e original container in a cool, dry, well- e away from ignition sources, heat or flame. rect sunlight.
Mate	rials to avoid	:	No applicable i	nformation available.
Furth	ner information on stor- stability	:	No data availal	ble

Version	Revision Date:	SDS Number:	Date of last issue: 08/27/2020
2.0	04/05/2021	00000837745	Date of first issue: 08/27/2020

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir-	5 mg/m3	29 CFR
		able fraction)	e mg/me	1910.1000
				(Table Z-1)
		PEL (Total	15 mg/m3	29 CFR
		dust)		1910.1000 (Table Z-1)
		TWA value	5 mg/m3	29 CFR
		(Respirable	o mg/mo	1910.1000
		fraction)		(Table Z-1-A)
		TWA value	15 mg/m3	29 CFR
		(Total dust)	10 mg/mo	1910.1000
		(101210031)		(Table Z-1-A)
		TWA (total	15 mg/m3	OSHA Z-1
		dust)	10 mg/mo	
		TWA (respir-	5 mg/m3	OSHA Z-1
		able fraction)	e	
		TWA (Total	15 mg/m3	OSHA P0
		dust)	- 3	
		TWA (respir-	5 mg/m3	OSHA P0
		able dust		
		fraction)		
		TWA (Res-	5 mg/m3	NIOSH REL
		pirable)	(Calcium car- bonate)	
		TWA (total)	10 mg/m3 (Calcium car-	NIOSH REL
			bonate)	
Titanium dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV
		PEL (Total	15 mg/m3	29 CFR
		dust)		1910.1000
				(Table Z-1)
		TWA value	10 mg/m3	29 CFR
		(Total dust)		1910.1000 (Table Z-1-A)
		TWA (total	15 mg/m3	OSHA Z-1
		dust)	-	
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA	10 mg/m3	ACGIH
			(Titanium dioxide)	
cristobalite	14464-46-1	TWA value	0.025 mg/m3	ACGIHTLV
		(Respirable		
		fraction)		

ersion .0	Revision Date: 04/05/2021	SDS Number: 000000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020			
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1	
			TWA (respir- able dust fraction)	0.05 mg/m3	OSHA P0	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
			PEL (respir- able)	0.05 mg/m3	OSHA CAR	
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL	
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV	
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			REL value (Respirable dust)	0.05 mg/m3	NIOSH	
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1	
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3	
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3	
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
			PEL (respir- able)	0.05 mg/m3	OSHA CAR	
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL	
Kiese calcin	lguhr, soda ash flux- ied	68855-54-9	REL value	6 mg/m3	NIOSH	
			TWA value	20 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3)	
			TWA value	0.8 mg/m3	29 CFR 1910.1000 (Table Z-3)	
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050	
			TWA value	0.05 mg/m3	29 CFR	

	04/05/2021	000	0000837745	Date of first issue: 08/27/2020			
		ĺ			(Respirable dust)	1910.1001 1050	
				TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3	
				TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3	
				TWA	6 mg/m3 (Silica)	NIOSH RE	
Engir	neering measures	:	No applicable	information ava	ailable.		
Perso	onal protective equip	ment					
Resp	iratory protection	:		H-certified (or e	ventilation is inadequ quivalent) organic va-		
Hand	protection						
Re	emarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.				
Eye p	protection	:	Eye wash bottle with pure water Tightly fitting safety goggles				
Skin a	and body protection	:		protection acco	rding to the amount a ubstance at the work		
Prote	ctive measures	:	Avoid contact Avoid exposu Handle in acc and safety pr	re - obtain spec cordance with go actice.	aerosols. yes and clothing. ial instructions before bod building materials ing is recommended.		
Hygie	ne measures	:	When using o	lo not eat or drir lo not smoke. before breaks a	nk. nd at the end of worke	day.	
CTION	9. PHYSICAL AND C	HEMI	CAL PROPER	TIES			
•	arance		paste				

Color	: white
Odor	: moderate odour

SAFETY DATA SHEET

SENERFLEX INTONACO TB MWT

Versi 2.0	ion	Revision Date: 04/05/2021		S Number: 0000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020	
I	pН		:	9.5 (approx. 73.4	0 °F / 23.00 °C)	
I	Melting	point	:	No applicable information available.		
l	Boiling	point	:	No applicable inf	ormation available.	
ļ	Flash p	oint	:	approx. 201.20 °	F / 94.00 °C	
I	Evapora	ation rate	:	No applicable inf	ormation available.	
ļ	Flamma	ability (solid, gas)	:	Based on the stru flammability	ucture or composition there is no indication of	
		explosion limit / Upper bility limit	:	No applicable inf	ormation available.	
		explosion limit / Lower bility limit	:	No applicable inf	ormation available.	
,	Vapor p	pressure	:	No applicable inf	ormation available.	
	Relative	e vapor density	r density : N		ormation available.	
l	Relative	edensity	:	No applicable inf	ormation available.	
I	Density		:	approx. 1.8000 g	/cm3 (68 °F / 20 °C)	
:	Solubilit Wate	ty(ies) er solubility	:	No applicable inf	ormation available.	
	Solu	bility in other solvents	:	No applicable inf	ormation available.	
	Partitior octanol	n coefficient: n- /water	:	No applicable inf	ormation available.	
	Autoign	ition temperature	:	No applicable inf	ormation available.	
I	Decom	oosition temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-	
,	Viscosit Visc	y osity, dynamic	:	No applicable inf	ormation available.	
	Visc	osity, kinematic	:	No applicable inf	ormation available.	
(Oxidizir	ng properties	: Not an oxidizer.			
:	Sublima	ation point	: No applicable information available.		ormation available.	
I	Molecul	ar weight	:	No data available	9	

SECTION 10. STABILITY AND REACTIVITY

Versic 2.0	on	Revision Date: 04/05/2021		S Number: 0000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020
R	Reactiv	ity	:	No decompositio	n if stored and applied as directed.
C	Chemic	cal stability	:	No decompositio	n if stored and applied as directed.
	Possibi ions	lity of hazardous reac-	:	No decompositio	n if stored and applied as directed.
C	Conditi	ons to avoid	:	See SDS section	7 - Handling and storage.
Ir	ncomp	atible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing	•
	Hazard product	ous decomposition s	:	No hazardous de as prescribed/inc	ecomposition products if stored and handled licated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Pr	od	uct	

Acute oral toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
		Acute toxicity estimate: > 200 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	:	Remarks: No applicable information available.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Version	Revision Date:	SDS Number:	Date of last issue: 08/27/2020
2.0	04/05/2021	00000837745	Date of first issue: 08/27/2020

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

5

Further information

Product:

Remarks

Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Kieselguhr, soda ash flux-calcined:

Partition coefficient: n- : Remarks: Not applicable octanol/water

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

Version 2.0	Revision Date: 04/05/2021	SDS Number: 000000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020					
SECTION	SECTION 13. DISPOSAL CONSIDERATIONS							
Disposal methods								

Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations


Pennsylvania Right To Know

Limestone Titanium dioxide cristobalite Quartz (SiO2) Kieselguhr, soda ash flux-calcined New Jersey Right To Know	1317-65-3 13463-67-7 14464-46-1 14808-60-7 68855-54-9
Limestone	1317-65-3
Titanium dioxide	13463-67-7
cristobalite	14464-46-1

California Prop. 65

WARNING: This product can expose you to chemicals including ethylene oxide, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:



Version 2.0	Revision Date: 04/05/2021		0S Number: 0000837745	Date of last issue: 08/27/2020 Date of first issue: 08/27/2020	
	R 1910.1001-1050 / Action level	:	OSHA Action leve	el:	
29 CFF TWA v	R 1910.1001-1050 / alue	:	Time Weighted A	verage (TWA):	
ACGIH / TWA		: 8-hour, time-weighted average			
ACGIHTLV / TWA value		: Time Weighted Average (TWA):			
NIOSH	/ REL value	: Recommended exposure limit (REL):			
NIOSH REL / TWA		:	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek		
OSHA	CARC / PEL	:	: Permissible exposure limit (PEL)		
OSHA	P0 / TWA	:	8-hour time weigh	nted average	
OSHA	Z-1 / TWA	: 8-hour time weighted average			
OSHA	Z-3 / TWA	:	8-hour time weigh	nted average	

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 04/05/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

Version	Revision Date:	SDS Number:	Date of last issue: 08/27/2020
2.0	04/05/2021	00000837745	Date of first issue: 08/27/2020

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN