

Cement Board Stucco 1000 CI Cement Board System

with Continuous Insulation



Cement Board Stucco 1000 Cl

Design Details

Cement Board System with Continuous Insulation


Table Of Contents

- 1 Typical CBS 1000 CI System (Isometric)
- 2 Typical CBS 1000 CI System (Plan View)
- 3 Typical Window Jamb Detail with Casing Bead (Plan View)
- 3a Typical Window Jamb Detail with Backwrap (Plan View)
- 4 Typical Window Head Detail with Starter Track
- 4a Typical Window Head Detail with Backwrap
- 5 Typical Window Sill Detail with Casing Bead
- 5a Typical Window Sill Detail with Backwrap
- 6 Typical Expansion Joint at Floorline with Casing Bead
- 6a Typical Expansion Joint at Floorline with Backwrap
- 7 Typical Drainage At Floor Line with Starter Track and Casing Bead
- 7a Typical Drainage at Floor Line with Backwrap

- 8 Typical Vertical Expansion Joint with Casing Bead (Plan View)
- 8a Typical Vertical Expansion Joint with Backwrap (Plan View)
- 9 Typical Control Joint Reveal 1
- 10 Typical Control Joint Reveal 2
- 11 Typical Light Fixture
- 12 Typical Pipe Penetration
- 13 Typical Sign Attachment
- 14 Typical Eps Shape Application
- 15 Typical Outside Corner Miter Detail (Plan View)
- 15a Typical Outside Corner Detail Rabbet Joint (Plan View)
- 16 Typical Inside Corner Detail
- 17 Typical Fascia/Soffit
- 18 Typical Termination at Foundation
- 19 Typical Metal Coping Detail
- 20 Typical Termination Above Flat Roof

Notes:


- Unsatisfactory conditions shall be reported to the General Contractor and corrected before the application of Master Builders Solutions products.
- Install Master Builders Solutions materials in accordance with current installation instructions.
- The details within represent Master Builders Solutions Construction Systems US, LLC (herein after Master Builders Solutions) latest recommendations. They are presented in good faith by Master Builders Solutions. The details are subject to change without notice. Master Builders Solutions accepts no liability for the end use of the details. For conditions not shown, consult Master Builders Solutions for review of specific detail.



TYPICAL CBS 1000 CI SYSTEM (ISOMETRIC) SENERGY CBS 1000 CI SYSTEM

SCALE: NTS






TYPICAL CBS 1000 CI SYSTEM (PLAN VIEW) SENERGY CBS 1000 CI SYSTEM



N7






TYPICAL WINDOW JAMB DETAIL W/ CASING BEAD (PLAN VIEW) SENERGY CBS 1000 CI SYSTEM

SCALE: NTS






TYPICAL WINDOW JAMB DETAIL W/ BACKWRAP (PLAN VIEW) SENERGY CBS 1000 CI SYSTEM

SCALE: NTS






TYPICAL WINDOW HEAD DETAIL W/ STARTER TRACK SENERGY CBS 1000 CI SYSTEM







TYPICAL WINDOW HEAD DETAIL W/ BACKWRAP SENERGY CBS 1000 CI SYSTEM





WINDOW*	0
BACKER ROD AND SEALANT* (WIDTH PER DESIGN)	
CASING/STOP BEAD*	
SHEATHING FABRIC EMBEDDED IN	
MASTER BUILDERS SOLUTIONS DRAINAGE MAT PERMABASE CI™ CEMENT BOARD*	
SENERGY LAMINA:	


TYPICAL WINDOW SILL DETAIL W/ CASING BEAD SENERGY CBS 1000 CI SYSTEM






WINDOW*	
(WIDTH PER DESIGN)	
BACKWRAP TERMINATION	
PERMABASE CI [™] CEMENT BOARD* SENERGY LAMINA: SENERGY BASE COAT SENERGY REINFORCING MESH SENERGY FINISH COAT	

TYPICAL WINDOW SILL DETAIL W/ BACKWRAP SENERGY CBS 1000 CI SYSTEM








NOTE: IT IS RECOMMENDED THAT A MEANS FOR DRAINAGE IS PROVIDED AT EVERY THIRD FLOOR LINE. SEE TYPICAL DRAINAGE AT FLOOR LINE DETAILS

TYPICAL EXPANSION JOINT AT FLOORLINE W/ CASING BEAD SENERGY CBS 1000 CI SYSTEM

SCALE: NTS






NOTE: IT IS RECOMMENDED THAT A MEANS FOR DRAINAGE IS PROVIDED AT EVERY THIRD FLOOR LINE

TYPICAL DRAINAGE AT FLOOR LINE W/ STARTER TRACK & CASING BEAD SENERGY CBS 1000 CI SYSTEM

SCALE: NTS






TYPICAL VERTICAL EXPANSION JOINT W/ CASING BEAD (PLAN VIEW) SENERGY CBS 1000 CI SYSTEM

SCALE: NTS






TYPICAL VERTICAL EXPANSION JOINT W/ BACKWRAP (PLAN VIEW) SENERGY CBS 1000 CI SYSTEM

SCALE: NTS

N8a






TYPICAL CONTROL JOINT - REVEAL 1 SENERGY CBS 1000 CI SYSTEM










TYPICAL CONTROL JOINT - REVEAL 2 SENERGY CBS 1000 CI SYSTEM












TYPICAL PIPE PENETRATION SENERGY CBS 1000 CI SYSTEM



12






TYPICAL SIGN ATTACHMENT SENERGY CBS 1000 CI SYSTEM








TYPICAL EPS SHAPE APPLICATION SENERGY CBS 1000 CI SYSTEM








TYPICAL OUTSIDE CORNER MITER DETAIL (PLAN VIEW) SENERGY CBS 1000 CI SYSTEM

$\mathsf{SCALE:}\ \mathbf{NTS}$






TYPICAL OUTSIDE CORNER DETAIL RABBET JOINT (PLAN VIEW) SENERGY CBS 1000 CI SYSTEM

SCALE: NTS

15a






TYPICAL INSIDE CORNER DETAIL SENERGY CBS 1000 CI SYSTEM








TYPICAL FASCIA / SOFFIT SENERGY CBS 1000 CI SYSTEM








EXTEND CBS 1000 CI OVER FOUNDATION MIN. 2" (50 mm).

TYPICAL TERMINATION AT FOUNDATION SENERGY CBS 1000 CI SYSTEM

SCALE: NTS






TYPICAL METAL COPING DETAIL SENERGY CBS 1000 CI SYSTEM







TYPICAL TERMINATION ABOVE FLAT ROOF SENERGY CBS 1000 CI SYSTEM





Master Builders Solutions Construction Systems US, LLC 889 Valley Park Drive Shakopee, MN 55379, USA senergy.master-builders-solutions.com/en Customer Service +1 (800) 433-9517 Technical Service +1 (800) 589-1336

© MBCC Group, Printed in the U.S.A. rev 04/2021 ® registered trademark of a MBCC Group member in many countries of the world