Version 1.0	Revision Date: 10/22/2020		DS Number: 00000260632	Date of last issue: - Date of first issue: 10/22/2020	
SECTION	1. IDENTIFICATION				
Prod	uct name	:	TEXTURE TB DA	ARK	
Prod	Product code		00000000051710816 00000000051710816		
Man	ufacturer or supplier's	deta	ails		
Com	Company name of supplier		Master Builders-Construction Systems US, LLC		
Addr	Address		23700 CHAGRIN BLVD Beachwood OH 44122		
Eme	Emergency telephone		ChemTel: +1-813-248-0585		
Reco	Recommended use of the		nical and restriction	ons on use	
Reco	Recommended use		Product for const	ruction chemicals	
Rest	Restrictions on use		Reserved for indu	ustrial and professional use.	

## SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200 Skin sensitization : Category 1							
Specific target organ toxicity : - repeated exposure (Inhala- tion)	Category 1 (Lung)						
GHS label elements							
Hazard pictograms :							
Signal Word :	Danger						
Hazard Statements :	H317 May cause an allergic skin reaction. H372 Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled.						
Precautionary Statements :	Prevention: P280 Wear protective gloves.						
	P260 Do not breathe dust or mist. P270 Do not eat, drink or smoke when using this product. P264 Wash face, hands and any exposed skin thoroughly after handling.						
	P272 Contaminated work clothing should not be allowed out of the workplace.						

Version 1.0	Revision Date: 10/22/2020	SDS Number: 000000260632	Date of last issue: - Date of first issue: 10/22/2020		
		P303 + P352 IF and water. P333 + P311 If CENTER or do	cal advice/ attention if you feel unwell. ON SKIN (or hair): Wash with plenty of soap skin irritation or rash occurs: Call a POISON ctor/physician. ake off contaminated clothing and wash it before		
Other	' hazards	<b>Disposal:</b> P501 Dispose of contents/container to appropriate haza waste collection point.			

No data available.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 - < 75
2-(Hydroxymethylamino)ethanol	34375-28-5	>= 0.1 - < 0.2
Limestone	1317-65-3	>= 10 - < 15

### **SECTION 4. FIRST AID MEASURES**

General advice :	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled :	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :	If on skin, rinse well with water.
In case of eye contact :	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed :	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms : and effects, both acute and delayed	May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure if inhaled.

## SAFETY DATA SHEET

# **TEXTURE TB DARK**

Vers 1.0	ion	Revision Date: 10/22/2020		DS Number: 0000260632	Date of last issue: - Date of first issue: 10/22/2020		
Notes to physician		o physician	:	Treat symptomatically.			
SEC	TION 5	. FIRE-FIGHTING ME	ASL	JRES			
	Suitabl	e extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (C	02)		
	Unsuitable extinguishing media		:	High volume wate	er jet		
	Specific hazards during fire fighting		:	See SDS section	10 - Stability and reactivity.		
	Hazard ucts	lous combustion prod-	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides			
	Further	information	:	Use extinguishing	re for chemical fires. measures that are appropriate to local cir- he surrounding environment.		
		l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-		

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8.

Versio 1.0	on	Revision Date: 10/22/2020		9S Number: 0000260632	Date of last issue: - Date of first issue: 10/22/2020		
			Smoking, eating and drinking should be prohibited in the a plication area. Dispose of rinse water in accordance with local and nation regulations. Persons susceptible to skin sensitization problems or asthe allergies, chronic or recurrent respiratory disease should n be employed in any process in which this mixture is being used.				
C	Conditions for safe storage		:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.			
	Further information on stor- age conditions		:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.			
Ν	Materials to avoid		:	No applicable info	prmation available.		
	Recom	mended storage tem- e	:	32 °F / 0 °C			
-	Further age sta	information on stor- bility	:	Minimum storage	temperature:		

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
		TWA (Total	15 mg/m3	OSHA P0

sion	Revision Date: 10/22/2020	SDS Number: 000000260632	Date of las Date of firs	t issue: 10/22/2020			
			dust)		1		
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0		
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH RE		
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH RE		
Quartz	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL\		
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050		
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050		
			REL value (Respirable dust)	0.05 mg/m3	NIOSH		
			TWÁ (Res- pirable dust)	0.05 mg/m3	OSHA Z-1		
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3		
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3		
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0		
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH		
			PEL (respir- able)	0.05 mg/m3	OSHA CAI		
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE		
Engin	eering measures	: No applicable	e information ava	ilable.			
Perso	nal protective equip	ment					
Respir	ratory protection	: Wear approp may be exce		pirator when exposu	re limits		
Hand	protection						
Re	marks		: The suitability for a specific workplace should be discussed with the producers of the protective gloves.				
Eye pı	rotection		: Eye wash bottle with pure water Tightly fitting safety goggles				

Versio 1.0			S Number: 0000260632	Date of last issue: - Date of first issue: 10/22/2020		
S	Skin and body protection			ng ection according to the amount and con- angerous substance at the work place.		
Ρ	rotective measures	:	<ul> <li>Do not inhale gases/vapours/aerosols.</li> <li>Avoid contact with the skin, eyes and clothing.</li> <li>Avoid exposure - obtain special instructions before use Handle in accordance with good building materials hyg and safety practice.</li> <li>Wearing of closed work clothing is recommended.</li> </ul>			
Н	ygiene measures	:	Wash hands befo	re breaks and at the end of workday.		
SECT	ION 9. PHYSICAL AND CHE	EMIC	CAL PROPERTIES	3		
A	ppearance	:	viscous			
С	olor	:	white to light beig	je		
0	dor	:	like acrylic			
0	dor Threshold	: No data				
pl	Н	:	9 - 10 (73 °F / 23	°C)		
Μ	lelting point	:	No applicable inf	ormation available.		
В	oiling point	:	Not applicable			
F	lash point	:	A flash point dete water content.	ermination is unnecessary due to the high		
E	vaporation rate	:	No applicable inf	ormation available.		
F	lammability (solid, gas)	:	not determined			
	pper explosion limit / Upper ammability limit	:	No applicable inf	ormation available.		
	ower explosion limit / Lower ammability limit	:	No applicable inf	ormation available.		
V	apor pressure	:	No data available	9		
R	elative vapor density	:	Heavier than air.			
R	elative density	:	No applicable inf	ormation available.		
D	ensity	:	16.12 lb/USg (73	°F / 23 °C)		
В	ulk density	:				

Version 1.0	Revision Date: 10/22/2020		lumber: 0260632	Date of last issue: - Date of first issue: 10/22/2020
	pility(ies) ater solubility	: pa	artly miscible	
Sc	Solubility in other solvents		applicable inf	ormation available.
	Partition coefficient: n- octanol/water		ot applicable	
Autoi	gnition temperature	: no	ot determined	
Deco	Decomposition temperature		o decompositio ribed/indicated	n if stored and handled as pre- l.
	Viscosity Viscosity, dynamic		o applicable inf	ormation available.
Vi	Viscosity, kinematic		No applicable information available.	
Explo	Explosive properties		Not explosive Not explosive	
Oxidi	Oxidizing properties		Not an oxidizer.	
Subli	Sublimation point		o applicable inf	ormation available.
Moleo	Molecular weight		o data available	e

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

rsion	Revision Date: 10/22/2020	SDS Number: 000000260632	Date of last issue: - Date of first issue: 10/22/2020
Skin	corrosion/irritation		
Not cl	assified based on ava	ailable information.	
<u>Produ</u>			
Rema	arks	: May cause skir	irritation and/or dermatitis.
	us eye damage/eye assified based on ava		
Produ	uct:		
Rema	arks	: Vapors may ca and the skin.	use irritation to the eyes, respiratory system
Resp	iratory or skin sensi	tization	
Skin	sensitization		
May c	ause an allergic skin	reaction.	
-	iratory sensitization assified based on ava		
<u>Produ</u> Rema		: Causes sensiti	zation.
Not cl <b>Carci</b>	cell mutagenicity assified based on ava nogenicity		
	assified based on ava	ailable information.	
•	oductive toxicity assified based on ava	ailable information.	
STOT	-single exposure		
Not cl	assified based on ava	ailable information.	
	-repeated exposure		and as separated as source if inholed
	ation toxicity		ed or repeated exposure if inhaled.
-	assified based on ava	ailable information.	
<u>Comp</u>	<u>oonents:</u>		
	<b>droxymethylamino)</b> pplicable	ethanol:	
Furth	er information		
<u>Produ</u>	uct:		
Rema		: No data availat	

Version 1.0	Revision Date: 10/22/2020		Number: )0260632	Date of last issue: - Date of first issue: 10/22/2020
SECTION	12. ECOLOGICAL INF	ORMA	ΓΙΟΝ	
	<b>oxicity</b> ata available			
	stence and degradab	ility		
Bioa	ccumulative potential			
Com	ponents:			
Partit	<b>tz (SiO2):</b> ion coefficient: n- ol/water	: R	emarks: Not a	applicable
2-(Hy	droxymethylamino)et	hanol:		
	ion coefficient: n- ol/water	Μ	g Pow: -2.205 ethod: other ( LP: no data	
	<b>lity in soil</b> ata available			
Othe	r adverse effects			
<u>Prod</u> Addit matic	ional ecological infor-	ha Ti co	armful to aqua	probability that the product is not acutely atic organisms. Is not been tested. The statements on ecotoxi- en derived from the properties of the individual
SECTION	13. DISPOSAL CONS	IDERAT	IONS	
Disp	osal methods			
-	e from residues	: D	o not contami	nate ponds, waterways or ditches with chemi-

Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

### SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Version 1.0	Revision Date: 10/22/2020	SDS Number: 000000260632	Date of last issue: - Date of first issue: 10/22/2020						
Not re	egulated as a dangero	us good							
	IATA-DGR Not regulated as a dangerous good								
	IMDG-Code Not regulated as a dangerous good								
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.								
Dom	Domestic regulation								
	<b>49 CFR</b> Not regulated as a dangerous good								
SECTION	SECTION 15. REGULATORY INFORMATION								
US S	US State Regulations								
Penn	sylvania Right To Kr	ow							
	Titanium dioxide       13463-67-7         Quartz (SiO2)       14808-60-7         Limestone       1317-65-3         listed       1317-65-3								
New	Jersey Right To Kno	w							
	Titanium dioxide Limestone		13463-67-7 1317-65-3						
	Quartz (SiO2) listedSpecial Haz	zard.	14808-60-7						

#### California Prop. 65


WARNING: This product can expose you to chemicals including ethylene oxide, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### The ingredients of this product are reported in the following inventories:

TSCA : On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

Further information



Version	Revision Date: 10/22/2020	SDS Number:	Date of last issue: -
1.0		000000260632	Date of first issue: 10/22/2020

OSHA Z-1 / TWA OSHA Z-3 / TWA	8-hour time weighted average 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

**Revision Date** 

: 10/22/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/22/2020	000000260632	Date of first issue: 10/22/2020

WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN