

808-9907B LMP BLK

Version 1.0 Revision Date: 02/17/2021 SDS Number: 000000669492 Date of last issue: -
Date of first issue: 02/17/2021

SECTION 1. IDENTIFICATION

Product name : 808-9907B LMP BLK
Product code : 000000000050536880 000000000050536880

Manufacturer or supplier's details

Company name of supplier : Master Builders-Construction Systems
US, LLC
Address : 23700 CHAGRIN BLVD
Beachwood OH 44122
Emergency telephone : ChemTel: +1-813-248-0585

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals
Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Skin sensitization : Category 1
Hazardous to the aquatic environment - acute hazard : Category 3
Hazardous to the aquatic environment - chronic hazard : Category 3
Carcinogenicity (Inhalation) : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Warning
Hazard Statements : H317 May cause an allergic skin reaction.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.
H350i May cause cancer by inhalation.
Precautionary Statements : **Prevention:**
P280 Wear protective gloves.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

808-9907B LMP BLK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/17/2021	000000669492	Date of first issue: 02/17/2021

P273 Avoid release to the environment.
P272 Contaminated work clothing should not be allowed out of the workplace.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Components**

Chemical name	CAS-No.	Concentration (% w/w)
talc	14807-96-6	>= 20 - < 30
Carbon black	1333-86-4	>= 5 - < 10
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with 2-propanamine	68584-24-7	>= 1 - < 5
3-iodo-2-propynyl butylcarbamate	55406-53-6	>= 0.1 - < 1
crystalline silica	14808-60-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Remove contaminated clothing.
- If inhaled : Keep patient calm, remove to fresh air.
If breathing difficulties develop, aid in breathing and seek immediate medical attention.
If necessary, give oxygen.
- In case of skin contact : Flush with copious amounts of water for at least 15 minutes.
Change contaminated clothing and shoes.
If symptoms persist, seek medical advice.
Wash contaminated clothing before reuse.
- In case of eye contact : Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- If swallowed : Rinse mouth immediately with water.
Do NOT induce vomiting.
If vomiting occurs, keep head lower than hips to prevent aspiration.

808-9907B LMP BLK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/17/2021	000000669492	Date of first issue: 02/17/2021

Seek medical attention.
Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Dry powder
Carbon dioxide (CO₂)
Foam

Unsuitable extinguishing media : water jet

Specific hazards during fire fighting : Do not release chemically contaminated water into drains, soil or surface water. Sufficient measures must be taken to retain the water used for extinguishing. Dispose of contaminated water and soil according to local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES**SECTION 7. HANDLING AND STORAGE****SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Carbon black	1333-86-4	TWA value (Inhalable fraction)	3 mg/m ³	ACGIHTLV
		PEL	3.5 mg/m ³	29 CFR 1910.1000 (Table Z-1)
		TWA value	3.5 mg/m ³	29 CFR 1910.1000 (Table Z-1-A)
		REL value	0.1 mg/m ³ (Polycyclic aromatic hydrocarbons (PAH))	NIOSH
		TWA (Inhalable particulate matter)	3 mg/m ³	ACGIH
		TWA	3.5 mg/m ³	NIOSH REL
		TWA	3.5 mg/m ³	OSHA Z-1

808-9907B LMP BLK

Version
1.0Revision Date:
02/17/2021SDS Number:
000000669492Date of last issue: -
Date of first issue: 02/17/2021

		TWA	3.5 mg/m ³	OSHA P0
		TWA	0.1 mg/m ³ (PAHs)	NIOSH REL
talc	14807-96-6	TWA value (Respirable fraction)	2 mg/m ³	ACGIHTLV
		TWA (Dust)	20 Million parti- cles per cubic foot	OSHA Z-3
		TWA (respir- able dust fraction)	2 mg/m ³	OSHA P0
		TWA (Res- pirable)	2 mg/m ³	NIOSH REL
		TWA	0.1 fibres per cubic centimeter	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m ³	ACGIH
Quartz (SiO ₂)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m ³	ACGIHTLV
		TWA value	0.05 mg/m ³ (Respirable dust)	29 CFR 1910.1001- 1050
		OSHA Action level	0.025 mg/m ³ (Respirable dust)	29 CFR 1910.1001- 1050
		REL value (Respirable dust)	0.05 mg/m ³	NIOSH
		TWA (Res- pirable dust)	0.05 mg/m ³	OSHA Z-1
		TWA (respir- able)	10 mg/m ³ / %SiO ₂ +2	OSHA Z-3
		TWA (respir- able)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		TWA (respir- able dust fraction)	0.1 mg/m ³	OSHA P0
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m ³ (Silica)	ACGIH
		PEL (respir- able)	0.05 mg/m ³	OSHA CARC
		TWA (Res- pirable dust)	0.05 mg/m ³ (Silica)	NIOSH REL

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

808-9907B LMP BLK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/17/2021	000000669492	Date of first issue: 02/17/2021

Color	:	black
Odor	:	odorless
pH	:	8.0 - 9.5
Melting point	:	not determined
Boiling point	:	> 212 °F / > 100 °C
Flash point	:	344.3 °F / 173.5 °C
Evaporation rate	:	Value can be approximated from Henry's Law Constant or vapor pressure.
Flammability (solid, gas)	:	not highly flammable Method: derived from flash point
Self-ignition	:	Based on the water content the product does not ignite.
Upper explosion limit / Upper flammability limit	:	For liquids not relevant for classification and labelling.
Lower explosion limit / Lower flammability limit	:	For liquids not relevant for classification and labelling.
Vapor pressure	:	not determined
Relative vapor density	:	not determined
Relative density	:	1.3 (68 °F / 20 °C)
Density	:	1.3 g/cm ³ (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	not determined
Autoignition temperature	:	Based on the water content the product does not ignite.
Decomposition temperature	:	not determined
Viscosity		
Viscosity, dynamic	:	
Viscosity, kinematic	:	not determined
Explosive properties	:	Based on the water content the product has no explosive

808-9907B LMP BLK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/17/2021	000000669492	Date of first issue: 02/17/2021

properties.

Oxidizing properties : not fire-propagating

Sublimation point : No data available

Molecular weight : No data available.

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions : No hazardous reactions if stored and handled as prescribed/indicated.
The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid : No conditions to avoid anticipated.

Incompatible materials : Strong acids
Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg
Test substance: other TS

LD50 (Rat): < 2,000 mg/kg
Test substance: other TS

LD50 (Rat): > 2,000 mg/kg
Test substance: other TS

Acute inhalation toxicity : LC50 (Rat): 6.750 mg/l
Exposure time: 4 h
Test substance: other TS

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

808-9907B LMP BLK

Version Revision Date: SDS Number: Date of last issue: -
1.0 02/17/2021 000000669492 Date of first issue: 02/17/2021

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Product:**

Species : Rat, male
LOAEL : 0.006 mg/l
Application Route : Inhalation
Exposure time : 791 d

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration hazard expected.

Components:**Benzenesulfonic acid, C10-16-alkyl derivs., compds. with 2-propanamine:**

Not applicable

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Fish): 24.9375 mg/l
Exposure time: 96 h

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:**3-iodo-2-propynyl butylcarbamate:**

808-9907B LMP BLK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/17/2021	000000669492	Date of first issue: 02/17/2021

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Benzenesulfonic acid, C10-16-alkyl derivs., compds. with 2-propanamine:**

Partition coefficient: n-octanol/water : log Pow: 6.71
Method: other (calculated)

3-iodo-2-propynyl butylcarbamate:

Partition coefficient: n-octanol/water : log Pow: 2.81 (77 °F / 25 °C)
Method: Partition coefficient (n-octanol/water), Shake-flask method
GLP: yes

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with national, state and local regulations.
Do not discharge into drains/surface waters/groundwater.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

UNRTDG

808-9907B LMP BLK

Version Revision Date: SDS Number: Date of last issue: -
1.0 02/17/2021 000000669492 Date of first issue: 02/17/2021

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**US State Regulations****Pennsylvania Right To Know**

Carbon black	1333-86-4
talc	14807-96-6
crystalline silica	14808-60-7

New Jersey Right To Know

Carbon black	1333-86-4
talc	14807-96-6
3-iodo-2-propynyl butylcarbamate	55406-53-6
crystalline silica	14808-60-7

The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL


TSCA : All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

SECTION 16. OTHER INFORMATION**Further information**


808-9907B LMP BLK

Version 1.0 Revision Date: 02/17/2021 SDS Number: 000000669492 Date of last issue: -
 Date of first issue: 02/17/2021

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

- 29 CFR 1910.1000 (Table Z-1-A) : OSHA - Table Z-1-A (29 CFR 1910.1000)
- 29 CFR 1910.1000 (Table Z-1) : OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
- 29 CFR 1910.1001-1050 : OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- ACGIHTLV : American Conference of Governmental Industrial Hygienists - threshold limit values (US)
- NIOSH : NIOSH Pocket Guide to Chemical Hazards (US)
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens
- OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
- OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
- OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
- 29 CFR 1910.1000 (Table Z-1-A) / TWA value : Time Weighted Average (TWA):
- 29 CFR 1910.1000 (Table Z-1) / PEL : Permissible exposure limit
- 29 CFR 1910.1001-1050 / OSHA Action level : OSHA Action level:
- 29 CFR 1910.1001-1050 / TWA value : Time Weighted Average (TWA):
- ACGIH / TWA : 8-hour, time-weighted average
- ACGIHTLV / TWA value : Time Weighted Average (TWA):
- NIOSH / REL value : Recommended exposure limit (REL):
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- OSHA CARC / PEL : Permissible exposure limit (PEL)
- OSHA P0 / TWA : 8-hour time weighted average

808-9907B LMP BLK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/17/2021	000000669492	Date of first issue: 02/17/2021

OSHA Z-1 / TWA : 8-hour time weighted average
 OSHA Z-3 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/17/2021

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING

808-9907B LMP BLK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/17/2021	000000669492	Date of first issue: 02/17/2021

WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN