Version 1.0	Revision Date: 09/24/2020		Number: )0261557	Date of last issue: - Date of first issue: 09/24/2020		
SECTIO	N 1. IDENTIFICATION					
Proc	luct name	: Fl	NE TB MAXI W	HITE		
Proc	Product code		00000000051674352 00000000051674352			
Man	ufacturer or supplier's	details				
Corr	Company name of supplier		Master Builders-Construction Systems US, LLC			
Add	ress		3700 CHAGRIN eachwood OH 4			
Eme	ergency telephone	: C	ChemTel: +1-813-248-0585			
Rec	Recommended use of the chemical and restrictions on use					
Rec	ommended use	: Pi	oduct for const	uction chemicals		
Res	trictions on use	: R	Reserved for industrial and professional use.			

# SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200         Skin sensitization       : Category 1						
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lung)				
GHS label elements Hazard pictograms	:					
Signal Word	:	Danger				
Hazard Statements	:	H317 May cause an allergic skin reaction. H372 Causes damage to organs (Lung) through prolonged or repeated exposure if inhaled.				
Precautionary Statements	:	Prevention: P280 Wear protective gloves. P260 Do not breathe dust or mist. P270 Do not eat, drink or smoke when using this product. P264 Wash face, hands and any exposed skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.				

Version 1.0	Revision Date: 09/24/2020	SDS Number: 000000261557	Date of last issue: - Date of first issue: 09/24/2020		
		P303 + P352 IF and water. P333 + P311 If CENTER or do	cal advice/ attention if you feel unwell. ON SKIN (or hair): Wash with plenty of soap skin irritation or rash occurs: Call a POISON ctor/physician. ake off contaminated clothing and wash it before		
		<b>Disposal:</b> P501 Dispose of contents/container to appropriate hazard waste collection point.			

## Other hazards

No data available.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 25 - < 75
2-(Hydroxymethylamino)ethanol	34375-28-5	>= 0.1 - < 0.2
Limestone	1317-65-3	>= 7 - < 15
Titanium dioxide	13463-67-7	>= 1 - < 3

### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and	:	May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated

# SAFETY DATA SHEET

# FINE TB MAXI WHITE

Ver 1.0	sion	Revision Date: 09/24/2020		0S Number: 0000261557	Date of last issue: - Date of first issue: 09/24/2020		
	delayed	b		exposure if inhale	d.		
	Notes t	o physician	:	Treat symptomation	Treat symptomatically.		
SEC	CTION 5	. FIRE-FIGHTING ME	ASL	IRES			
	Suitabl	e extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (C	:O2)		
	Unsuita media	able extinguishing	:	High volume wate	r jet		
	Specific fighting	c hazards during fire	:	See SDS section	10 - Stability and reactivity.		
	Hazard ucts	ous combustion prod-	:	harmful vapours nitrogen oxides fumes/smoke carbon black carbon oxides			
	Further	information	:	Use extinguishing	re for chemical fires. measures that are appropriate to local cir- he surrounding environment.		
	•	l protective equipment fighters	:	Wear self-containe essary.	ed breathing apparatus for firefighting if nec-		

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use.

Versio 1.0	'n	Revision Date: 09/24/2020		DS Number: 0000261557	Date of last issue: - Date of first issue: 09/24/2020	
				Smoking, eating a plication area. Dispose of rinse v regulations. Persons suscepti allergies, chronic	n skin and eyes. ection see section 8. and drinking should be prohibited in the ap- water in accordance with local and national ble to skin sensitization problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being	
C	Conditions for safe storage		:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.		
	Further information on stor- age conditions		:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.		
М	lateria	als to avoid	:	No applicable info	prmation available.	
	ecom eratur	mended storage tem- e	:	32 °F / 0 °C		
	urthei ge sta	r information on stor- ability	:	Minimum storage	temperature:	

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir-	5 mg/m3	OSHA Z-1

rsion	Revision Date: 09/24/2020	SDS Number: 000000261557	Date of las Date of firs	t issue: - t issue: 09/24/2020	
1		I	able fraction)	1	l
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Titani	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-A
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTLV
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001- 1050
			REL value (Respirable dust)	0.05 mg/m3	NIOSH
			TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
			PEL (respir- able)	0.05 mg/m3	OSHA CAR
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL

# SAFETY DATA SHEET

# FINE TB MAXI WHITE

Versior 1.0	Revision Date: 09/24/2020		DS Number: 0000261557	Date of last issue: - Date of first issue: 09/24/2020		
En	Engineering measures		: No applicable information available.			
Ре	rsonal protective equipm	ent				
Re	espiratory protection	:	Wear appropriate may be exceeded	certified respirator when exposure limits		
Ha	and protection					
	Remarks		Wear chemical resistant protective gloves. Manufact directions for use should be observed because of gr versity of types. The suitability for a specific workplace should be dis with the producers of the protective gloves.			
Ey	e protection	:	Eye wash bottle w Tightly fitting safe			
Sk	Skin and body protection		Body protection must be chosen depending on activity a possible exposure, e.g. apron, protecting boots, chemica protection suit (according to EN 14605 in case of splash EN ISO 13982 in case of dust). Choose body protection according to the amount and co centration of the dangerous substance at the work place			
Pr	otective measures	:	Avoid contact with Avoid exposure - Handle in accorda and safety practic	es/vapours/aerosols. a the skin, eyes and clothing. obtain special instructions before use. ance with good building materials hygiene e. I work clothing is recommended.		
Hy	giene measures	:	Wash hands befo	re breaks and at the end of workday.		

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous
Color	:	whitish
Odor	:	like acrylic
Odor Threshold	:	No data available
рН	:	9 - 10
Melting point	:	No applicable information available.
Boiling point	:	No applicable information available.

Version 1.0	Revision Date: 09/24/2020		S Number: 0000261557	Date of last issue: - Date of first issue: 09/24/2020
Fla	sh point	:	A flash point dete water content.	ermination is unnecessary due to the high
Se	lf-ignition	:	not self-igniting	
	wer explosion limit / Lower mmability limit	:	not applicable	
Va	por pressure	:	No data available	е.
Re	lative density	:	No applicable inf	formation available.
De	nsity	:	1.816 g/cm3 (70	°F / 21 °C)
Bu	lk density	:	1,800 - 2,400 kg	/m3
So	lubility(ies) Water solubility	:	completely solub	le
	Solubility in other solvents	:	No applicable inf	formation available.
	rtition coefficient: n- anol/water	:	not applicable	
Au	toignition temperature	:	Based on the wa	ter content the product does not ignite.
De	composition temperature	:	No decomposition scribed/indicated	on if stored and handled as pre- I.
Vis	cosity Viscosity, dynamic	:	No data available	e.
	Viscosity, kinematic	:	No applicable inf	formation available.
Ex	plosive properties	:	Not explosive Not explosive	
Ox	idizing properties	:	Based on its stru as oxidizing.	ictural properties the product is not classified
Se	If-heating substances	:	No data available	e
Su	blimation point	:	No applicable inf	formation available.
Мс	lecular weight	:	No data available	е.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac-	:	No decomposition if stored and applied as directed.

ersion D	Revision Date: 09/24/2020		lumber: 0261557	Date of last issue: - Date of first issue: 09/24/2020		
tions						
Cond	itions to avoid	: Se	e SDS sec	tion 7 - Handling and storage.		
Incom	npatible materials	St St	trong acids trong bases trong oxidizi trong reduci	ng agents		
Haza produ	rdous decomposition icts		o hazardous s prescribed	s decomposition products if stored and handle /indicated.		
	11. TOXICOLOGICAL		ATION			
	<b>e toxicity</b> lassified based on avai	lable info	rmation.			
Prod	uct:					
Acute	inhalation toxicity		E: > 5.0000 marks: Dete	) mg/l ermined for dust		
Acute	e dermal toxicity	: AT	ATE: > 5,000 mg/kg			
-	corrosion/irritation lassified based on avai	lable info	rmation.			
Prod	uct:					
Rema		: Ma	May cause skin irritation and/or dermatitis.			
Serio	ous eye damage/eye ir	ritation				
Not cl	lassified based on avai	lable info	rmation.			
<u>Produ</u> Rema			oduct dust n stem.	nay be irritating to eyes, skin and respiratory		
Resp	iratory or skin sensiti	zation				
Skin	sensitization					
	cause an allergic skin r	eaction.				
Resp	iratory sensitization					
•	lassified based on avai	lable info	rmation.			
<u>Produ</u> Rema		: Ca	luses sensit	ization.		
	<b>n cell mutagenicity</b> lassified based on avai	lable info	rmation			
		iadie info	mation.			
Carci	nogenicity					

ersion 0	Revision Date: 09/24/2020		0S Number: 0000261557	Date of last issue: - Date of first issue: 09/24/2020
Repr	oductive toxicity			
Not c	lassified based on ava	ilable	information.	
	F-single exposure			
Not c	lassified based on ava	ilable	information.	
	<b>F</b> -repeated exposure	<i>.</i>		
		(Lung)	through prolon	ged or repeated exposure if inhaled.
-	r <b>ation toxicity</b> lassified based on ava	ulahla	information	
	ner information	liiabie		
<u>Prod</u> Rema			No doto ovoilo	
Rema	arks	-	No data availa	DIE
ECTION	12. ECOLOGICAL IN	FORM	IATION	
Ecot	oxicity			
No da	ata available			
Persi	istence and degradat	oility		
No da	ata available			
Bioa	ccumulative potentia	I		
<u>Com</u>	ponents:			
Quar	tz (SiO2):			
	ion coefficient: n- ol/water	:	Remarks: not a	applicable
2-(Hy	vdroxymethylamino)e	ethanc	ol:	
	ion coefficient: n-	:	log Pow: -2.20	
octan	ol/water		Method: other GLP: no data	(calculated)
	ium dioxide: ion coefficient: n-		Domorkov not	applicable
	ol/water	:	Remarks: not a	applicable
Mobi	lity in soil			
	ata available			
Othe	r adverse effects			
Prod	uct:			
-	ional ecological infor-	:	harmful to aqua	probability that the product is not acutely atic organisms. as not been tested. The statements on ecotoxi

Version	Revision Date:	SDS Number:	Date of last issue: -	
1.0	09/24/2020	000000261557	Date of first issue: 09/24/2020	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub-stance/product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## Domestic regulation

49 CFR

Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

### **US State Regulations**

### Pennsylvania Right To Know

Titanium dioxide Quartz (SiO2) Limestone listed	13463-67-7 14808-60-7 1317-65-3
New Jersey Right To Know	
Titanium dioxide Limestone Quartz (SiO2) listedSpecial Hazard.	13463-67-7 1317-65-3 14808-60-7

#### California Prop. 65

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/24/2020	00000261557	Date of first issue: 09/24/2020


WARNING: This product can expose you to chemicals including cumene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:TSCA:On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

### Further information





## HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

## Full text of other abbreviations

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
29 CFR 1910.1001-1050	:	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
NIOSH	:	NIOSH Pocket Guide to Chemical Hazards (US)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min- eral Dusts
29 CFR 1910.1000 (Table Z- 1-A) / TWA value	:	Time Weighted Average (TWA):
29 CFR 1910.1000 (Table Z- 1) / PEL	:	Permissible exposure limit

Version 1.0	Revision Date: 09/24/2020		DS Number: 0000261557	Date of last issue: - Date of first issue: 09/24/2020
	R 1910.1001-1050 / Action level	:	OSHA Action leve	el:
29 CF TWA v	R 1910.1001-1050 / /alue	:	Time Weighted A	verage (TWA):
ACGI	H/TWA	:	8-hour, time-weig	hted average
ACGI	HTLV / TWA value	: Time Weighted Average (TWA		verage (TWA):
NIOSH	H / REL value	: Recommended expo		
NIOSH	HREL/TWA	: Time-weighted average concentration for up to a 1 workday during a 40-hour workweek		
OSHA	CARC / PEL	:	Permissible expo	sure limit (PEL)
OSHA	P0 / TWA	:	8-hour time weigh	nted average
OSHA	Z-1 / TWA	:	8-hour time weigh	nted average
OSHA	Z-3 / TWA	:	8-hour time weigh	nted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

**Revision Date** 

: 09/24/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/24/2020	00000261557	Date of first issue: 09/24/2020

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN