

DECLARATION OF PERFORMANCE

according Annex III of the regulation (EU) No 305/2011 amended by Commissions delegated Regulation (EU) No. 574/2014

For the system "MasterTop 1273 R"

| No. 127303 | | | |
|-------------------|--|--|--|
| 1. | Unique identification code of the product-type: EN 13813: 2002: SR-B1.5-AR1-IR4 | | |
| 2. | Intended use/es: Synthetic resin screed for internal uses | | |
| 3. | Manufacturer: Master Builders Solutions Deutschland GmbH Donnerschweer Str. 372 D-26123 Oldenburg | | |
| 4. | System/s of assessment and verification of constancy of performance (AVCP): System 4 for internal uses System 3 for reaction to fire | | |
| 5. | Harmonised standard: EN 13813: 2002 | | |
| 6. | Notified body/ies: For the reaction to fire: Prüfinstitut Hoch (1508) | | |





7. Declared performances determined in System build-up MasterTop 1273 R:

| Performance | System of assessment and verification of constancy of performance | Harmonisierte technische Spezifikation |
|-------------|--|---|
| Bfl-s1 | System 3 | |
| SR | System 4 | EN 13813:2002 |
| NPD | | |
| ≤ AR1 | | |
| ≥ B1,5 | | |
| ≥ IR4 | | |
| NPD | | |
| | BfI-s1 SR NPD ≤ AR1 ≥ B1,5 ≥ IR4 NPD NPD NPD | Performanceand verification of constancy of performanceBfl-s1System 3SR |

NPD: No Performance Determined

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

Appropriate Technical Documentation to reaction to fire: No. PB Hoch 111304-111305-111306

Fulfilled requirements: Bfl-s1 Thickness max. of the flooring system: 3 mm

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

litte i.V.

Henrik Willem Vetter European Marketing Manager Performance Flooring

Oldenburg, 04.01.2021

<u>Annex:</u> Technical data sheets for use in buildings (system build-ups according to respective technical data sheets)