

DECLARATION OF PERFORMANCE

In accordance with Annex III of Regulation (EU) No. 305/2011 (Construction Product Regulation)

Reference Number: No. 01190384

For the product: Ucrete CS20AS consisting of:

A primer layer of:- Ucrete PSC, Ucrete PFS, Ucrete PLC, Ucrete BC4, Ucrete BC6, Ucrete FL, Ucrete MF, or NONE.

A bodycoat layer of:- Ucrete BC6AS

A broadcast layer of:- F20AS

A topcoat layer of:- Ucrete TCCS

As described in the relevant technical data sheets and when installed according to the manufacturer's instructions.

1. Unique identification code of the product type(s):

BS EN 13813 SR

2. Type, batch or serial number or other identifying mark to identify the construction product as set out in Article 11 (4):

Batch number: See product packaging

3. Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification:

Synthetic resin screed material

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as set out in Article 11 (5):

Master Builders Solutions UK Ltd
19 Broad Ground Road
Redditch B98 8YP
United Kingdom

Master Builders Solutions UK Ltd





DECLARATION OF PERFORMANCE

5. When applicable, the name and contact address of the authorised representative who has received a mandate for the tasks set out in Article 12 (2):

Not applicable

6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

System 3 for fire behaviour

7. In the case of a declaration of performance concerning a construction product that is covered by a harmonised standard:

The notified body, Exova Warringtonfire, UK, Identification Number 0833, performed the reaction to fire (EN 13501-1) according to System 3 and reported the following:

Classification Report No. 426499

8. In the case of a declaration of performance concerning a construction product for which a European Technical Assessment was issued:

Not Relevant

9. Declared Performance:

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONISED TECHNICAL SPECIFICATION
Fire classification	$B_{FL} - S_1^*$	EN 13813: 2002
Release of corrosive substances	NPD	EN 13813: 2002
Water permeability	NPD	EN 13813: 2002
Mechanical Resistance	NPD	EN 13813: 2002
Wear resistance	AR 0,5	EN 13813: 2002
Bond strength	B > 2,0	EN 13813: 2002
Impact resistance	IR >4	EN 13813: 2002
Subsonic noise insulation	NPD	EN 13813: 2002
Acoustical absorption	NPD	EN 13813: 2002
Heat insulation	NPD	EN 13813: 2002
Chemical resistance	NPD	EN 13813: 2002
Electrical resistance	$ER^2 < 10^6 - ER^3 < 10^6$	EN 13813: 2002

NPD: No Performance Determined

Master Builders Solutions UK Ltd

Redditch Office:





DECLARATION OF PERFORMANCE

* Based on preliminary results and comparative data to system family report No. 394824.

When specific technical documentation in accordance with Articles 37 or 38 was used, the requirements that the product fulfils:

Not applicable

10. The performance of the product set out in numbers 1 and 2 corresponds to the declared performance set out in number 9. The manufacturer as defined in number 4 is solely responsible for drawing up this declaration of performance.

Prepared on behalf of Master Builders Solutions UK Ltd:

Name: David Bell Position: QC Manager

Place and date: Redditch, 12th February 2021 Signature:

Signed for and on behalf of Master Builders Solutions UK Ltd:

Redditch, 12th February 2021

Name: Robert Bentley Position: Marketing Manager Europe, Ucrete

Signature:

Place and

date:

2 DBankley

