

# MasterSeal® 910 S

## Hydroswelling waterbar for construction joints

THIS METHOD STATEMENT COVERS THE FIXING OF **MasterSeal 910 S**, A PREFORMED WATER BAR, THAT SWELLS IN CONTACT WITH WATER, TO SEAL CONSTRUCTION JOINTS.

### METHOD STATEMENT: MasterSeal 910 S

#### 1. APPLICATION:

- 1.1. The concrete substrate to which the **MasterSeal 910 S** is to be fixed must be smooth and sound.
- 1.2. Minor imperfections will be filled by the **MasterSeal 911**.
- 1.3. Cut the **MasterSeal 910 S** to the required length.

NOTE: If more than one length of water bar is required, or the **MasterSeal 910 S** is being wrapped around piles, allow the water bar to overlap at the joint for a minimum of 2cm in a side by side manner.

- 1.4. Fix the **MasterSeal 910 S** to the concrete substrate using **MasterSeal 911**. Apply light tension to the **MasterSeal 910 S** as it is being fixed. Allow the adhesive on the verticals to dry at least over night before concreting.
- 1.5. Protect the fixed **MasterSeal 910 S** from mould release oil and dirt. Do not saturate the water bar before concreting as this may cause it to swell.

® = registered trademark of a MBCC Group member in many countries of the world

|                             |   |
|-----------------------------|---|
| STATEMENT OF RESPONSIBILITY | The technical information and application advice given in this Master Builders Solutions publication are based on the present state of our best scientific and practical knowledge. As the information herein is of a general nature, no assumption can be made as to a product's suitability for a particular use or application and no warranty as to its accuracy, reliability or completeness either expressed or implied is given other than those required by law. The user is responsible for checking the suitability of products for their intended use. |
| NOTE                        | Field service where provided does not constitute supervisory responsibility. Suggestions made by Master Builders Solutions either orally or in writing may be followed, modified or rejected by the owner, engineer or contractor since they, and not Master Builders Solutions, are responsible for carrying out procedures appropriate to a specific application.   |

#### Master Builders Solutions Ltd.,Co.

Level 11, Saigon Trade Center, 37 Ton Duc Thang, Ben Nghe Ward, District 1, Ho Chi Minh City, Vietnam  
Tel: +84 329 702 998  
Register number: 0316341574  
Website: <https://www.master-builders-solutions.com/vi-vn>